

THE EXPERT'S VOICE® IN OPEN SOURCE

Pro PHP and jQuery

*Add quick, smooth, and easy interactivity
to your PHP sites with jQuery*

Jason Lengstorf

Apress®

Pro PHP and jQuery



JASON LENGSTORF

Apress®

Pro PHP and jQuery

Copyright © 2010 by Jason Lengstorf

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage or retrieval system, without the prior written permission of the copyright owner and the publisher.

ISBN-13 (pbk): 978-1-4302-2847-9

ISBN-13 (electronic): 978-1-4302-2848-6

Printed and bound in the United States of America 9 8 7 6 5 4 3 2 1

Trademarked names, logos, and images may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, logo, or image we use the names, logos, and images only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

President and Publisher: Paul Manning

Lead Editor: Michelle Lowman

Technical Reviewer: Robert Banh

Editorial Board: Clay Andres, Steve Anglin, Mark Beckner, Ewan Buckingham, Gary Cornell, Jonathan Gennick, Jonathan Hassell, Michelle Lowman, Matthew Moodie, Duncan Parkes, Jeffrey Pepper, Frank Pohlmann, Douglas Pundick, Ben Renow-Clarke, Dominic Shakeshaft, Matt Wade, Tom Welsh

Coordinating Editor: Anita Castro

Copy Editor: Patrick Meader and Heather Lang

Compositor: Kimberly Burton

Indexer: BIM Indexing & Proofreading Services

Artist: April Milne

Cover Designer: Anna Ishchenko

Distributed to the book trade worldwide by Springer Science+Business Media, LLC., 233 Spring Street, 6th Floor, New York, NY 10013. Phone 1-800-SPRINGER, fax (201) 348-4505, **e-mail** orders-ny@springer-sbm.com, or visit www.springeronline.com.

For information on translations, please e-mail rights@apress.com, or visit www.apress.com.

Apress and friends of ED books may be purchased in bulk for academic, corporate, or promotional use. eBook versions and licenses are also available for most titles. For more information, reference our Special Bulk Sales—eBook Licensing web page at www.apress.com/info/bulksales.

The information in this book is distributed on an “as is” basis, without warranty. Although every precaution has been taken in the preparation of this work, neither the author(s) nor Apress shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this work.

The source code for this book is available to readers at www.apress.com. You will need to answer questions pertaining to this book in order to successfully download the code.

For Nate. It's 2-1 now.

Contents at a Glance

■ About the Author	xii
■ About the Technical Reviewer	xiii
■ Acknowledgements	xiv
■ PART 1: Getting Comfortable with jQuery	1
■ Chapter 1: Introducing jQuery	3
■ Chapter 2: Common jQuery Actions and Methods	25
■ PART 2: Getting Into Advanced PHP Programming	85
■ Chapter 3: Object-Oriented Programming	87
■ Chapter 4: Build an Events Calendar	119
■ Chapter 5: Add Controls to Create, Edit, and Delete Events	167
■ Chapter 6: Password Protecting Sensitive Actions and Areas	199
■ PART 3: Combining jQuery with PHP Applications	233
■ Chapter 7: Enhancing the User Interface with jQuery	235
■ Chapter 8: Editing the Calendar with AJAX and jQuery	263
■ PART 4: Advancing jQuery and PHP	309
■ Chapter 9: Performing Form Validation with Regular Expressions	311
■ Chapter 10: Extending jQuery	345
■ Index	361

Contents

■ About the Author	xii
■ About the Technical Reviewer	xiii
■ Acknowledgements	xiv
■ PART 1: Getting Comfortable with jQuery	1
■ Chapter 1: Introducing jQuery	3
Choosing jQuery over JavaScript	3
Understanding JavaScript Libraries	3
Understanding the Benefits of jQuery	4
Understanding the History of jQuery	4
Setting Up a Testing Environment	4
Installing Firefox	5
Installing Firebug	5
Including jQuery in Web Pages	7
Including a Downloaded Copy of the jQuery Library	7
Including a Remotely Hosted Copy of the jQuery Library	8
Using the Google AJAX Libraries API	8
Setting up a Test File	8
Introducing the jQuery Function (\$)	9
Selecting DOM Elements Using CSS Syntax	10
Summary	23
■ Chapter 2: Common jQuery Actions and Methods	25
Understanding the Basic Behavior of jQuery Scripts	25

Understanding jQuery Methods	25
Traversing DOM Elements	26
Creating and Inserting DOM Elements.....	36
Accessing and Modifying CSS and Attributes.....	53
Affecting Result Sets	62
Using Animation and Other Effects.....	65
Handling Events.....	71
Using AJAX Controls	78
Summary	84
■ PART 2: Getting Into Advanced PHP Programming	85
■ Chapter 3: Object-Oriented Programming	87
Understanding Object-Oriented Programming.....	87
Understanding Objects and Classes	87
Recognizing the Differences Between Objects and Classes	88
Structuring Classes	88
Defining Class Properties	89
Defining Class Methods.....	90
Using Class Inheritance	99
Assigning the Visibility of Properties and Methods	103
Commenting with DocBlocks.....	110
Comparing Object-Oriented and Procedural Code.....	112
Ease of Implementation.....	112
Better Organization.....	117
Easier Maintenance	117
Summary	117
■ Chapter 4: Build an Events Calendar	119
Planning the Calendar.....	119
Defining the Database Structure	119

Creating the Class Map	119
Planning the Application’s Folder Structure	120
Modifying the Development Environment.....	122
Building the Calendar	124
Creating the Database	124
Connecting to the Database with a Class	125
Creating the Class Wrapper	127
Adding Class Properties	127
Building the Constructor	129
Loading Events Data	136
Outputting HTML to Display the Calendar and Events	143
Outputting HTML to Display Full Event Descriptions.....	160
Summary	166
■ Chapter 5: Add Controls to Create, Edit, and Delete Events	167
Generating a Form to Create or Edit Events.....	167
Adding a Token to the Form	169
Creating a File to Display the Form	171
Adding a New Stylesheet for Administrative Features	172
Saving New Events in the Database	176
Adding a Processing File to Call the Processing Method	179
Adding a Button to the Main View to Create New Events	181
Adding Edit Controls to the Full Event View	185
Modifying the Full Event Display Method to Show Admin Controls	187
Adding the Admin Stylesheet to the Full Event View Page.....	188
Deleting Events	190
Generating a Delete Button	191
Creating a Method to Require Confirmation	192
Creating a File to Display the Confirmation Form.....	195

Summary	198
Chapter 6: Password Protecting Sensitive Actions and Areas	199
Building the Admin Table in the Database.....	199
Building a File to Display a Login Form	200
Creating the Admin Class	202
Defining the Class.....	202
Building a Method to Check the Login Credentials.....	203
Modifying the App to Handle the Login Form Submission.....	213
Allowing the User to Log Out	218
Adding a Log Out Button to the Calendar	218
Creating a Method to Process the Logout	220
Modifying the App to Handle the User Logout	221
Displaying Admin Tools Only to Administrators	223
Showing Admin Options to Administrators.....	223
Limiting Access to Administrative Pages	228
Summary	231
PART 3: Combining jQuery with PHP Applications	233
Chapter 7: Enhancing the User Interface with jQuery	235
Adding Progressive Enhancements with jQuery.....	235
Setting Progressive Enhancement Goals.....	236
Include jQuery in the Calendar App	236
Create a JavaScript Initialization File	237
Creating a New Stylesheet for Elements Created by jQuery.....	238
Creating a Modal Window for Event Data	240
Binding a Function to the Click Event of Title Links	240
Preventing the Default Action and Adding an Active Class.....	240
Extracting the Query String with Regular Expressions.....	241

Creating a Modal Window.....	243
Retrieve and Display Event Information with AJAX	247
Add a Close Button	253
Add Effects to the Creation and Destruction of the Modal Window.....	254
Summary	262
■ Chapter 8: Editing the Calendar with AJAX and jQuery	263
Opening the Event Creation Form	263
Adding an AJAX Call to Load the Form	264
Modifying the AJAX Processing File to Load the Form	265
Making the Cancel Button Behave Like the Close Button.....	268
Saving New Events in the Database	269
Modifying the AJAX Processing File to Handle New Submissions	271
Adding Events Without Refreshing	273
Deserializing the Form Data	274
Creating Date Objects.....	279
Appending the Event to the Calendar	283
Getting the New Event's ID.....	286
Editing Events in a Modal Window.....	290
Determining the Form Action.....	291
Storing the Event ID if One Exists	292
Remove Event Data from the Modal Window	294
Ensuring Only New Events Are Added to the Calendar.....	296
Confirming Deletion in a Modal Window.....	298
Displaying the Confirmation Dialog	298
Configuring the Form Submission Event Handler for Deletion	301
Remove the Event from the Calendar After Deletion	304
Summary	307
■ PART 4: Advancing jQuery and PHP.....	309

Chapter 9: Performing Form Validation with Regular Expressions	311
Getting Comfortable with Regular Expressions	311
Understanding Basic Regular Expression Syntax	311
Drilling Down on the Basics of Pattern Modifiers	316
Getting Fancy with Backreferences.....	318
Matching Character Classes.....	320
Finding Word Boundaries	323
Using Repetition Operators.....	323
Detecting the Beginning or End of a String	324
Using Alternation	324
Using Optional Items.....	325
Putting It All Together	326
Adding Server-Side Date Validation.....	328
Defining the Regex Pattern to Validate Dates.....	328
Adding a Validation Method to the Calendar Class.....	333
Returning an Error if the Dates Don't Validate.....	334
Adding Client-Side Date Validation	338
Creating a New JavaScript File to Validate the Date String.....	338
Including the New File in the Footer.....	339
Preventing the Form Submission if Validation Fails	339
Summary	343
Chapter 10: Extending jQuery	345
Adding Functions to jQuery.....	345
Adding Your Date Validation Function to jQuery.....	345
Modifying the Include Script.....	348
Modifying the Initialization Script.....	348
Adding Methods to jQuery	350

Building Your Plugin	351
Implementing Your Plugin	357
Summary	360
■ Index	361

About the Author



■ Jason Lengstorf is a web designer and developer based in Big Sky country. He specializes in content management software using PHP, MySQL, AJAX, and web standards.

He spends most of his time running Ennui Design: a collection of web designers and developers from all over the world specializing in premium custom websites. In his off hours, he runs a clothing company called Humblecock™ and tries to make time for hobbies including golf, travel, and hunting down new beers.

About the Technical Reviewer



■ **Robert Banh** is an accomplished developer, working in code since the existence of Pluto. He's known for hacking core systems and deploying websites over the weekends. He specializes in building custom PHP/MySQL web applications using technologies such as Zend framework and CodeIgniter. Depending on the project, he's known to jump from content management systems of Wordpress, Drupal, and Expression Engine to e-commerce solutions of Magento and Shopify. When he's not coding, he's playing with Adobe Photoshop and aligning hand drawn boxes into a 960 grid. He also dreams in hex colors.

His passion lives on the web, designing and building custom solutions for clients stemming from IBM, HP, Unisys, and KLRU, to small mom and pop shops and non-profit organizations. He is currently employed at the University of Texas at Austin where they let him run free and code in multiple frameworks and experiment taking over the world with unorthodox designs for the web.

Robert has a Computer Science degree from the University of Texas at Austin. If he's not mentoring or tweeting, you can find him attending Refresh Austin each month.

Acknowledgments

I feel like I should probably thank Robert Banh, Michelle Lowman, and Anita Castro first. They put up with my insane schedule, inability to make up my mind about the book's content, and my general scattered work habits.

Mom and Dad, I've said it before, but thanks for everything. I couldn't have done it if you hadn't been willing to put up with my many identity crises.

Nate, you keep me motivated, as usual, by continually doing cooler things than I'm doing. Kyle, Scott, Mike, Harris, Rhino, Amie, Shannon: thanks for forcing me to be social and leave the house every once in a while. Checkers, thanks for setting up the tee times.

Of course, I need to thank Drew, Henry, and Tom for joining the Ennui Design team and allowing me to take the time to write. It's great to have people with whom I can bounce ideas around; you probably don't know how much it means to me to have people around who understand what I'm talking about (and, more importantly, actually care about the subject matter).

To Peter, Rose, Molly, Lucy, Kathryn, Jenna, and the rest of the girls at Caffé Dolcé, you're as responsible for this book reaching completion as I am. Thanks for remembering my order on days I was too frazzled to articulate.

Everyone at the Montana Programmers meetups — Ian Merwin, Wes Hunt, Monica Ray, Nathan and Jennifer Stephens, Christopher Cable, Ashton Sanders, Andy Laken, Scott Rouse, Nora McDougall-Collins, and everyone whose name escapes me right now — I have more fun at those meetups than I do at most gatherings. Thanks for showing up and proving that even Montana can have a developers' community.

And of course, to the online community — Rob MacKay, Andrea La Valleur, Mike Conaty, Chris Coyier, Paul Barrick, Brenley Dueck, Bill Joseph, Brad Smith, the DCTH crew — thanks for providing a welcome distraction when I needed a minute, sharing insight, and reminding me that there are geeks everywhere; you just don't see us because we're all inside on the computer.

PART 1



Getting Comfortable with jQuery

In the first part of this book, you'll be getting familiar with the history and basic capabilities of jQuery. By the end of this section, you will have a general grasp on the overarching concepts behind jQuery, and—after you've revisited object-oriented PHP in Part 2—you'll be ready to tackle the exercises in Part 3 (where you actually start building a real-world project with jQuery and PHP).



Introducing jQuery

To fully understand jQuery and its applications in modern web programming, it's important to take a moment and look back at where jQuery came from, what needs it was built to fill, and what programming in JavaScript was like before jQuery came around.

In this chapter you'll learn about JavaScript libraries and the needs they seek to fulfill, as well as why jQuery is the library of choice for the majority of web developers. You'll also learn the basics of jQuery, including how to make the library available for use in your applications and how the core of jQuery—its powerful selector engine—works.

Choosing jQuery over JavaScript

JavaScript has a reputation for being rather unwieldy in web applications. A lack of consistent browser support, difficult debugging, and an intimidating syntax can make learning JavaScript feel impossible.

To be fair, all the things that make JavaScript seem difficult are part of what make it so powerful, but that doesn't make it any more inviting to a novice web developer looking to add JavaScript to his arsenal.

Understanding JavaScript Libraries

The steep learning curve associated with JavaScript has been a sore spot for developers for years, and as frustrations grew, several ambitious developers started building JavaScript **libraries**, also referred to as JavaScript **frameworks**.

These libraries aimed to simplify the use of JavaScript to make it more accessible to both new and existing developers by creating easy-to-use control functions that remove some of the heavy lifting from everyday JavaScript tasks. Libraries are especially useful in the realm of Asynchronous JavaScript and XML (AJAX) due to the complexity of performing the same tasks using straight JavaScript.

JavaScript libraries aim to provide a simpler syntax for common tasks, which translates to a faster workflow for developers and a less intimidating learning curve for beginners. They also eliminate some of the headache involved in coding cross-browser JavaScript by doing all the compatibility checks for you within their built-in methods, which is a *huge* time-saver when coding.

■ **Note** The difference between using jQuery's AJAX tools versus the straight JavaScript method will be explored later on in Chapter 2.

A good number of JavaScript libraries are available. Several of the most popular currently in use are Prototype (<http://www.prototypejs.org>), MooTools (<http://mootools.net>), Yahoo! UI Library (<http://developer.yahoo.com/yui>), and the focus of this book, jQuery.

Understanding the Benefits of jQuery

Every JavaScript framework has its own benefits; jQuery is no exception, providing the following benefits:

- Small file size (approximately 23KB as of version 1.4)
- Extremely simple syntax
- Chainable methods
- Easy plug-in architecture for extending the framework
- A huge online community
- Great documentation at <http://api.jquery.com>
- Optional extensions of jQuery for added functionality, such as jQueryUI

Understanding the History of jQuery

The brain child of developer John Resig jQuery was first announced at BarCamp NYC in early 2006 (for more on BarCamp, see <http://barcamp.org>). Resig noted on his web site, that he created jQuery because he was unhappy with the currently available libraries and felt that they could be vastly improved by reducing “syntactic fluff” and adding specific controls for common actions (<http://ejohn.org/blog/selectors-in-javascript/>).

jQuery was a big hit in the development community and quickly gained momentum. Other developers came on to help refine the library, ultimately resulting in the first stable release of jQuery, version 1.0, on August 26, 2006.

Since then, jQuery has progressed to version 1.4.2 (at the time of this writing) and has seen a huge influx of plug-ins from the development community. A **plug-in** is an extension of jQuery that isn't part of the core library. You'll learn more about (and build) jQuery plug-ins in Chapter 10.

Setting Up a Testing Environment

Because there's no better way to understand a new language than to just get your hands dirty, you'll need a testing environment to try out some introductory exercises with jQuery. Fortunately, setting up this testing environment is a simple two-step process: install Firefox, and install Firebug.

Throughout this book, all exercises will assume that you are using the Firefox browser with the Firebug plug-in due to its excellent JavaScript testing console.

Installing Firefox

To get Firefox up and running on your computer, navigate to <http://firefox.com> and download the latest version of Firefox (version 3.6 at the time of this writing). After running the installer (Firefox Setup x.x.x.exe on a PC or Firefox x.x.x.dmg on Mac), Firefox will be running.

Installing Firebug

To install Firebug, use Firefox to navigate to <http://getfirebug.com>, and click the “Install Firebug x.x for Firefox” button. This takes you to the Firefox add-ons directory entry for Firebug. Once there, click the “Add to Firefox” button, which will bring up the installation dialog in the browser (see Figure 1-1). Click Install Now, and wait for the add-on to install. Then restart Firefox.




Figure 1-1. The installation dialog for Firebug

After restarting Firefox, an icon will appear in the status bar that looks like a lightning bug. Clicking that icon will bring up the Firebug controls, starting with the console (see Figure 1-2).




Figure 1-2. The Firebug add-on opens to the console panel

■ **Note** Firebug is useful for much more than JavaScript debugging. It's an invaluable addition to any web developer's arsenal. To learn more, visit <http://getfirebug.com>.

SETTING UP A LOCAL TESTING ENVIRONMENT

Though setting up a local testing environment is not required for the exercises presented in this book, doing so is a good development practice. Testing locally allows for quicker, more secure development and is generally easier than trying to develop on a remote server.

Installing XAMPP

To quickly and easily set up a local development environment on your computer, download and install XAMPP using the following steps:

1. Visit <http://www.apachefriends.org/en/xampp.html>, and download the latest version of XAMPP for your operating system.
2. Open the downloaded file. For a PC, run the EXE file, select a directory, and install. For a Mac, mount the DMG, and drag the XAMPP folder into your Applications folder.
3. Open the XAMPP Control Panel in the XAMPP folder, and start Apache.
4. Navigate to <http://localhost/> to ensure that XAMPP is working. If so, the XAMPP home page will let you know.

In addition to the Windows and Mac versions of XAMPP, there are distributions for Linux and Solaris. Each operating system has quirks when installing XAMPP, so refer to the help section for additional information on getting a local testing environment running on your machine.

Including jQuery in Web Pages

To use jQuery in a project, the library needs to be loaded in your HTML document to give your script access to the library's methods. If the library is not loaded first, any scripts using jQuery syntax will likely result in JavaScript errors. Fortunately, loading jQuery is very simple, and there are several options available to developers to do so.

Including a Downloaded Copy of the jQuery Library

The first option for including jQuery in a project is to save a copy of the library within your project's file structure and include it just like any other JavaScript file:

```
<script type="text/javascript" src="js/jquery-1.4.2.min.js"></script>
```

Including a Remotely Hosted Copy of the jQuery Library

The second option is to include a copy of the jQuery library hosted on Google Code. This is done in the hopes that visitors to your web site will have a copy of the library already cached from another site including the same file, which decreases load time for your site's users.

The remote copy is included just like the downloaded copy:

```
<script type="text/javascript"
src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js">
</script>
```

Using the Google AJAX Libraries API

Google Code also offers an option for loading jQuery called the AJAX Libraries API (see <http://code.google.com/apis/ajaxlibs>). In Google's words, "The AJAX Libraries API is a content distribution network and loading architecture for the most popular, open source JavaScript libraries."

Using the AJAX Libraries API is simple and straightforward, and this is method that will be used throughout this book. To include jQuery in your web site using the AJAX Libraries API, use the following snippet:

```
<script type="text/javascript"
  src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
  google.load("jquery", "1.4.2");
</script>
```

Setting up a Test File

Now that your testing environment is set up, create a new folder in the `htdocs` folder within your XAMPP installation called `testing`, and create a new file inside it called `index.html`. In the editor of your choice, insert the following HTML markup:

```
<!DOCTYPE html>
<html>
<head>
  <title>Testing jQuery</title>
</head>
<body>
  <p>Hello World!</p>
  <p class="foo">Another paragraph, but this one has a class.</p>
  <p><span>This is a span inside a paragraph.</span></p>
  <p id="bar">Paragraph with an id.
    <span class="foo">And this sentence is in a span.</span>
  </p>

  <script type="text/javascript"
    src="http://www.google.com/jsapi"></script>
  <script type="text/javascript">
```

```

    google.load("jquery", "1.4.2");
  </script>
</body>
</html>

```

■ **Note** Loading the JavaScript right before the closing body tag (`</body>`) is done to keep the scripts from blocking other page elements, such as images, from loading. Doing so also prevents JavaScript from running before the elements are fully loaded on the page, which can result in unexpected behavior or JavaScript errors.

Save this file and navigate to `http://localhost/testing/` in Firefox (see Figure 1-3).




Figure 1-3. Our test file loaded in Firefox

You'll be using this file to get your feet wet with the basic operations of jQuery.

Introducing the jQuery Function (\$)

At the core of jQuery is the jQuery function. This function is the heart and soul of jQuery and is used in every instance where jQuery is implemented. In most implementations of jQuery, the shortcut `$()` is used instead of `jQuery()` to keep the code concise.

We won't get too deep into the programming theory that makes this function tick, but it basically creates a jQuery object and evaluates the expression passed as its parameters. It then determines how it should respond and modifies itself accordingly.

■ **Caution** Certain other JavaScript libraries also use the `$()` function, so conflicts may occur when attempting to use multiple libraries simultaneously. jQuery provides a fix for this situation with `jQuery.noConflict()`. For more information, see <http://docs.jquery.com/Core/jquery.noConflict>.

Selecting DOM Elements Using CSS Syntax

Everything in jQuery revolves around its incredibly powerful selector engine. The rest of this chapter teaches you the different methods with which you can select elements from the Document Object Model (DOM) using jQuery.

■ **Note** The DOM is a collection of objects and nodes that make up HTML, XHTML, and XML documents. It is platform- and language-independent—this essentially means that developers can use a variety of programming languages (such as JavaScript) to access and modify DOM information on multiple platforms (such as web browsers) without compatibility issues.

One of the strongest and most alluring features of jQuery is the ease with which a developer is able to select elements within the DOM. The use of pseudo-CSS selectors¹ adds an incredible level of power to jQuery. Pseudo-CSS allows a developer to target specific instances of elements in his HTML. This is especially helpful to anyone with prior experience with CSS due to the nearly identical syntax. Essentially, using the same CSS syntax you would use to set up style rules, you're able to select elements in the following ways:

- Basic selectors
 - Hierarchy selectors
 - Filters
 - Basic filters
 - Content filters
 - Visibility filters
 - Attribute filters
 - Child filters
 - Form filters
-

¹ http://www.w3schools.com/CSS/css_pseudo_classes.asp

Basic Selectors

The basic selectors allow developers to select elements by tag type, class name, ID, or any combination thereof. While viewing `http://localhost/testing/`, launch the Firebug dialog, and click the Console tab (see Figure 1-4). If the Console panel is disabled, click the Console tab, and select Enabled. You will be using this console for all examples in this chapter.

■ **Note** If you're familiar with CSS, you will be able to skim this section, because the selectors behave the same as their CSS counterparts.

Selecting Elements by Tag Type

To select an element by tag type, simply use the name of the tag (such as `p`, `div`, or `span`) as your selector:

element

To select all paragraph (`<p>`) tags in our test document, enter the following snippet at the bottom of the console:

```
$("#p");
```

Press Enter and the code will execute. The following results will be displayed in the console (see Figure 1-4):

```
>>> $("#p");
[ p, p.foo, p, p#bar ]
```

The first line shows the command that was executed, and the second line shows what was returned from the code. There are four paragraph tags in our test document: two without class or ID attributes, one with a class `foo`, and one with an ID `bar` (you'll learn about this syntax in the next sections). When we pass the tag name to the jQuery function, all instances are found and added to the jQuery object.




Figure 1-4. The Firebug console after executing a command

Selecting Tags by Class Name

Just as quickly as you can select by tag type, you can select elements by their assigned class or classes. The syntax for this is the use the class name preceded by a period (.):

.class

Select all the elements with the class `foo` by executing the following snippet in the console:

```
$(".foo");
```

After execution, the following will show up in the console:

```
>>> $(".foo");
[ p.foo, span.foo ]
```

Both a paragraph tag and a span are returned, since they both have the class `foo`.

Selecting Elements by ID

To select an element by its id attribute, the CSS syntax of the id preceded by a hash sign (#) is used.

#id

Match all elements with an ID of `bar` with the following:

```
$("#bar");
```

Only one paragraph in our document has an id of "bar", as we see in the result:

```
>>> $("#bar");
[ p#bar ]
```

Combining Selectors for More-Precise Selection

In some situations, it may be necessary to isolate only certain tags that correspond to a class, which is easy to do by combining tag type and class in your selector.

Enter the following in the console to select only paragraph tags with the class `foo`:

```
$("#p.foo");
```

The results in the console confirm that the span was ignored, even though it has the class `foo`:

```
>>> $("#p.foo");
[p.foo]
```

Using Multiple Selectors

In the event that you need to access multiple elements, multiple selectors can be used to access all of those elements at once. For instance, if you wanted to select any paragraph tag with a class of `foo` or any element with an ID of `bar`, you would use the following:

```
$("#p.foo,#bar");
```

This returns elements that match *at least one* selector specified in the string:

```
>>> $("#p.foo,#bar");
[ p.foo, p#bar ]
```

Hierarchy Selectors

Sometimes, it's not enough to be able to select by element, class, or ID. There are points at which you'll need to access elements contained within, next to, or after another element, such as removing an active class from all menu items except the one that was just clicked, grabbing all the list items out of the selected unordered list, or changing attributes on the wrapper element when a form item is selected.

Selecting Descendant Elements

Selecting descendant elements, which are elements contained within other elements, is done using the ancestor selector followed by a space and the descendant selector.

ancestor descendant

To select descendant spans in your test document, execute the following command in the Firebug console:

```
$("#body span");
```

This will find all spans contained within the body tag (<body>) of the document, even though the spans are also inside paragraph tags.

```
>>> $("#body span");
[ span, span.foo ]
```

Selecting Child Elements

Child elements are a more-specific style of descendant selector. Only the very next level of element is considered for matching. To select a child element, use the parent element followed by a greater than (>) symbol, followed by the child element to match:

parent>child

In your test file, try to select any spans that are child elements of the body element by entering the following command in the console:

```
$("#body>span");
```

Because there are no spans directly contained within the body element, the console will output the following:

```
>>> $("#body>span");
[ ]
```

Next, filter all span elements that are direct children of a paragraph element:

```
$("#p>span");
```

The resulting output looks like this:

```
>>> $("#p>span");
[ span, span.foo ]
```

Selecting Next Elements

Occasionally in a script, you'll need to select the next element in the DOM. This is accomplished by providing an identifier for the starting element (any selector pattern works here), followed by a plus sign (+), followed by the selector to match the next instance of:

start+next

Try this in the console by typing the following command:

```
$(".foo+p");
```

There is only one element with the class `foo`, so only one paragraph element is returned:

```
>>> $(' .foo+p ');
[ p ]
```

Next, use a more general query, and select the next paragraph element after any paragraph element:

```
$('.p+p');
```

There are four paragraphs in our markup, and all of them but the last have a `next` paragraph, so the console will display three elements in the result:

```
>>> $('.p+p');
[ p.foo, p, p#bar ]
```

This result set is the second, third, and fourth paragraphs from the HTML markup.

Selecting Sibling Elements

Sibling elements are any elements contained within the same element. Selecting sibling elements works similarly to selecting next elements, except the sibling selector will match *all* sibling elements after the starting element, rather than just the next one.

To select sibling elements, use the starting element selector, followed by an equivalency sign (`~`), and the selector to match sibling elements with:

```
start~siblings
```

To match all siblings after the paragraph with class `foo`, execute the following command in the console:

```
$(".foo~p");
```

The result set will look like the following:

```
>>> $(".foo~p");
[ p, p#bar ]
```

Basic Filters

Filters are another very powerful method of accessing elements in the DOM. Instead of relying on element types, classes, or IDs, you're able to find elements based on their position, current state, or other variables.

The basic syntax of a filter is a colon (`:`) followed by the filter name:

```
:filter
```

In some filters, a parameter can be passed in parentheses:

```
:filter(parameter)
```

The most common and useful filters are covered in the next few sections.

■ **Note** Not all available filters are covered here for the sake of getting into actual development quickly. For a complete listing of available filters, see the jQuery documentation.

Selecting First or Last Elements

One of the most common uses of filters is to determine if an element is the first or last element in a set. With filters, finding the first or last element is incredibly simple; just append the filter `:first` or `:last` to any selector:

```
$("#p:last");
```

This returns the following when executed in the console:

```
>>> $("#p:last");
[ p#bar ]
```

Selecting Elements that Do Not Match a Selector

If you need to find all elements that *don't* match a selector, the `:not()` filter is the easiest way to go about it. Append this filter to your selector along with a selector as its parameter, and the results set will return any elements that match the original selector, but not the selector passed as a parameter to `:not()`.

For example:

```
$("#p:not(.foo)");
```

Will return the following result set:

```
>>> $("#p:not(.foo)");
[ p, p, p#bar ]
```

Selecting Even or Odd Elements

Similar to `:first` and `:last`, the `:even` and `:odd` filters are syntactically simple and return exactly what you might expect: the even or odd elements from a result set, respectively.

```
$("#p:odd");
```

Executing the preceding line in the console will result in the following output:

```
>>> $("p:odd");
[ p.foo, p#bar ]
```

Selecting Elements by Index

In the event that you need to grab a particular element by its index, the `:eq()` filter allows you to specify which element is needed by passing an index as the filter's parameter:

```
$("p:eq(3)");
```

This outputs the following:

```
>>> $("p:eq(3)");
[ p#bar ]
```

■ **Note** An element's **index** refers to its position among other elements in the set. Counting in programming starts a zero (0), so the first element is at index 0; the second is at index 1, and so on.

Content Filters

Filters are also available to select elements based on their content. These can range from containing certain text to surrounding a given element.

Selecting Elements That Contain Certain Text

To select only elements that contain certain text, use the `:contains()` filter, where the text to be matched is passed as a parameter to the filter:

```
$("p:contains(Another)");
```

When executed in the console, the preceding line will return the following:

```
>>> $("p:contains(Another)");
[ p.foo ]
```

■ **Note** The `:contains()` filter is case sensitive, meaning capitalization matters for matching text. A case-insensitive version of the filter has been added to the comments of the `:contains()` entry on the API

documentation by a member of the development community. For more on this filter, see <http://api.jquery.com/contains-selector>.

Selecting Elements That Contain a Certain Element

If you need to select only elements that contain another element, you would use the `:has()` filter. This works similarly to `:contains()`, except it accepts an element name instead of a string of text:

```
$("#p:has(span)");
```

When executed in the console, this outputs the following:

```
>>> $("#p:has(span)");
[ p, p#bar ]
```

Only paragraphs containing span elements are returned.

Selecting Elements That Are Empty

To find elements that are **empty** (meaning the element contains neither text nor any other elements), the `:empty` filter comes into play.

In the HTML example you're using, the only empty elements are not visible. Select them by looking for *any* empty element:

```
$("#:empty");
```

This outputs the following:

```
>>> $("#:empty");
[ script jsapi, script jquery.min.js, div#_firebugConsole ]
```

Both the second script tag and the div are dynamically generated. The script tag comes from jQuery being loaded by the Google JSAPI, and the div comes from Firebug.

Selecting Elements That Are Parents

The opposite of `:empty`, `:parent` will only match elements that contain children, which can be either other elements, text, or both.

Select all paragraphs that are parents using the following:

```
$("#p:parent");
```

Because all paragraphs in your sample HTML document contain text (and other elements in some cases), all paragraphs are returned in the result set:

```
>>> $("p:parent");  
[ p, p.foo, p, p#bar ]
```

Visibility Filters

Visibility filters, `:hidden` and `:visible`, will select elements that are, respectively, hidden and visible. Select all visible paragraphs like so:

```
$("p:visible");
```

Because none of the elements in your HTML example are currently hidden, this returns the following result set:

```
>>> $("p:visible");  
[ p, p.foo, p, p#bar ]
```

Attribute Filters

Element attributes are also a great way to select elements. An **attribute** is anything in the element that further defines it (this includes the class, href, ID, or title attributes). For the following examples, you'll be accessing the class attribute.

■ **Note** Please bear in mind that it is faster (and better practice) to use ID (`#id`) and class (`.class`) selectors in production scripts whenever possible; the examples below are just to demonstrate the capabilities of the filter.

Selecting Elements That Match an Attribute and Value

To match elements that have a given attribute and value, enclose the attribute-value pair in square brackets (`[]`):

```
[attribute=value]
```

To select all elements with a class attribute of `foo`, execute the following in the console:

```
$(".[class=foo]");
```

This returns the following:

```
>>> $(".[class=foo]");  
[ p.foo, span.foo ]
```

Selecting Elements That Don't Have the Attribute or Don't Match the Attribute Value

Inversely, to select elements that *do not* match an attribute-value pair, insert an exclamation point (!) before the equals sign between the attribute and value:

```
[attribute!=value]
```

Select all paragraphs without the class `foo` by running the following command:

```
$("#p[class!=foo]");
```

This results in the following:

```
>>> $("#p[class!=foo]");
[ p, p, p#bar ]
```

Child Filters

Child filters add an alternative to the use of `:even`, `:odd`, or `:eq()`. The main difference is that this set of filters starts indexing at 1 instead of 0 (like `:eq()` does).

Selecting Even or Odd Parameters or Parameters by Index or Equation

One of the more versatile filters, `:nth-child()` provides four different options to pass as a parameter when selecting elements: `even`, `odd`, `index`, or an equation.

Like other child filters, this one starts indexing at 1 instead of 0, so the first element is at index 1, the second element at 2, and so on.

Using `:odd`, the result set contained the paragraphs with a class of `foo` and an ID of `foo`; select odd paragraphs using `:nth-child()` to see the difference in how the filters handle by executing the following command:

```
$("#p:nth-child(odd)");
```

The results display as follows in the console:

```
>>> $("#p:nth-child(odd)");
[ p, p ]
```

Though this output may seem strange, the mismatched results are a product of the difference in how the elements index.

Selecting First or Last Child Elements

While very similar to `:first` and `:last`, `:first-child` and `:last-child` differ in that the returned element set can contain more than one match. For instance, to find the last span that is a child of a paragraph element, you might use the following:

```
$("#p span:last");
```

which returns the following in the console:

```
>>> $("p span:last");
[ span.foo ]
```

However, if you needed to find *every* span that was the last child of a paragraph element, you would use `:last-child` instead:

```
$("p span:last-child");
```

This uses each parent as a reference instead of the DOM as a whole, so the results are different:

```
>>> $("p span:last-child");
[ span, span.foo ]
```

Form Filters

Forms are a huge part of web sites these days, and their major role inspired a set of filters specifically geared toward forms.

Because your HTML example does not have any form elements in it, you'll need to append the file with some new markup for the following examples.

In `index.html`, add the following HTML between the last paragraph tag and the first script tag:

```
<form action="#" method="post">
  <fieldset>
    <legend>Sign Up Form</legend>
    <label for="name">Name</label><br />
    <input name="name" id="name" type="text" /><br />
    <label for="password">Password</label><br />
    <input name="password" id="password"
      type="password" /><br /><br />
    <label>
      <input type="radio" name="loc" />
      I'm on my computer
    </label><br />
    <label>
      <input type="radio" name="loc" checked="checked" />
      I'm on a shared computer
    </label><br /><br />
    <input type="submit" value="Log In" /><br />
    <label>
      <input type="checkbox" name="notify"
        disabled="true" />
      Keep me signed in on this computer
    </label><br />
  </fieldset>
</form>
```

After saving, reload the page in your browser at <http://localhost/testing/> to see the form for testing (see Figure 1-5).




Figure 1-5. The form as it appears after editing `index.html`

Matching by Form Element Type

The most common form-specific filters simply match form element types. The available filters are `:button`, `:checkbox`, `:file`, `:image`, `:input`, `:password`, `:radio`, `:submit`, and `:text`.

To select all radio inputs, use the following code:

```
$("#input:radio");
```

This outputs the following in the console:

```
>>> $("#input:radio");
[ input on, input on ]
```

These filters are particularly useful because all of the provided types are input elements, so matching certain types of inputs only without these filters would be a little more difficult.

Selecting Only Enabled or Disabled Form Elements

Additionally, filters to select enabled or disabled form elements are available using `:enabled` and `:disabled`. To select all disabled form elements, use the following code:

```
$(":disabled");
```

This outputs the following in the console:

```
>>> $(":disabled");
[ input on ]
```

The “Keep me signed in on this computer” check box is disabled, and therefore returned, by the `:disabled` filter.

Selecting Checked or Selected Form Elements

Radio and check box inputs have a `checked` state, and select inputs have a `selected` state. Filters are provided to retrieve the form elements that are in either state using `:checked` or `:selected`, respectively.

To select the currently checked radio button in your HTML example, execute the following code in the console:

```
$(":checked");
```

This returns the radio input that is currently selected in the console:

```
>>> $(":checked");
[ input on ]
```

Summary

In this chapter you learned what jQuery is, why it was created, and the basics of how it works. You also went over setting up a development environment using XAMPP, Firefox, and the Firebug plugin.

At this point, you should feel comfortable selecting elements from the DOM using jQuery’s powerful selector engine. This chapter was a tad dry, but it’s important that you fully understand the *how* of jQuery before moving on to heavier bits of coding.

In the next chapter, you’ll be learning how to traverse, access, and manipulate the DOM using jQuery’s built-in methods.



Common jQuery Actions and Methods

Now that you understand how element selection works, you can start learning the basics of how jQuery simplifies interaction with web pages. In this chapter, you'll get your hands dirty with the most common and useful aspects of jQuery.

This chapter will read more like a reference and may be a bit dry at times, but it's definitely in your best interest to work through the examples presented within. Having a basic understanding of how these methods work and what they do will prove invaluable as you start building the example project later on in this book.

Understanding the Basic Behavior of jQuery Scripts

One of the most convenient features of jQuery is the fact that nearly all its methods are **chainable**, which means methods can be executed one right after the other. This leads to clear, concise code that is easy to follow:

```
$('.p')  
  .addClass('new-class')  
  .text("I'm a paragraph!")  
  .appendTo('body');
```

Chainable methods are possible because each method returns the jQuery object itself after modification. At first, this concept may seem difficult to understand, but as you work through the examples in this chapter, it should become clearer.

Understanding jQuery Methods

jQuery attempts to make several common programming tasks easier. At a glance, it simplifies JavaScript development by providing the following powerful tools:

- DOM element selection using CSS syntax (which you learned in Chapter 1)
- Simple traversal and modification of the DOM
- Easy syntax for handling browser events (such as clicks and mouse-overs)

- Access to all attributes of an element, including CSS and styling properties, and the ability to modify them
- Animation and other effects
- Simple AJAX controls

■ **Note** The preceding list is only a partial list of jQuery's features and capabilities. As you continue on through the projects in this book, other helpful features will be explored. As always, for a complete reference, visit the documentation at <http://api.jquery.com>.

Traversing DOM Elements

Traversal in jQuery is the act of moving from one DOM element to another; traversal is essentially another form of filtering performed *after* the initial selection has been made. This is useful because it allows developers to complete an action and then move to another part of the DOM without needing to perform another search by selector.

It also aids developers in affecting the elements immediately surrounding an element that is being manipulated or otherwise utilized by a script. This can range from adding a class to parent elements to indicate activity to disabling all inactive form elements to any number of other useful tasks.

■ **Note** You will be using the same HTML test file from Chapter 1 for the examples in this chapter as well. If you're using XAMPP to test locally, point your browser to <http://localhost/testing/> to load this file. Make sure the Firebug console is open and active (see Chapter 1 for a refresher on using the Firebug console).

.eq()

If a set of elements needs to be narrowed down to just one element identified by its index, then you're able to use the `.eq()` method. This method accepts one argument: an index for the desired element. For `.eq()`, indices start at 0.

```
$("#p").eq(1);
```

When executed in the Firebug console, the following returns:

```
>>> $("#p").eq(1);
[ p.foo ]
```

Additionally, a negative number can be supplied to `.eq()` to count backward from the end of the selection set (e.g., passing `-2` will return the second-to-last element from the set).

To select the same paragraph as the preceding example by counting backward from the end of the result set, use the following code:

```
$("#p").eq(-3);
```

This returns the same paragraph in the console:

```
>>> $("#p").eq(-3);
[ p.foo ]
```

.filter() and .not()

To use a whole new selector within a set of elements, the `.filter()` method comes in handy. It accepts any selector that can be used in the jQuery function, but it applies only to the subset of elements contained within the jQuery object.

For instance, to select all paragraphs and then filter out all but the ones with class `foo`, you would use the following:

```
$("#p").filter(".foo");
```

The result in the console will read as follows:

```
>>> $("#p").filter(".foo");
[ p.foo ]
```

The inverse of `.find()` is `.not()`, which will return all elements from a result set that *do not* match the given selector. For instance, to select all paragraphs and then limit the selection to paragraphs that do not have the class `foo`, you would use the following:

```
$("#p").not(".foo");
```

This results in the following:

```
>>> $("#p").not(".foo");
[ p, p, p#bar ]
```

.first() and .last()

The `.first()` and `.last()` methods work identically to `.eq(0)` and `.eq(-1)`, respectively. To select the last paragraph from a set of all paragraphs on the page, use the following:

```
$("#p").last();
```

This results in the following:

```
>>> $("p").last();  
[ p#bar ]
```

.has()

To select an element that contains elements matching a certain pattern, you can use the `.has()` method. For instance, you would use the following to select all paragraphs and filter the results to only paragraphs that contain a span element:

```
$("p").has("span");
```

This outputs the following:

```
>>> $("p").has("span");  
[ p, p#bar ]
```

.is()

The `.is()` method is a little different from other methods in that it *does not return* the jQuery object. It evaluates a result set without modifying it, which makes it ideal for use in callback functions or functions executed after the successful execution of a function or method.

You'll learn more about practical uses of `.is()` in later examples of this book; right now, select all paragraphs in your test document then check if one has the class `foo`:

```
$("p").is(".foo");
```

The result is a Boolean (`true` or `false`) answer:

```
>>> $("p").is(".foo");  
true
```

.slice()

To select a subset of elements based on its index, the `.slice()` method comes into play. It accepts two arguments: the first is a starting index from which to generate the subset, and the second is an optional ending point. If the second parameter isn't supplied, the subset will continue until the end of the selection is reached.

■ **Note** The index passed in the second parameter *will not be included* in the result set. Therefore, if you need the second through the fourth elements in a set (indices 1 to 3), your parameters would need to be 1 and 4.

Additionally, like with `.eq()`, a negative index can be used. This can be applied to the start and/or end point.

To select all paragraphs and then limit the selection to the second and third paragraphs, use the following code:

```
$("#p").slice(1,3);
```

The result in the console reads as follows:

```
>>> $("#p").slice(1,3);
[ p.foo, p ]
```

To select the last two elements from the paragraph set, you would use the following:

```
$("#p").slice(-2);
```

This generates the following result:

```
>>> $("#p").slice(-2);
[ p, p#bar ]
```

.children()

Oftentimes, it becomes necessary to drill down in a result set to find child elements. This is accomplished using the `.children()` method, which accepts one optional parameter: a selector to match child elements against.

To select all paragraphs and then change the selection to match all child elements of the paragraphs, execute the following code:

```
$("#p").children();
```

This outputs the following:

```
>>> $("#p").children();
[ span, span.foo ]
```

If you need a more specific set of children than that, you're able to pass an optional selector to the `.children()` method. To select all paragraphs and then find all children with a class `foo`, use the following:

```
$("#p").children(".foo");
```

The results in the console are as follows:

```
>>> $("#p").children(".foo");
```

```
[ span.foo ]
```

.closest()

The `.closest()` method is an easy way to find elements up the **DOM tree**, which is the nesting order of elements (a DOM tree relationship in your example is the span within a paragraph within the body element).

For example, to find the closest paragraph to the span with class `foo`, run the following code snippet in the console:

```
$("#span.foo").closest("p");
```

This outputs the following:

```
>>> $("#span.foo").closest("p");
[ p#bar ]
```

.find()

Similar to the `.children()` method, the `.find()` method matches descendants of elements within the current set. The main difference between `.find()` and `.children()` is that `.children()` only checks one level down in the DOM tree, whereas `.find()` doesn't care how deep the matched elements are.

To demonstrate, select the body tag and then find any contained span elements using the following:

```
$("#body").find("span");
```

This results in both spans being returned:

```
>>> $("#body").find("span");
[ span, span.foo ]
```

However, if you were to try the same thing using `.children()`, an empty result set is returned:

```
>>> $("#body").children("span");
[ ]
```

.next(), .nextAll(), and .nextUntil()

A trio of useful methods for finding the next sibling elements in a set is provided in `.next()`, `.nextAll()`, and `.nextUntil()`.

The `.next()` method will find the next sibling element in the set for each of the elements in the original result set. To select a paragraph with class `foo` and then traverse to the next sibling element, execute the following code in the console:

```
$("#p.foo").next();
```

This generates the following output:

```
>>> $("#p.foo").next();
[ p ]
```

A selector can be passed to `.next()` as well, which allows developers to determine *which type* of next sibling element should be matched:

```
$("#p.foo").next("#bar");
```

This returns an empty result set, since the next element does not have an ID of `bar`:

```
>>> $("#p.foo").next("#bar");
[ ]
```

Because `.next()` returns only one element, a companion method was created that returns all next sibling elements, `.nextAll()`. To select all paragraphs after the paragraph with the class `foo`, use the following code:

```
$(".foo").nextAll("p");
```

This returns the following result:

```
>>> $(".foo").nextAll("p");
[ p, p#bar ]
```

■ **Note** The selector is optional in `.nextAll()`, as it is in `.next()`.

The third method available for selecting next sibling elements is the `.nextUntil()` method. As its name suggests, this method will return all next elements until a selector is matched. It's important to note that the element matched by the selector *will not be included in the result set*.

To demonstrate this, select the paragraph with the class `foo` and use `.nextUntil()` with a selector of `"#bar"`:

```
$(".foo").nextUntil("#bar");
```

Only one paragraph is returned in the result set, and the paragraph with the ID of `bar` is not included:

```
>>> $(".foo").nextUntil("#bar");
```

[p]

To include the paragraph with an ID of `bar`, you need to look at the element immediately following, which is the form element in this case. Try the selector again using this updated code:

```
$(".foo").nextUntil("form");
```

Now, both following paragraphs are returned:

```
>>> $(".foo").nextUntil("form");
[ p, p#bar ]
```

.prev(), .prevAll(), and .prevUntil()

The `.prev()`, `.prevAll()`, and `.prevUntil()` functions work exactly like `.next()`, `.nextAll()`, and `.nextUntil()`, except they look at previous sibling elements rather than next sibling elements:

```
>>> $("#bar").prev();
```

[p]

```
>>> $("#bar").prevAll();
```

[p, p.foo, p]

```
>>> $("#bar").prevUntil(".foo");
```

[p]

.siblings()

To select sibling elements on both sides of an element, use the `.siblings()` method. This accepts a selector as an argument to limit what types of elements are returned. To match all sibling paragraph elements to the paragraph with ID `bar`, execute the following code:

```
$("#bar").siblings("p");
```

The results will look as follows:

```
>>> $("#bar").siblings("p");
```

```
[ p, p.foo, p ]
```

.parent()

The `.parent()` method returns a set of the immediate parent elements of the current selection. For instance, to select all parent elements of any elements with the class `foo`, use the following:

```
$(".foo").parent();
```

This returns the following:

```
>>> $(".foo").parent();
[ body, p#bar ]
```

To match only paragraph elements that are parents of elements with class `foo`, modify the code to the following:

```
$(".foo").parent("p");
```

This narrows the result set:

```
>>> $(".foo").parent("p");
[ p#bar ]
```

.parents() and .parentsUntil()

Unlike `.parent()`, `.parents()` will return all parent elements, with an optional selector passed to filter the results.

To select all parent elements of the check box in the form on the example page, use the following code:

```
$(":checkbox").parents();
```

This finds every parent element, all the way out to the `html` element:

```
>>> $(":checkbox").parents();
[ label, fieldset, form #, body, html ]
```

To filter the results so that only the parent form element is returned, modify the code as follows:

```
$(":checkbox").parents("form");
```

This returns only the parent form element:

```
>>> $(":checkbox").parents("form");
```

```
[ form # ]
```

Finally, to select a range of parents until a selector is matched, similar to `.nextUntil()` or `.prevUntil()`, use `.parentsUntil()`:

```
$(":checkbox").parentsUntil("form");
```

This returns all parent elements until the form element is encountered:

```
>>> $(":checkbox").parentsUntil("form");
[ label, fieldset ]
```

.add()

The `.add()` method is versatile and, therefore, a bit more complicated. Essentially, it allows you to add additional elements to the existing jQuery object using a selector or a string of HTML.

To select all paragraphs and then add the span with class `foo` to the object, use the following:

```
$("p").add("span.foo");
```

This outputs the following:

```
>>> $("p").add("span.foo");
[ p, p.foo, p, p#bar, span.foo ]
```

The `.add()` method also allows you to create elements on the fly, like so:

```
$("p").add('<span id="bat">This is a new span</span>');
```

Executing the preceding code will output this:

```
>>> $("p").add('<span id="bat">This is a new span</span>');
[ p, p.foo, p, p#bar, span#bat ]
```

■ **Note** Notice that the element `span#bat` is faded in the console output. This happens because, while the element exists in the jQuery object, it has not been appended to the DOM and, therefore, does not display on the page. You'll learn how to add new elements to the DOM in the next section, "Creating and Inserting DOM Elements."

.andSelf()

If you're using a traversal method, you may want to keep the original matched set of elements as well. The `.andSelf()` method provides this ability by allowing the original set to be recalled and appended to the new set.

For instance, to match all paragraph elements and then find child spans, use the following code:

```
$("p").find("span");
```

This returns the spans in the document, but you've lost the paragraphs:

```
>>> $("p").find("span");
[ span, span.foo ]
```

To keep the paragraphs *and* match the spans, add a call to `.andSelf()` to the end of the code:

```
$("p").find("span").andSelf();
```

This results in the desired output:

```
>>> $("p").find("span").andSelf();
[ p, p.foo, p, span, p#bar, span.foo ]
```

.contents()

The `.contents()` method works similarly to the `.children()` method, except `.contents()` returns *text nodes* as well, which are simply the character data contained within an element (the actual text displayed by an element).¹

To find all contents of the span with class `foo`, use the following:

```
$("span.foo").contents();
```

This results in the following output:

```
>>> $("span.foo").contents();
[ <TextNode textContent="And this sentence is in a span."> ]
```

¹ <http://www.w3.org/TR/DOM-Level-3-Core/core.html#ID-1312295772>

.end()

At times in jQuery scripts, you will find it necessary to back up to the last set of elements stored in the jQuery object. The `.end()` method does exactly that: it reverts the jQuery object to the state immediately preceding the last filtering action in the current jQuery object chain.

To select all paragraphs, then find all spans, the original set of paragraphs is no longer available:

```
>>> $("p").find("span");  
[ span, span.foo ]
```

To revert back to the set of paragraphs, add `.end()` to the chain:

```
>>> $("p").find("span").end();  
[ p, p.foo, p, p#bar ]
```

Creating and Inserting DOM Elements

The first thing you'll learn that actually *changes* the DOM, rather than simply selecting elements from it, is how to create new elements and insert them into the DOM. Since the release of jQuery 1.4, this is pretty straightforward.

This section of the book starts using more involved code snippets, and will therefore require a minor adjustment to your Firebug console. At the bottom right of the console, there is a round button with an arrow pointing upward (see Figure 2-1).




Figure 2-1. The button to activate the multiline console test area

Click this button to activate the multiline testing area, where you'll be able to enter commands across multiple lines, making them easier to read and allowing for more advanced examples (see Figure 2-2).




Figure 2-2. The multiline testing area (shown at the right-hand side of the console)

With the multiline testing area, you now need to click the Run button at the bottom to execute the code. Pressing Enter, as with the single-line test console, will now break to a new line.

Creating New DOM Elements

To create a new DOM element, jQuery only needs the tag to be created. For instance, to create a new paragraph element, you would use the following:

```
$("#<p>");
```

To add attributes and text to this element, you can simply write it out as plain HTML:

```
$('#<p class="bat">This is a new paragraph!</p>');
```

■ **Note** The preceding example uses single quotation marks to enclose the string of HTML rather than double ones. This has no effect on the jQuery function; it merely eliminates the need to escape the double quotes used in the class attribute (e.g., `class=\"bat\"`).

As of jQuery 1.4, you can also add attributes to this new element by passing a second argument as JavaScript Object Notation (JSON)²:

```
$( "<p>", {
  "class": "bat",
  "text": "This is a new paragraph!"
});
```

The result of the above code snippet is the following:

```
>>> $( "<p>", { "class": "bat", "text": "This is a new paragraph!" } );
[ p.bat ]
```

Because this is only creating the element, it hasn't been attached to the DOM yet and, therefore, isn't visible in the browser window. You'll learn to insert new elements in the next section, "Inserting New Elements into the DOM."

■ **Note** At its simplest, JSON is a key-value pairing where both the key and value are surrounded by quotation marks and all key-value pairs are comma-separated and enclosed in curly braces (`{}`). A sample of JSON data would be `{ "key": "value" }` or `{ "key1": "value1", "key2": "value2" }`.

Inserting New Elements into the DOM

Now that you have a basic understanding of how to create new elements, you can begin learning how to insert them into the DOM. jQuery provides several methods for handling this, which you'll explore in this section.

An important note to make here is that the modification of the DOM is temporary, meaning that any changes made will be reset back to the original HTML document once the page is refreshed. This happens because JavaScript is a *client-side* language, which means it isn't modifying the actual files from the server, but the browser's individual interpretation of the file.

² <http://en.wikipedia.org/wiki/Json>

Changes made with JavaScript can be saved on the server through the use of AJAX (which you'll learn about later in this chapter), which allows JavaScript to interface with server-side languages such as PHP.

■ **Note** After performing the examples in each of the following sections, refresh your page so each new example is starting with a fresh copy of the example HTML file.

.append() and .prepend()

The `.append()` and `.prepend()` functions will attach the elements passed as arguments to the jQuery object to which they are chained. The only difference is that `.append()` attaches the elements at the end, and `.prepend()` attaches at the beginning.

The content will be appended or prepended *inside* the matched elements, meaning if you match all paragraphs on the page and append a new sentence, “This was added by jQuery”, it will be appended *inside the closing paragraph tag* (`</p>`).

Try this out by entering the following code into your console:

```
$("#p").append(" This was added by jQuery.");
```

Executing the code will add this sentence to the end of each paragraph inside the closing paragraph tag. This is evident because the text is not knocked to the next line, as it would be if it were outside the closing tag.

INSPECTING HTML USING THE ELEMENT INSPECTOR IN FIREBUG

You can also see this by using the element inspection tool provided by Firebug. Near the top left of the console, there's a button that looks like a mouse cursor over a rectangle (see Figure 2-3). Click it to activate the element inspector.




Figure 2-3. The button to activate the element inspector

After the inspector is active, you can hover over different elements in the browser, and they'll highlight with a blue outline. Hover over one of the paragraphs you just appended text to, and click it. This brings up the HTML panel of Firebug with the current element collapsed and highlighted, and a tab to expand the element (see Figure 2-4).




Figure 2-4. The collapsed element as displayed after hovering over and clicking it

Click the tab to expand the element, and you can see the contents, including the appended text, which is contained within the paragraph element (see Figure 2-5).




Figure 2-5. The expanded element, including the dynamically added text

You can use this technique throughout the rest of the exercises in this book to see where content and elements are being added to the DOM.

Using `.append()` and `.prepend()`, you can also add new elements to the DOM. For instance, to add a new paragraph at the top of the browser page, prepend a new element to the body using this code:

```
var para = $("

", {
  "text": "I'm a new paragraph!",
  "css": {"background": "yellow"}
});
$("body").prepend(para);


```

■ **Note** This example uses a variable to store the new element before prepending it to the body. This is done to increase the legibility of the script. You'll be using this technique often throughout this book.

After executing the preceding code in your console, a new paragraph with a yellow background appears at the top of your browser window (see Figure 2-6).




Figure 2-6. The new paragraph as it appears after prepending it to the body element

.appendTo() and .prependTo()

In the last example, you had to create an element, store it, and then select the element to which it was appended. This can be a somewhat roundabout approach, but fortunately, jQuery provides `.appendTo()` and `.prependTo()`, which chain instead to the object to be appended and accept the selector of the element to which you wish to append.

Using the last example as a starting point, to add the same paragraph element to the body using `.prependTo()`, your code would simplify thusly:

```

$("<p>", {
  "text":"I'm a new paragraph!",
  "css":{"background":"yellow"}
})
.prependTo("body");

```

This produces an identical result with a much more concise snippet of code.

.after() and .before()

The `.after()` and `.before()` methods are similar to `.append()` and `.prepend()`, except they add the content *outside* the element either before or after it, instead of inside the element at the beginning or end.

To add a new paragraph after the paragraph with class `foo`, use the following snippet:

```
$("#p.foo").after("<p>A new paragraph.</p>");
```

Executing the code results in a new paragraph insertion just below the paragraph with class `foo` (see Figure 2-7).




Figure 2-7. A new paragraph inserted after the paragraph with class `foo`

.insertAfter() and .insertBefore()

The same way that `.appendTo()` and `.prependTo()` allow for more concise addition of new elements to the DOM, `.insertAfter()` and `.insertBefore()` offer the same alternative for `.after()` and `.before()`.

To repeat the example from the previous section using `.insertAfter()`, alter the code to read as follows:

```
$("#<p>", {
    "text": "A new paragraph."
})
.insertAfter("p.foo");
```

This duplicates the result from before (see Figure 2-14).

.wrap()

The `.wrap()` method allows developers to enclose existing elements with one or more new elements quickly and easily.

The argument accepted by `.wrap()` can either be a collection of one or more tags to wrap around the selected elements, or a callback function to generate the tags.

First, wrap all the spans in the example document with a strong tag using the following:

```
$("span").wrap("<strong />");
```

This results in the text of the two spans becoming bold (see Figure 2-8).




Figure 2-8. The spans appear bold after wrapping them with strong tags

The syntax used for the wrapping element is relatively forgiving, and the output shown in Figure 2-7 could have been accomplished using either "``", "``", or "``".

Additionally, multiple tags can be wrapped around elements by passing a nested set of tags to the `.wrap()` method:

```
$("span").wrap("<strong><em></em></strong>");
```

After executing the preceding line, the text in the spans will appear bold and italicized (see Figure 2-9).




Figure 2-9. Span text appears bold and italicized after wrapping it with strong and em tags

To use a callback function to generate the desired HTML tag to wrap an element with, you must return a tag from the callback. For instance, to wrap all spans with the class `foo` in strong tags and all other spans in em tags, execute the following code:

```

$("span").wrap(function(){
    return $(this).is(".foo") ? "<strong>" : "<em>";
});

```

After executing this snippet, the browser shows one span in italics, and the other (the one with class `foo`) in bold (see Figure 2-10).




Figure 2-10. Use a callback function to conditionally wrap certain elements

.unwrap()

The inverse of `.wrap()`, `.unwrap()` will remove tags that surround a given element. It does not accept any arguments; it simply finds the immediate parent element and removes it.

To unwrap the span elements in the example file, execute this code:

```
$("span").unwrap();
```

This removes the parent elements (but leaves the text nodes intact), which alters the layout (see Figure 2-11).




Figure 2-11. After unwrapping the span elements, the document layout changes

.wrapAll()

If an entire set of elements needs to be wrapped in a new tag, `.wrapAll()` is used. Instead of individually wrapping each selected element with a new tag, it groups all selected elements and creates one wrapper around the whole group.

To wrap a div element with a yellow background around all paragraphs on the page, use the following code:

```
var div = $("<div>", {
  "css":{"background-color":"yellow"}
});
$("p").wrapAll(div);
```

After executing this code, the new div is in place, and all paragraphs appear within its yellow background (see Figure 2-12).




Figure 2-12. The yellow background shows the div successfully wrapped all paragraphs

There's one important note about `.wrapAll()`: it will move elements in the DOM to group them. To demonstrate this, use `.wrapAll()` to add a strong tag around all spans in the document:

```

$("span").wrapAll("<strong />");

```

After executing the command, note that the second span in the document was moved next to the first one so they could be wrapped in the same tag (see Figure 2-13).




Figure 2-13. The spans are relocated to be next to one another so both can be wrapped

.wrapInner()

In some cases, it's desirable to wrap the content of an element but not the tag itself. A good example of this is making an entire paragraph bold: to wrap strong tags around a paragraph is not valid HTML and, therefore, isn't a desirable solution. Fortunately, jQuery provides `.wrapInner()`, which wraps everything contained within an element in a new tag.

To italicize all text in the paragraphs on the test page, use the following code:

```
$("p").wrapInner("<em />");
```

After execution, all the text on the page is italicized and the markup is validly nested (see Figure 2-14).




Figure 2-14. All text is italicized, and the *em* tags are inside the paragraph tags

.remove() and .detach()

To remove an element from the DOM entirely, the `.remove()` and `.detach()` methods are used. Both methods remove selected elements from the DOM, but the `.detach()` method keeps jQuery data for the element intact, which makes it ideal for situations in which an element will be reattached to the DOM at some point.

Both `.remove()` and `.detach()` accept an optional selector to filter the elements being removed. In your example, remove all paragraphs with class `foo` using the following:

```
$("p").remove(".foo");
```

When the code is run, the paragraph with class `foo` is removed from view and is no longer part of the DOM.

To demonstrate the difference between `.remove()` and `.detach()`, you'll have to jump ahead a bit and use a method called `.data()`, which allows developers to attach information to an element without adding additional tags or attributes. `.data()` will be covered more thoroughly in the next section.)

First, add some data to the first paragraph in the DOM. Then, with the data added, remove the element from the DOM using `.detach()`, reattach it, and attempt to read the data:

```
$("#p:first").data("test","This is some data.");
var p = $("#p:first").detach();
console.log("Data stored: "+p.data("test"));
```

■ **Note** You're using a Firebug-specific object, `console`, and its `.log()` method to output specific information to the Firebug console. This is especially useful for debugging, but it needs to be removed before a project goes live to avoid JavaScript errors on computers that don't have Firebug installed.

After running this code, the `.data()` method attaches some information to the first paragraph and gets removed from the DOM and stored in a variable; then the script attempts to output the value of the information stored with `.data()`. The console will output the following:

```
>>> $("p:first").data("test", "This is some...ored: "+p.data("test"));
Data stored: This is some data.
```

Now, run the same test, but use `.remove()` instead of `.detach()`:

```
$("p:first").data("test", "This is some data.");
var p = $("p:first").remove();
console.log("Data stored: "+p.data("test"));
```

The output shows that the data was lost when the element was removed:

```
>>> $("p:first").data("test", "This is some...ored: "+p.data("test"));
Data stored: undefined
```

Accessing and Modifying CSS and Attributes

Previously, when you were creating DOM elements, you were able to define attributes such as CSS styles, the text contained within, and more. To access and modify this information for existing elements, jQuery has a set of built-in methods.

`.attr()`

For most element attributes, the `.attr()` method is used. This method has two purposes: The first is to read a given attribute, which is accomplished by supplying the name of the desired attribute as the first argument to the method with no other arguments. The second is to set an attribute by passing the name of the attribute to be set as the first argument and the value to which it is to be set as the second.

First, retrieve the ID of the last paragraph using the following:

```
$("p:eq(3)").attr("id");
```

In the console, this produces the following output:

```
>>> $("p:eq(3)").attr("id");
"bar"
```

Next, change the ID attribute of the last paragraph to "bat" using this code:

```
$("#bar").attr("id", "bat");
```

After execution, the following displays in the console:

```
>>> $("#bar").attr("id", "bat");
[ p#bat ]
```

Now, if you try to select elements with an ID of bar, an empty result set is returned:

```
>>> $("#bar");
[ ]
```

However, you can now select a paragraph element with an ID of bat:

```
>>> $("#bat");
[ p#bat ]
```

Additionally, multiple attributes can be set using JSON format:

```
$("p:eq(3)").attr({
  "id": "baz",
  "title": "A captivating paragraph, isn't it?"
});
```

After executing this code, the HTML panel of Firebug reveals that the paragraph's markup has been changed:

```
<p id="baz" title="A captivating paragraph, isn't it?">
```

.removeAttr()

To remove an attribute, simply call `.removeAttr()` on the element from which you wish to remove the attribute and pass the attribute's name.

Enable the check box in the sample form by removing the disabled attribute:

```
$(":checkbox").removeAttr("disabled");
```

After executing this code, the check box can now be checked and unchecked at will.

.css()

The `.css()` method works just like `.attr()`, except it applies to styling rules. To return a value, pass the name of the value as the only argument to the method; to set a value, pass both an attribute name and a new value for it. Like `.attr()`, multiple values can be set using JSON format.

To change all elements with class `foo` to have red text and a yellow background, use the following:

```
$(".foo").css({
  "color":"red",
  "background":"yellow"
});
```

This code, once executed, adds new style rules to the selected elements (see Figure 2-15).




Figure 2-15. The document after adding CSS styling to elements with class `foo`

Before reloading the page, retrieve the background value from elements with class `foo` using the following code:

```
$(".foo").css("background");
```

This will return the following:

```
>>> $(".foo").css("background");
"yellow none repeat scroll 0% 0%"
```

■ **Tip** The values returned are CSS shorthand properties.³ An added bonus of jQuery is the ability to set CSS properties using CSS shorthand, which doesn't work using basic JavaScript.

.text() and .html()

When dealing with the contents of an element, the `.text()` and `.html()` methods are used. The difference between the two is that `.html()` will allow you to read out and insert new HTML tags into an element, where `.text()` is for reading and writing text only.

If either of these methods is called on an element set with no arguments, the contents of the element are returned. When a value is passed to the method, the existing value is overwritten, and the new one put in its place.

To read the text out of the paragraph with ID `bar`, run the following code in the console:

```
$("#bar").text();
```

This captures all text (including whitespace) but ignores the span tag. The following is output:

```
>>> $("#bar").text();
```

```
"Paragraph with an id.
```

```
    And this sentence is in a span.
```

```
"
```

To read everything out of the paragraph, including the span tag, use the following code:

```
$("#bar").html();
```

This results in the following:

```
>>> $("#bar").html();
```

```
"Paragraph with an id.
```

```
    <span class="foo">And this sentence is in a span.</span>
```

```
"
```

Now, change the text by passing a value to the `.text()` method:

³ http://www.456bereastreet.com/archive/200502/efficient_css_with_shorthand_properties/

```
$("#bar").text("This is new text.");
```

The previous content of the paragraph is removed, and the new text is inserted. Note that the span tag was removed as well; *all contents* of an element are replaced when using `.text()` and `.html()`.

To insert HTML into the paragraph, replace its contents again with the following snippet:

```
$("#bar").html("This is some <strong>HTML</strong> text.");
```

After execution, the new text appears in the paragraph and the word “HTML” appears in bold (see Figure 2-16).




Figure 2-16. The browser after inserting text and HTML tags

.val()

Accessing and modifying the content of form elements is accomplished through the `.val()` method. This method returns the value of an input, or if a value is supplied, sets the value of an input.

Retrieve the value of the submit button in your test form using the following:

```
$("#:submit").val();
```

which outputs this:

```
>>> $("#:submit").val();
"Log In"
```

Now, update the value of the submit input to read "Sign In" using this code:

```
$("#submit").val("Sign In");
```

The submit button is called Sign In after running the preceding code snippet.

.data()

Previously, you used the `.data()` method to store information for a test of `.remove()` and `.detach()`. The `.data()` method does exactly that: it allows you to store information about an element within the jQuery object in a safe, easy manner.

To give the first two paragraphs in the test document nicknames, store the information using `.data()` and then log it in the console:

```
$("#p:first")
  .data("nickname", "Pookie")
  .next("p")
  .data("nickname", "Shnookums");
console.log("My nickname: "+$("#p:first").data("nickname"));
console.log("My nickname: "+$("#p:eq(1)").data("nickname"));
```

After executing this script, the following will be logged in the console:

```
>>> $("#p:first") .data("nick...name: "+$("#p:eq(1)").data("nickname"));
```

```
My nickname: Pookie
```

```
My nickname: Shnookums
```

Data can be added to an element *en masse* as in JSON format as well:

```
$("#p.foo").data({
  "nickname": "Wubby",
  "favorite": {
    "movie": "Pretty Woman",
    "music": "Sade",
    "color": "pink"
  }
});
console.log("Nickname: "+$("#p.foo").data("nickname"));
console.log("Favorite Movie: "+$("#p.foo").data("favorite").movie);
```

The preceding will produce the following output when executed:

```
>>> $("p.foo").data({ "nickname":"Wubby",...data("favorite").movie});
```

```
Nickname: Wubby
```

```
Favorite Movie: Pretty Woman
```

This can also be simplified by caching the data in a variable, like so:

```

$("p.foo").data({
  "nickname":"Wubby",
  "favorite":{
    "movie":"Pretty Woman",
    "music":"Sade",
    "color":"pink"
  }
});
var info = $("p.foo").data(); // cache the data object in a variable
console.log("Nickname: "+info.nickname);
console.log("Favorite Movie: "+info.favorite.movie);

```

This produces an identical result to the previous example, but performs a little better and is a bit easier to read.

.addClass(), .removeClass(), and .toggleClass()

A trio of shortcut methods was written for dealing with classes, since their use is so integral to modern web design. The first two methods, `.addClass()` and `.removeClass()`, simply add or remove a class attribute, respectively:

```

$("p:first").addClass("bat");
console.log("Text: "+$(".bat").text());
$("p:first").removeClass("bat");
console.log("Text: "+$(".bat").text());

```

The preceding snippet outputs the following in the console:

```
>>> $("p:first").addClass("bat"...le.log("Text: "+$(".bat").text()));
```

```
Text: Hello World!
```

```
Text:
```

The third method, `.toggleClass()`, accepts a class name or names and then either adds the class if it doesn't already exist for the element or removes it if the class already exists.

Add the class `baz` and remove the class `foo` from the second paragraph in the example page using the following code:

```
$("#p.foo").toggleClass("foo baz");
```

Upon execution, the paragraph is modified and appears with the old class removed and the new one added (see Figure 2-17).




Figure 2-17. The `foo` class is removed, and the `baz` class is added.

To revert to the original class of `foo` and remove `baz`, select the paragraph, and apply `.toggleClass()` again:

```
$("#p.baz").toggleClass("foo baz");
```

This results in the paragraph going back to having only one class: `foo`.

.hasClass()

The `.hasClass()` method works similarly to the `.is()` method in that it determines if a class exists on a selected element and then returns either `true` or `false`. This makes it ideal for callback functions.

Check if the first paragraph has class `foo`, and conditionally output a message using the following:

```
var msg = $("p:eq(1)").hasClass("foo") ? "Found!" : "Nope!";
console.log("Class? "+msg);
```

.height() and .width()

To obtain the height or width of an element, the `.height()` and `.width()` methods are handy. Both return a value without units, meaning the value returned is an integer (if the element is 68 pixels high, `.height()` will return 68). This differs from `.css()`, which will return the units of measure as well.

Get the height of the form by running the following code:

```
console.log("Form height: "+$("form").height()+"px");
```

This outputs the following in the console:

```
>>> console.log("Form height: "+$("form").height()+"px");
Form height: 238px
```

■ **Note** The actual height returned may vary on your browser depending on which operating system you're using.

By passing a value to `.height()` or `.width()`, a new value is set. Make all paragraphs on the page 100 pixels high with a yellow background using the following code:

```
$("p").height(100).css("background", "yellow");
```

Upon execution, all paragraph heights change and their backgrounds become yellow (see Figure 2-18).




Figure 2-18. The modified height and backgrounds of all document paragraphs

.innerHeight(), .innerWidth(), .outerHeight(), and .outerWidth()

The inner height and width of an element is the width or height not counting borders or margins. You can access this information using the `.innerHeight()` and `.innerWidth()` methods.

If you wish to include the borders in the height or width of the element, use `.outerHeight()` or `.outerWidth()`. To include margins as well, use `.outerHeight(true)` or `.outerWidth(true)`.

Add a margin and border to the paragraph with class `foo` and then log its different widths and heights:

```
var el = $("p.foo");
el.css({
    "margin": "20px",
    "border": "2px solid black"
});
console.log("Inner width: "+el.innerWidth()+"px");
console.log("Inner height: "+el.innerHeight()+"px");
console.log("Outer width: "+el.outerWidth()+"px");
console.log("Outer height: "+el.outerHeight()+"px");
console.log("Outer width with margins: "+el.outerWidth(true)+"px");
console.log("Outer height with margins: "+el.outerHeight(true)+"px");
```

This outputs the following in the console:

```
>>> var el = $("p.foo"); el.c...rgins: "+el.outerHeight(true)+"px");
```

```
Inner width: 840px
```

```
Inner height: 19px
```

```
Outer width: 844px
```

```
Outer height: 23px
```

```
Outer width with margins: 884px
```

```
Outer height with margins: 63px
```

■ **Note** Again, your results may vary depending on what operating system you're using.

Affecting Result Sets

To process a set of elements, we need a set of methods that allows us to affect each element in the set.

.map() and .each()

The `.map()` and `.each()` methods allow developers to apply a function individually to each element in a set using a callback function that has two arguments: the current element index and the current DOM element.

The difference between the two is that `.map()` returns a new object containing the returned values of the callback, whereas `.each()` will return the original object with the changes performed by the callback included. This means that `.each()` is chainable, while `.map()` is not.

To loop through each paragraph and element with class `foo` and append the tag name and element index, use the following code:

```
$( "p, .foo" ).map( function( index, ele ){
    $( this ).append( " "+ele.tagName+" #"+index );
} );
```

This adds the element's tag name and the index number to the end of each matched element (see Figure 2-19).




Figure 2-19. The test page after mapping a callback function to display names and indexes for each element

To accomplish the same thing with `.each()`, simply swap out the call to `.map()`:

```
$( "p, .foo" ).each( function( index, ele ){
    $( this ).append( " "+ele.tagName+" #"+index );
} );
```

This produces an identical result.

The difference comes into play if you need to perform further processing *after* the call to `.map()` or `.each()`. For instance, if you wanted to append the tag name and index to each paragraph and the span with class `foo` as previously illustrated and then filter to just the span with class `foo` and change its background and text colors, you might try the following:

```
$( "p, .foo" ).map( function( index, ele ) {
    $( this ).append( " "+ele.tagName+" #"+index );
  })
  .find( "span.foo" )
  .css( {
    "color": "red",
    "background": "yellow"
  } );
```

After execution, the tag names and indices are appended, but the span doesn't have any style changes applied. This happens because the elements are no longer referenced by the object returned from `.map()`.

To get the preceding snippet to perform as expected, you must swap out the call to `.map()` for a call to `.each()`:

```
$( "p, .foo" ).each( function( index, ele ) {
    $( this ).append( " "+ele.tagName+" #"+index );
  })
  .find( "span.foo" )
  .css( {
    "color": "red",
    "background": "yellow"
  } );
```

Now, running the code produces the desired result (see Figure 2-20).




Figure 2-20. Using `.each()`, the expected results are produced

Using Animation and Other Effects

One of the most exciting features of jQuery is its library of methods that allow for animation and special effects, which are all possible with plain JavaScript but are *incredibly* easy using jQuery. A traditional JavaScript approach is tricky and much more involved.

■ **Note** Because it's difficult to show animations as static images, you'll need to rely on your browser for an illustration of how these examples should look. For live demonstrations of the different animation effects, visit the jQuery API at <http://api.jquery.com>, and look up the individual method you wish to see demonstrated.

`.show()` and `.hide()`

The most basic effects functions are `.show()` and `.hide()`. When fired without a parameter, they simply add or remove `display:none`; from the element's style attribute.

Hide the paragraph with ID bar using the following:

```
$("#bar").hide();
```

The paragraph disappears from the browser window but is still visible in the DOM using the element inspector. To bring it back into view, call `.show()`:

```
$("#bar").show();
```

The element comes back as it was before.

To make the hiding and showing of elements animated, the duration (in milliseconds) can be passed, as well as an optional callback to be fired after the animation is complete. To demonstrate, add a background and border to the paragraph with ID `bar` and then hide it with a duration of 2 seconds and a callback function that will log a message in the console:

```
$("#bar")
  .css({
    "background":"yellow",
    "border":"1px solid black"
  })
  .hide(2000,function(){
    console.log("Animation complete!");
  });
```

Upon execution, the CSS styles are added to the element, and the `.hide()` method fires. This causes the element to shrink horizontally and vertically, as well as fading its opacity. After two seconds it will finish disappearing and the callback function logs the "Animation complete!" message in the console.

■ **Note** The callback function will be fired for each element in a set that is animated.

`.fadeIn()`, `.fadeOut()`, and `.fadeTo()`

To fade an element in or out (using opacity), use `.fadeIn()` and `.fadeOut()`. When called, these methods adjust the opacity of the elements either from 0 to 1 in `.fadeIn()` or 1 to 0 in `.fadeOut()`. When an element is faded out, `display:none`; is applied to the element as well. When faded in, `display:none`; is removed from the element if it exists.

Both methods accept optional parameters for the duration of the animation (the default is 400 milliseconds) and a callback to be fired when the animation completes. The duration has two shortcut strings, "fast" and "slow", which translate to 200 and 600 milliseconds, respectively.

To fade out the form, log a message, fade it back in, and log another message, use the following:

```
$("#form")
  .fadeOut(1000, function(){
    console.log("Faded out!");
  })
  .fadeIn(1000, function(){
    console.log("Faded in!");
  });
```

Alternatively, `.fadeTo()` allows you to specify the opacity to which the element should fade. This method requires two arguments: a duration and the opacity to which the element should fade (a number between 0 and 1). An optional callback can be passed as the third argument as well.

Fade the form to 50 percent opacity and log a message using the following:

```
$("#form")
  .fadeTo(1000, 0.5, function(){
    console.log("Faded to 50%!");
  });
```

`.slideUp()`, `.slideDown()`, and `.slideToggle()`

To hide an element by reducing its height to 0, `.slideUp()` is a shortcut method. It animates the reduction of the element's height until it reaches 0 and then sets `display:none` to ensure the layout is no longer affected by the element. To reverse this, the `.slideDown()` method removes the `display:none` and animates the height from 0 back to the original height of the element.

Just like `.fadeIn()` and `.fadeOut()`, two optional parameters are accepted: the duration and a callback function.

Slide up the paragraph with class `foo`, log a message, slide it back down, and log another message:

```
$("#p.foo")
  .slideUp(1000, function(){
    console.log("Hidden!");
  })
  .slideDown(1000, function(){
    console.log("Shown!");
  });
```

The `.slideToggle()` method does the same thing as `.slideUp()` and `.slideDown()`, but it's smart enough to know if an element is hidden or shown and uses that information to determine which action to take.

To set up a display toggle for the paragraph with class `foo`, use the following:

```
$("#p.foo")
  .slideToggle("slow", function(){
    console.log("Toggled!");
  });
```

By running this code multiple times, you'll see the paragraph slide up and down in alternating fashion.

`.animate()`

The previously discussed animation methods are shortcuts that all call the `.animate()` method. This method will animate most visual CSS properties of an element and supports **easing**, which is one of any number of mathematical formulas that alter the way the animation operates. By default, "linear" and "swing" easing are supported, but an easy-to-include easing plug-in is available for jQuery (you'll learn about plug-ins later in this book).

The `.animate()` method accepts several arguments in two formats: In the first format, the method is passed a JSON-formatted set of CSS properties to animate as the first argument, an optional duration in milliseconds for the second argument, an optional easing formula as the third argument, and an optional callback as the fourth argument. The second format passes a JSON-formatted set of CSS properties as its first argument and a JSON-formatted set of options as its second.

After setting a background and border style, to animate the height and width of the paragraph element with ID `bar` over the span of 5 seconds using the "swing" easing type and logging a message upon completion, you would use the following for the first format:

```
$("#bar")
  .css({
    "background":"yellow",
    "border":"1px solid black"
  })
  .animate({
    "width":"500px",
    "height":"100px"
  },
  5000,
  "swing",
  function(){
    console.log("Animation complete!");
  });
```

Upon completion, the paragraph is yellow with a black border and has changed its size to match the parameters passed (see Figure 2-21).




Figure 2-21. The paragraph after animating its height and width

Using the second format, the code would change as follows:

```
$("#bar")
  .css({
    "background":"yellow",
    "border":"1px solid black"
  })
  .animate({
    "width":"500px",
    "height":"100px"
  },
  {
    "duration":5000,
    "easing":"swing",
    "complete":function(){
      console.log("Animation complete!");
    }
  });
```

This produces an identical result. The second format of `.animate()` provides for additional options as well. To complete the same action using all available options, your code might look like this:

```
$("#bar")
  .css({
    "background":"yellow",
    "border":"1px solid black"
  })
  .animate({
    "width":"500px",
    "height":"100px"
  },
  {
    "duration":5000,
    "easing":"swing",
    "complete":function(){
      console.log("Animation complete!");
    },
    "step":function(){
      console.log("Step completed!");
    },
    "queue":true,
    "specialEasing":{
      "width":"linear"
    }
  });
```

The `step` option allows developers to create a callback function to be fired after each step of the animation. This is *each time the property is adjusted*, so the preceding example ends up outputting quite a few log messages of "Step completed!".

The `queue` option tells the animation whether or not it should be added to the current **queue**, that is, the order in which animations have been called. If multiple animations are called and queued, the first

animation will complete before the second begins; the second will complete before the third begins, and so on.

The `specialEasing` option allows developers to attach different easing styles to each CSS property being animated.

■ **Note** `specialEasing` is a new feature in jQuery 1.4 and the brainchild of James Padolsey. He posted a great example available at <http://james.padolsey.com/demos/jquery/easing/easing-jq14.html>.

.delay()

The `.delay()` method is new in jQuery 1.4 and essentially allows developers to pause a script's execution for a given number of milliseconds. It provides the ability to run one animation and wait for a bit before starting the next animation.

To slide up the paragraph with ID `bar`, wait 3 seconds, and slide it back down, use the following code:

```
$("#bar")
  .css({
    "background":"yellow",
    "border":"1px solid black"
  })
  .slideUp(1000, function(){
    console.log("Animation completed!");
  })
  .delay(3000)
  .slideDown(1000, function(){
    console.log("Animation completed!");
  });
```

.stop()

To stop an animation, the `.stop()` method is used. This method accepts two Boolean arguments: one to determine whether the queue should be cleared and another to determine whether the animation should jump to the end. Both values default to `false`.

To start an animation, stop the animation, clear the queue, and jump to the end after 200 steps, use the following:

```
var count = 0; // Keep track of the current step count
$("#bar")
  .css({
    "background":"yellow",
    "border":"1px solid black"
  })
  .animate({
    "width":"500px"
```

```

    },
    {
        "duration":6000,
        "step":function(){
            if(count++==200)
            {
                $(this).stop(true, true);
            }
        }
    }
});

```

Handling Events

In many scripts, it's desirable to have certain actions occur when certain **events**, or browser actions, occur. Support is built into jQuery to handle browser events, which you'll learn in this section.

Browser Events

Browser events occur when the browser itself experiences a change or error.

`.error()`

If a browser error occurs, this event is triggered. One common instance of a browser error would be an image tag that tries to load an image that does not exist. The `.error()` method allows developers to bind a **handler** (i.e., a function to be fired if the event occurs) to the event.

Create an image tag that tries to display an image that doesn't exist, and attach an error handler to the `error` event that outputs a message to the console:

```

$("<img />", {
    "src":"not/an/image.png",
    "alt":"This image does not exist"
})
.error(function(){
    console.log("The image cannot be loaded!");
})
.appendTo("body");

```

Upon execution of this code, the console will display the following:

```
>>> $("<img />", { "src":"not/an/image.png", ...ot be loaded!"]); }) .appendTo("body");
```

```
[ img image.png ]
```

```
The image cannot be loaded!
```

.scroll()

If the document is scrolled, the `scroll` event is fired. To bind a handler to this event, use the `.scroll()` method:

```
$(window)
  .scroll(function(){
    console.log("The window was scrolled!");
  });
```

After executing this code, scrolling the browser window will cause a message to be logged in the console.

Additionally, calling the `.scroll()` method without any parameters will trigger the `scroll` event to fire. After binding the preceding handler to the window, trigger the event by running the following:

```
$(window).scroll();
```

Executing this code will log the `scroll` event handler's message in the console.

Handling Document Loading Events

Often, JavaScript needs to wait until the document is ready before executing any scripts. Also, when users exit a page, sometimes it's desirable to fire a function to ensure they meant to navigate away from it.

.ready()

The `.ready()` method is used in nearly every jQuery script as a safeguard against the script executing too early and, therefore, not performing properly. This method waits for the DOM to be ready for manipulation before firing its handler.

Common practice is to make the entire script a callback function to be fired by the `.ready()` handler:

```
$(document).ready(function(){
  // All jQuery functionality here
});
```

Additionally, the `.ready()` method accepts a parameter to use as an alias for the jQuery function. This allows you to write failsafe jQuery scripts that will work as expected even if the `$` alias is given back

to another library using `jQuery.noConflict()` (which allows for multiple JavaScript libraries that use the `$` alias to be used on the same project without issue).

You can guarantee the `$` alias will work using the following:

```
jQuery.ready(function($){
    // All jQuery functionality here
    $("#p").fadeOut();
});
```

Technically, any alias can be passed here:

```
jQuery(document).ready(function(xTest){
    xTest("#bar").click(function(){console.log("Clicked!");});
});
```

This performs as expected, with no errors. There aren't many cases in which this check would be necessary, but it illustrates how the alias works with the `.ready()` method.

Finally, the jQuery function itself can be used as an alias for `.ready()`:

```
jQuery(function($){
    // actions to perform after the DOM is ready
});
```

.unload()

The `unload` event is triggered whenever a user exits a page by clicking a link, reloading the page, using the forward or back buttons, or closing the window entirely. However, the handling of `unload` is not consistent across all browsers. *And therefore should be tested in multiple browsers before being used in production scripts.* To create a link to Google and attach an alert to the `unload` event, use the following code:

```
$("<a>", {
    "href":"http://google.com",
    "text":"Go to Google!"
})
.appendTo("#bar");
$(window).unload(function(){
    alert("Bye! Google something neat!");
});
```

Execute this code, and click the new link. The alert fires, and you're redirected to the Google home page.

Handling Event Attachment

There are a whole slew of browser events triggered by the user, and jQuery provides several methods to handle them easily.

The available events are `blur`, `focus`, `focusin`, `focusout`, `load`, `resize`, `scroll`, `unload`, `click`, `dblclick`, `mousedown`, `mouseup`, `mousemove`, `mouseover`, `mouseout`, `mouseenter`, `mouseleave`, `change`, `select`, `submit`, `keydown`, `keypress`, `keyup`, and `error`.

.bind() and .unbind()

To bind an event handler to an element, the `.bind()` method is used. It accepts an event as its first argument and a handler function as the second argument.

Multiple events can be bound using a space separated list of events as the first argument as well. To bind different handlers to different events, a JSON-formatted object can be passed to `.bind()` as well.

To bind a console message log to the `click` event, use the following:

```
$("#p")
  .bind("click", function(){
    console.log("Click happened!");
  });
```

Clicking a paragraph after running this code will result in a message being logged to the console. To bind a handler to both the `click` and `mouseover` events, use the following:

```
$("#p")
  .bind("click mouseover", function(){
    console.log("An event happened!");
  });
```

Now, either clicking or hovering over a paragraph will log a message in the console.

If the handler needs to have data passed to it, an additional parameter is available. This is a JSON-formatted object containing variables to be used in the function. These variables are bound to the event object so that the values remain intact within the given handler.

Set a `click` handler for two paragraphs in the test document with identical functionality but different log messages using the following:

```
// Create a value for the notice variable
var notice = "I live in a variable!";
$("#p.foo").bind("click", { n:notice }, function(event){
  console.log(event.data.n);
});

// Change the value of the notice variable
var notice = "I live in a variable too!";
$("#bar").bind("click", { n:notice }, function(event){
  console.log(event.data.n);
});
```

To bind different handlers to the `click` and `mouseover` events, you would use this:

```
$("#p")
  .bind({
    "click":function(){
      console.log("Click happened!");
    },
```

```

        "mouseover":function(){
            console.log("Mouseover happened!");
        }
    });

```

After execution, a different message will be logged to the console for each event when it occurs.

To remove an event, simply call the `.unbind()` method. If called with no parameters, all event bindings are removed from an element. To specify, the name of the event to unbind can be passed as the first argument. To further specify, the function to be removed from the event can be passed as a second argument.

To unbind all events from the paragraphs in your example, use the following:

```

$("p").unbind();

```

To only remove the `click` event handler, use this code:

```

$("p").unbind("click");

```

Or, if a specific function was bound to an element, it could be unbound like so:

```

var func1 = function(){
    console.log("An event was triggered!");
},
    func2 = function(){
    console.log("Another handler!");
};
$("#bar")
    .bind("click", func1)
    .bind("click", func2)
    .trigger("click") // fire the event once
    .unbind("click", func1);

```

The preceding code will create two functions (stored in the `func1` and `func2` variables), bind them to the `click` event for the paragraph with ID `bar`, trigger the event once (you'll learn about `.trigger()` later in this section), and unbind the function stored in `func1`.

After running this code, clicking the paragraph will fire only the function stored in `func2`.

`.live()` and `.die()`

Similar to `.bind()` and `.unbind()`, `.live()` and `.die()` will attach and remove event handlers from elements, respectively. The main difference is that `.live()` will attach handlers and JavaScript properties not only to existing events but to any new elements added to the DOM that match the selector afterward as well.

For instance, add a `click` event handler for any anchor elements using the following:

```

$("a")
    .live("click", function(){
        console.log("Link clicked!");
        return false; // prevent the link from firing
    });

```

Of course, there are not any links on the example page at the moment. Without reloading, add an anchor tag to the paragraph with ID `bar` using the following:

```
$("#<a>", {
    "href":"http://google.com",
    "text":"Go to Google!"
})
.appendTo("#bar");
```

The new link appears, and even though the event was bound before any anchor tags existed in the DOM, clicking the link results in a message logged in the console and the link not firing.

Performing the previous action using `.bind()` does not work. Additionally, the `click` event handler bound with `.live()` cannot be removed with `.unbind()`; to remove the event, you must use `.die()`. The use of `.die()` is the same as that of `.unbind()`.

`.one()`

The function and use of the `.one()` method is identical to that of `.bind()`, except that the event handler is unbound after one occurrence of the event.

Add a new `click` event handler for the paragraph with ID `bar` that will only fire once using the following:

```
$("#bar").one("click", function(){
    console.log("This will only fire once.");
});
```

After execution, clicking the paragraph with ID `bar` results in one message logged to the console, with subsequent clicks having no effect.

`.toggle()`

The `.toggle()` function allows developers to bind two or more functions to the `click` event to be fired on alternating clicks. Alternatively, the function can be used to toggle visibility of elements (like toggling `.show()` and `.hide()`—similar to how `.slideToggle()` alternatively performs the functionality of `.slideUp()` and `.slideDown()` when called).

First, bind three different log messages to the `click` event for the paragraph with ID `bar` using the following:

```
$("#bar")
.toggle(function(){
    console.log("Function 1");
},
function(){
    console.log("Function 2");
},
function(){
    console.log("Function 3");
});
```

After execution, upon clicking the paragraph with ID `bar`, the three messages are logged in succession on consequent clicks.

Next, toggle the visibility of the paragraph with ID `bar` with the following code:

```
$("#bar").toggle();
```

Firing this function hides the paragraph. Firing it again brings it back. By adding the duration as the first argument, the method will animate the element as it's hidden or shown:

```
$("#bar").toggle(2000);
```

Last, a Boolean flag can be passed to determine whether all elements should be shown or hidden:

```
$("#bar").toggle(true); // all elements will be shown
$("#bar").toggle(false); // all elements will be hidden
```

`.trigger()`

To trigger an event, the `.trigger()` method is used. This method accepts an event to trigger and an optional array of arguments to be passed to the handler.

Bind a handler to the paragraph with ID `bar`, and trigger it using the following code:

```
$("#bar")
  .bind("click", function(){
    console.log("Clicked!");
  })
  .trigger("click");
```

To pass additional data, modify the code as follows:

```
// create a variable
var note = "I was triggered!";
$("#bar")
  .bind("click", function(event, msg){ // allow a 2nd argument
    // If no msg variable is passed, a default message
    var log = msg || "I was clicked!";
    console.log(log);
  })
  .trigger("click", [ note ]); // array passed in square brackets
```

This outputs the message stored in the `note` variable to the console.

Shortcut Event Methods

Every event has a shortcut method that accepts the handler function as an argument. If passed without an argument, it calls `.trigger()` for its event type.

The available shortcut functions are `.blur()`, `.focus()`, `.focusin()`, `.focusout()`, `.load()`, `.resize()`, `.scroll()`, `.unload()`, `.click()`, `.dblclick()`, `.mousedown()`, `.mouseup()`, `.mousemove()`, `.mouseover()`, `.mouseout()`, `.mouseenter()`, `.mouseleave()`, `.change()`, `.select()`, `.submit()`, `.keydown()`, `.keypress()`, `.keyup()`, and `.error()`.

As an example, the following will bind a handler to the `click` event, and fire the event.

```
$("#bar").click(function(){ console.log("Clicked!"); }).click();
```

Using AJAX Controls

The last set of jQuery methods we're going to cover are probably the most useful, and more than likely played a large role in the widespread adoption of jQuery. The methods providing AJAX⁴ functionality are incredibly useful and, especially for anyone who has built AJAX scripts in plain JavaScript before, as easy as pie.

■ **Note** For further reading on AJAX, see the Wikipedia article here:

http://en.wikipedia.org/wiki/AJAX_%29programming%29

For this section, you'll need an external file to access using the AJAX controls. Create a new file in the testing folder called `ajax.php`. Inside, insert the following code:

```
<?php
echo '<p class="ajax">This paragraph was loaded with AJAX.</p>',
      '<pre>GET variables: ', print_r($_GET, TRUE), '</pre>',
      '<pre>POST variables: ', print_r($_POST, TRUE), '</pre>';
?>
```

This file will be called by the various AJAX methods available in jQuery. It will show you the data passed to the script for illustrative purposes.

\$.ajax()

The **low-level**, or most basic, function for sending AJAX requests is `$.ajax()`. Notice that this function is called without a selector, because it doesn't apply to the jQuery object. AJAX actions are global functions, carried out independently of the DOM.

The `$.ajax()` function accepts one argument: an object containing settings for the AJAX call. If called without any settings, the method will load the current page and do nothing with the result.

⁴ http://en.wikipedia.org/wiki/Ajax_%28programming%29

Quite a few settings are available for `$.ajax()`, not all of which are covered here or used in this book. See <http://api.jquery.com/jquery.ajax> for a full list of available settings. The most common follow:

- **data**: This describes any data to be sent to the remote script, either as a query string (`key1=val1&key2=val2`) or as JSON (`{"key1": "val1", "key2": "val2"}`).
- **dataFilter(data, type)**: This callback allows prefiltering of data and is great for sanitizing data as it comes from the remote script.
- **dataType**: This describes the type of data expected from the request. jQuery makes an intelligent guess if this is left undefined. The available types are "xml", "html", "script", "json", "jsonp", and "text".
- **error(XMLHttpRequest, textStatus, errorThrown)**: This callback is to be executed in the event of a request error. The XMLHttpRequest object, a string communicating the status of the request, and an error code are passed as arguments.
- **success(data, textStatus, XMLHttpRequest)**: This callback is to be executed if the request completes successfully. The data returned from the remote script, a string communicating the status of the request, and the XMLHttpRequest object are passed as arguments.
- **type**: This is the type of request to send. The default is GET, but POST is also available. PUT and DELETE can be used but may not work properly in all browsers.
- **url**: This is the URL to which the request is to be sent.

To send a basic POST request to your sample script and load the results into the paragraph with ID `bar`, you would use the following:

```
$.ajax({
  "type": "POST",
  "url": "ajax.php",
  "data": "var1=val1&var2=val2",
  "success": function(data){
    $("#bar")
      .css("background", "yellow")
      .html(data);
  }
});
```

After executing this code, the contents of the paragraph are replaced with the loaded information (see Figure 2-22).




Figure 2-22. The loaded AJAX information from `ajax.php`

\$.ajaxSetup()

To set default options for AJAX calls, the `$.ajaxSetup()` function is used. For instance, to specify that, by default, all AJAX requests should be sent to `ajax.php` using `POST` and then loaded into the paragraph with ID bar, the following would be used:

```
$.ajaxSetup({
  "type": "POST",
  "url": "ajax.php",
  "success": function(data){
    $("#bar")
      .css("background", "yellow")
      .html(data);
  }
});
```

Now, new AJAX requests can be made easily by simply passing new data:

```
$.ajax({
  "data": {
    "newvar1": "value1",
    "newvar2": "value2"
  }
});
```

This results in the paragraph's contents being replaced with new content from `ajax.php` (see Figure 2-23).




Figure 2-23. The result of an AJAX call after setting default options

These defaults can be overwritten in subsequent calls to `$.ajax()` by simply redefining the option in the new call:

```
$.ajax({
  "type": "GET",
  "data": {
    "newvar1": "value3",
    "newvar2": "value4"
  }
});
```

This results in the data being sent using GET (see Figure 2-24).




Figure 2-24. The result after overriding the default *type* option with *GET*

Using Shorthand AJAX Methods

There are several simple, one-use functions, available for performing common AJAX tasks. In a nutshell, these shorthand methods are simply wrapper functions that call `$.ajax()` with some of the parameters already set.

Using these methods will incur a slight performance penalty, since you're essentially calling a method that sets up parameters and calls `$.ajax()` within itself. However, the convenience of using shorthand methods really speeds up development in many scripts.

`$.get()` and `$.post()`

For standard GET and POST requests, the `$.get()` and `$.post()` functions are easy to use. Both take four arguments: the URL to which the request is to be sent, optional data to be sent to the remote script, an optional callback to be executed if the request is successful, and an optional `dataType` setting.

To load the result of `ajax.php` using GET with no data sent, use the following:

```

$.get("ajax.php", function(data){
    $("#bar")
        .css("background", "yellow")
        .html(data);
});

```

To send a request with data using `POST`, the following code could be used:

```
$.post("ajax.php", {"var1":"value"}, function(data){
    $("#bar")
        .css("background","yellow")
        .html(data);
});
```

\$.getJSON()

When loading JSON data, `$.getJSON()` is a shortcut function. It accepts the URL to which requests are sent, optional data, and an optional callback function.

To run an example of this function, another test file needs to be created: create a new file called `json.php` in the testing folder, and insert the following JSON into it:

```
{"var1":"value1","var2":"value2"}
```

Now, load the contents of `json.php` and output the contents in the paragraph with ID `bar`:

```
$.getJSON("json.php",
    function(data){
        $("#bar")
            .css("background","yellow")
            .html(data.var1+", "+data.var2);
    });
```

Upon execution, the contents of the paragraph will be replaced with the string `"value1, value2"`.

\$.getScript()

To load external JavaScript, use the `$.getScript()` function. This accepts a URL to which the request is sent and an optional callback (which is generally not needed, as the script will execute automatically on a successful load).

Create a new file called `script.php` in the testing folder, and insert the following:

```
alert("This script was loaded by AJAX!");
```

Now, load this script by executing the following code in the console:

```
$.getScript("script.php");
```

Upon execution, the alert fires.

.load()

The `.load()` method works just like `$.get()` or `$.post()`, except it's a method instead of a global function. It has an implicit callback, which is to replace the HTML of the matched elements with the content returned from the remote file.

The method accepts the same three arguments: destination URL, optional data, and an optional callback (which fires *after* the element content has been replaced).

Load the contents of `ajax.php` in the paragraph with ID `bar` after sending some data using this code:

```
$("#bar").load("ajax.php", {"var1":"value1"});
```

After running this snippet, the content of the paragraph is replaced with the returned result.

Summary

This chapter was intense and covered an awful lot of ground. Remember to check the jQuery API documentation online for more examples, further explanation, and discussion by other developers in the community. To search a method, simply add its name to the end of the API's URL; for instance, to look up the `.slideup()` method, navigate to <http://api.jquery.com/slideup> in your browser.

In the next part of this book, you'll brush up on your PHP skills, including object-oriented programming, before jumping into the backend development of the events calendar you'll be building from Chapter 4 on.

PART 2



Getting Into Advanced PHP Programming

At this point, you're going to put your new jQuery knowledge aside for a bit and focus on the backend using PHP. Part 2 teaches you how to plan and implement an object-oriented backend solution for an events calendar that you will later enhance using your new knowledge of jQuery. This book assumes you have a reasonably sound grasp on the basic concepts of PHP (variables, functions, the basic language constructs); to brush up on your PHP basics, check out *PHP for Absolute Beginners* (Apress, 2009).



Object-Oriented Programming

In this chapter, you'll learn the concepts behind **object-oriented programming** (OOP), a style of coding in which related actions are grouped into classes to aid in creating more-compact, effective code.

The backend of the project you'll be building in this book is heavily based on OOP, so the concepts covered in this chapter will be referenced often throughout the rest of the exercises you'll complete.

Understanding Object-Oriented Programming

As stated above, object-oriented programming is a style of coding that allows developers to group similar tasks into classes. This helps keep code following the tenant “don't repeat yourself” (DRY) and easy-to-maintain.

■ **Note** For further reading on DRY programming, see http://en.wikipedia.org/wiki/Don't_repeat_yourself

One of the major benefits of DRY programming is that, if a piece of information changes in your program, usually only one change is required to update the code. One of the biggest nightmares for developers is maintaining code where data is declared over and over again, meaning any changes to the program become an infinitely more frustrating game of *Where's Waldo?* as they hunt for duplicated data and functionality.

OOP is intimidating to a lot of developers because it introduces new syntax and, at a glance, appears to be far more complex than simple **procedural**, or inline, code. However, upon closer inspection, OOP is actually a very straightforward and ultimately simpler approach to programming.

Understanding Objects and Classes

Before you can get too deep into the finer points of OOP, a basic understanding of the components of objects and classes is necessary. This section will go over the building blocks of classes, their different capabilities, and some of their uses.

Recognizing the Differences Between Objects and Classes

Right off the bat, there's confusion in OOP: seasoned developers start talking about objects and classes, and they appear to be interchangeable terms. This is not the case, however, though the difference can be tough to wrap your head around at first.

A **class**, for example, is like a blueprint for a house. It defines the shape of the house on paper, with relationships between the different parts of the house clearly defined and planned out, even though the house doesn't exist.

An **object**, then, is like the actual house built according to that blueprint. The data stored in the object is like the wood, wires, and concrete that compose the house: without being assembled according to the blueprint, it's just a pile of stuff. However, when it all comes together, it becomes an organized, useful house.

Classes form the structure of data and actions and use that information to build objects. More than one object can be built from the same class at the same time, each one independent of the others. Continuing with our construction analogy, it's similar to the way an entire subdivision can be built from the same blueprint: 150 different houses that all look the same but have different families and decorations inside.

Structuring Classes

The syntax to create a class is pretty straightforward: declare a class using the `class` keyword, followed by the name of the class and a set of curly braces (`{}`):

```
<?php
class MyClass
{
    // Class properties and methods go here
}
?>
```

After creating the class, a new class can be instantiated and stored in a variable using the `new` keyword:

```
$obj = new MyClass;
```

To see the contents of the class, use `var_dump()`:

```
var_dump($obj);
```

Try out this process by putting all the preceding code in a new file called `test.php` in the `testing` folder:

```
<?php
class MyClass
{
    // Class properties and methods go here
}
```

```
$obj = new MyClass;
var_dump($obj);
?>
```

Load the page in your browser at <http://localhost/testing/test.php> and the following should display:

```
object(MyClass)#1 (0) { }
```

In its simplest form, you've just completed your first OOP script.

Defining Class Properties

To add data to a class, **properties**, or class-specific variables, are used. These work exactly like regular variables, except they're bound to the object and therefore can only be accessed using the object.

To add a property to `MyClass`, add the following bold code to your script:

```
<?php
class MyClass
{
    public $prop1 = "I'm a class property!";
}

$obj = new MyClass;
var_dump($obj);
?>
```

The keyword `public` determines the visibility of the property, which you'll learn about a little later in this chapter. Next, the property is named using standard variable syntax, and a value is assigned (though class properties *do not* need an initial value).

To read this property and output it to the browser, reference the object from which to read and the property to be read:

```
echo $obj->prop1;
```

Because multiple instances of a class can exist, if the individual object is not referenced, the script would be unable to determine which object to read from. The use of the arrow (`->`) is an OOP construct that accesses the contained properties and methods of a given object.

Modify the script in `test.php` to read out the property rather than dumping the whole class by modifying the line in bold:

```
<?php
```

```

class MyClass
{
    public $prop1 = "I'm a class property!";
}

$obj = new MyClass;

echo $obj->prop1;

?>

```

Reloading your browser now outputs the following:

```
I'm a class property!
```

Defining Class Methods

Methods are class-specific functions. Individual actions that an object will be able to perform are defined within the class as methods.

For instance, to create methods that would set and get the value of the class property `$prop1`, add the following bold lines to your code:

```

<?php

class MyClass
{
    public $prop1 = "I'm a class property!";

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

$obj = new MyClass;

echo $obj->prop1;

?>

```

■ **Note** OOP allows objects to reference themselves using `$this`. When working within a method, use `$this` in the same way you would use the object name outside the class.

To use these methods, call them just like regular functions, but first, reference the object to which they belong. Read the property from `MyClass`, change its value, and read it out again by making the modifications shown in bold:

```
<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

$obj = new MyClass;

echo $obj->getProperty(); // Get the property value
$obj->setProperty("I'm a new property value!"); // Set a new one
echo $obj->getProperty(); // Read it out again to show the change
?>
```

Reload your browser, and you'll see the following:

```
I'm a class property!
I'm a new property value!
```

The power of OOP becomes apparent when you're using multiple instances of the same class. Add an additional instance of `MyClass` into the mix and start setting and getting properties:

```

<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

// Create two objects
$objj = new MyClass;
$objj2 = new MyClass;

// Get the value of $prop1 from both objects
echo $objj->getProperty();
echo $objj2->getProperty();

// Set new values for both objects
$objj->setProperty("I'm a new property value!");
$objj2->setProperty("I belong to the second instance!");

// Output both objects' $prop1 value
echo $objj->getProperty();
echo $objj2->getProperty();

?>

```

When you load the results in your browser, they read as follows:

```

I'm a class property!

I'm a class property!

I'm a new property value!

I belong to the second instance!

```

As you can see, OOP keeps objects as separate entities, which makes for easy separation of different pieces of code into small, related bundles.

To make the use of objects easier, PHP also provides a number of **magic methods**, or special methods that are called when certain common actions occur within objects. This allows developers to perform a number of useful tasks with relative ease.

Using Constructors and Destructors

When an object is instantiated, it's often desirable to set a few things right off the bat. To handle this, PHP provides the magic method `__construct()`, which is called automatically whenever a new object is created.

For the purpose of illustrating the concept of constructors, add a constructor to `MyClass` that will output a message whenever a new instance of the class is created:

```
<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class ', __CLASS__, ' was initiated!<br />';
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

// Create a new object
$obj = new MyClass;

// Get the value of $prop1
echo $obj->getProperty();

// Output a message at the end of the file
echo "End of file.<br />";

?>
```

■ **Note** `__CLASS__` is what's called **magic constant**, which, in this case, returns the name of the class in which it is called. There are several available magic constants, which you can read more about in the PHP manual at <http://us3.php.net/manual/en/language.constants.predefined.php>.

Reloading the file in your browser will produce the following result:

```
The class "MyClass" was initiated!
```

```
I'm a class property!
```

```
End of file.
```

To call a function when the object is destroyed, the `__destruct()` magic method is available. This is useful for class cleanup (closing a database connection, for instance).

Output a message when the object is destroyed by defining the magic method `__destruct()` in `MyClass`:

```
<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated.<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

// Create a new object
```

```

$obj = new MyClass;

// Get the value of $prop1
echo $obj->getProperty();

// Output a message at the end of the file
echo "End of file.<br />";

?>

```

With a destructor defined, reloading the test file results in the following output:

```

The class "MyClass" was initiated!

I'm a class property!

End of file.

The class "MyClass" was destroyed.

```

When the end of a file is reached, PHP automatically releases all resources that were used within it to keep memory available. This triggers the destructor for the `MyClass` object.

To explicitly trigger the destructor, you can destroy the object using the function `unset()`:

```

<?php

class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

```

```

}

// Create a new object
$obj = new MyClass;

// Get the value of $prop1
echo $obj->getProperty();

// Destroy the object
unset($obj);

// Output a message at the end of the file
echo "End of file.<br />";

?>

```

Now the result changes to the following when loaded in your browser:

```
The class "MyClass" was initiated!
```

```
I'm a class property!
```

```
The class "MyClass" was destroyed.
```

```
End of file.
```

Converting to a String

To avoid an error if a script attempts to output `MyClass` as a string, another magic method is used called `__toString()`.

Without `__toString()`, attempting to output the object as a string results in a fatal error. Attempt to use `echo` to output the object without a magic method in place:

```

<?php

class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }
}

```

```

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

// Create a new object
$obj = new MyClass;

// Output the object as a string
echo $obj;

// Destroy the object
unset($obj);

// Output a message at the end of the file
echo "End of file.<br />";

?>

```

This results in the following:

```
The class "MyClass" was initiated!
```

```
Catchable fatal error: Object of class MyClass could not be converted to string in ↵
```

```
/Applications/XAMPP/xamppfiles/htdocs/testing/test.php on line 40
```

To avoid this error, add a `__toString()` method:

```

<?php

class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }
}

```

```

public function __destruct()
{
    echo 'The class "', __CLASS__, "' was destroyed.<br />';
}

public function __toString()
{
    echo "Using the toString method: ";
    return $this->getProperty();
}

public function setProperty($newval)
{
    $this->prop1 = $newval;
}

public function getProperty()
{
    return $this->prop1 . "<br />";
}
}

// Create a new object
$obj = new MyClass;

// Output the object as a string
echo $obj;

// Destroy the object
unset($obj);

// Output a message at the end of the file
echo "End of file.<br />";

?>

```

In this case, attempting to convert the object to a string results in a call to the `getProperty()` method. Load the test script in your browser to see the result:

```
The class "MyClass" was initiated!
```

```
Using the toString method: I'm a class property!
```

```
The class "MyClass" was destroyed.
```

```
End of file.
```

■ **Tip** In addition to the magic methods discussed in this section, several others are available. For a complete list of magic methods, see the PHP manual page at <http://us2.php.net/manual/en/language.oop5.magic.php>.

Using Class Inheritance

Classes can inherit the methods and properties of another class using the `extends` keyword. For instance, to create a second class that extends `MyClass` and adds a method, you would add the following to your test file:

```
<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function __toString()
    {
        echo "Using the toString method: ";
        return $this->getProperty();
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

class MyOtherClass extends MyClass
{
    public function newMethod()
    {
        echo "From a new method in " . __CLASS__ . "<br />";
    }
}
```

```

    }
}

// Create a new object
$newobj = new MyOtherClass;

// Output the object as a string
echo $newobj->newMethod();

// Use a method from the parent class
echo $newobj->getProperty();

?>

```

Upon reloading the test file in your browser, the following is output:

```

The class "MyClass" was initiated!

From a new method in MyOtherClass.

I'm a class property!

The class "MyClass" was destroyed.

```

Overwriting Inherited Properties and Methods

To change the behavior of an existing property or method in the new class, you can simply overwrite it by declaring it again in the new class:

```

<?php

class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated.<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function __toString()
    {
        echo "Using the toString method: ";
    }
}

```

```

        return $this->getProperty();
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

class MyOtherClass extends MyClass
{
    public function __construct()
    {
        echo "A new constructor in " . __CLASS__ . "<br />";
    }

    public function newMethod()
    {
        echo "From a new method in " . __CLASS__ . "<br />";
    }
}

// Create a new object
$newobj = new MyOtherClass;

// Output the object as a string
echo $newobj->newMethod();

// Use a method from the parent class
echo $newobj->getProperty();

?>

```

This changes the output in the browser to:

```

A new constructor in MyOtherClass.

From a new method in MyOtherClass.

I'm a class property!

The class "MyClass" was destroyed.

```

Preserving Original Method Functionality While Overwriting Methods

To add new functionality to an inherited method while keeping the original method intact, use the `parent` keyword with the **scope resolution operator** (`::`):

```
<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function __toString()
    {
        echo "Using the toString method: ";
        return $this->getProperty();
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    public function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

class MyOtherClass extends MyClass
{
    public function __construct()
    {
        parent::__construct(); // Call the parent class's constructor
        echo "A new constructor in " . __CLASS__ . ".<br />";
    }

    public function newMethod()
    {
        echo "From a new method in " . __CLASS__ . ".<br />";
    }
}
```

```
// Create a new object
$newobj = new MyOtherClass;

// Output the object as a string
echo $newobj->newMethod();

// Use a method from the parent class
echo $newobj->getProperty();

?>
```

This outputs the result of both the parent constructor and the new class's constructor:

```
The class "MyClass" was initiated!

A new constructor in MyOtherClass.

From a new method in MyOtherClass.

I'm a class property!

The class "MyClass" was destroyed.
```

Assigning the Visibility of Properties and Methods

For added control over objects, methods and properties are assigned **visibility**. This controls how and from where properties and methods can be accessed. There are three visibility keywords: **public**, **protected**, and **private**. In addition to its visibility, a method or property can be declared as **static**, which allows them to be accessed without an instantiation of the class.

■ **Note** Visibility is a new feature as of PHP 5. For information on OOP compatibility with PHP 4, see the PHP manual page at <http://us2.php.net/manual/en/language.oop5.php>.

Public Properties and Methods

All the methods and properties you've used so far have been **public**. This means that they can be accessed anywhere, both within the class and externally.

Protected Properties and Methods

When a property or method is declared `protected`, it can only be accessed within the class itself or in descendant classes (classes that extend the class containing the protected method).

Declare the `getProperty()` method as `protected` in `MyClass` and try to access it directly from outside the class:

```
<?php

class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function __toString()
    {
        echo "Using the toString method: ";
        return $this->getProperty();
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    protected function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

class MyOtherClass extends MyClass
{
    public function __construct()
    {
        parent::__construct();
        echo "A new constructor in " . __CLASS__ . ".<br />";
    }

    public function newMethod()
    {
        echo "From a new method in " . __CLASS__ . ".<br />";
    }
}
```

```

    }
}

// Create a new object
$newobj = new MyOtherClass;

// Attempt to call a protected method
echo $newobj->getProperty();

?>

```

Upon attempting to run this script, the following error shows up:

```
The class "MyClass" was initiated!
```

```
A new constructor in MyOtherClass.
```

```
Fatal error: Call to protected method MyClass::getProperty() from context '' in ↵
```

```
/Applications/XAMPP/xamppfiles/htdocs/testing/test.php on line 55
```

Now, create a new method in `MyOtherClass` to call the `getProperty()` method:

```

<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function __toString()
    {
        echo "Using the toString method: ";
        return $this->getProperty();
    }

    public function setProperty($newval)
    {

```

```

        $this->prop1 = $newval;
    }

    protected function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

class MyOtherClass extends MyClass
{
    public function __construct()
    {
        parent::__construct();
        echo "A new constructor in " . __CLASS__ . "<br />";
    }

    public function newMethod()
    {
        echo "From a new method in " . __CLASS__ . "<br />";
    }

    public function callProtected()
    {
        return $this->getProperty();
    }
}

// Create a new object
$newobj = new MyOtherClass;

// Call the protected method from within a public method
echo $newobj->callProtected();

?>

```

This generates the desired result:

The class "MyClass" was initiated!

A new constructor in MyOtherClass.

I'm a class property!

The class "MyClass" was destroyed.

Private Properties and Methods

A property or method declared `private` is accessible only from within the class that defines it. This means that even if a new class extends the class that defines a private property, that property or method will not be available at all within the child class.

To demonstrate this, declare `getProperty()` as `private` in `MyClass`, and attempt to call `callProtected()` from `MyOtherClass`:

```
<?php
class MyClass
{
    public $prop1 = "I'm a class property!";

    public function __construct()
    {
        echo 'The class "', __CLASS__, "' was initiated!<br />';
    }

    public function __destruct()
    {
        echo 'The class "', __CLASS__, "' was destroyed.<br />';
    }

    public function __toString()
    {
        echo "Using the toString method: ";
        return $this->getProperty();
    }

    public function setProperty($newval)
    {
        $this->prop1 = $newval;
    }

    private function getProperty()
    {
        return $this->prop1 . "<br />";
    }
}

class MyOtherClass extends MyClass
{
    public function __construct()
    {
        parent::__construct();
        echo "A new constructor in " . __CLASS__ . ".<br />";
    }

    public function newMethod()
    {
```

```

        echo "From a new method in " . __CLASS__ . ".<br />";
    }

    public function callProtected()
    {
        return $this->getProperty();
    }
}

// Create a new object
$newobj = new MyOtherClass;

// Use a method from the parent class
echo $newobj->callProtected();

?>

```

Reload your browser, and the following error appears:

The class "MyClass" was initiated!

A new constructor in MyOtherClass.

Fatal error: Call to private method MyClass::getProperty() from context 'MyOtherClass' in ←
 /Applications/XAMPP/xamppfiles/htdocs/testing/test.php on line 49

Static Properties and Methods

A method or property declared `static` can be accessed without first instantiating the class; you simply supply the class name, scope resolution operator, and the property or method name.

One of the major benefits to using static properties is that they keep their stored values for the duration of the script. This means that if you modify a static property and access it later in the script, the modified value will still be stored.

To demonstrate this, add a static property called `$count` and a static method called `plusOne()` to `MyClass`. Then set up a `do...while` loop to output the incremented value of `$count` as long as the value is less than 10:

```

<?php

class MyClass
{
    public $prop1 = "I'm a class property!";

    public static $count = 0;
}

```

```

public function __construct()
{
    echo 'The class "', __CLASS__, "' was initiated!<br />';
}

public function __destruct()
{
    echo 'The class "', __CLASS__, "' was destroyed.<br />';
}

public function __toString()
{
    echo "Using the toString method: ";
    return $this->getProperty();
}

public function setProperty($newval)
{
    $this->prop1 = $newval;
}

private function getProperty()
{
    return $this->prop1 . "<br />";
}

public static function plusOne()
{
    return "The count is " . ++self::$count . "<br />";
}
}

class MyOtherClass extends MyClass
{
    public function __construct()
    {
        parent::__construct();
        echo "A new constructor in " . __CLASS__ . "<br />";
    }

    public function newMethod()
    {
        echo "From a new method in " . __CLASS__ . "<br />";
    }

    public function callProtected()
    {
        return $this->getProperty();
    }
}

```

```
do
{
    // Call plusOne without instantiating MyClass
    echo MyClass::plusOne();
} while ( MyClass::$count < 10 );
?>
```

■ **Note** When accessing static properties, the dollar sign (\$) comes *after* the scope resolution operator.

When you load this script in your browser, the following is output:

```
The count is 1.
The count is 2.
The count is 3.
The count is 4.
The count is 5.
The count is 6.
The count is 7.
The count is 8.
The count is 9.
The count is 10.
```

Commenting with DocBlocks

While not an official part of OOP, the DocBlock commenting style is a widely accepted method of documenting classes. Aside from providing a standard for developers to use when writing code, it has also been adopted by many of the most popular SDKs (software development kits (SDKs), such as Eclipse (available at <http://eclipse.org>) and NetBeans (available at <http://netbeans.org>), and will be used to generate code hints.

A DocBlock is defined by using a block comment that starts with an additional asterisk:

```
/**
 * This is a very basic DocBlock
```

```
*/
```

The real power of DocBlocks comes with the ability to use tags, which start with an at symbol (@) immediately followed by the tag name and the value of the tag. These allow developers to define authors of a file, the license for a class, the property or method information, and other useful information.

The most common tags used follow:

@author: The author of the current element (which might be a class, file, method, or any bit of code) are listed using this tag. Multiple author tags can be used in the same DocBlock if more than one author is credited. The format for the author name is `John Doe <john.doe@email.com>`.

@copyright: This signifies the copyright year and name of the copyright holder for the current element. The format is `2010 Copyright Holder`.

@license: This links to the license for the current element. The format for the license information is `http://www.example.com/path/to/license.txt License Name`.

@var: This holds the type and description of a variable or class property. The format is `type element description`.

@param: This tag shows the type and description of a function or method parameter. The format is `type $element_name element description`.

@return: The type and description of the return value of a function or method are provided in this tag. The format is `type return element description`.

A sample class commented with DocBlocks might look like this:

```
<?php
/**
 * A simple class
 *
 * This is the long description for this class,
 * which can span as many lines as needed. It is
 * not required, whereas the short description is
 * necessary.
 *
 * It can also span multiple paragraphs if the
 * description merits that much verbiage.
 *
 * @author Jason Lengstorf <jason.lengstorf@ennuidesign.com>
 * @copyright 2010 Ennui Design
 * @license http://www.php.net/license/3_01.txt PHP License 3.01
 */
class SimpleClass
{
    /**
     * A public variable
     *
     * @var string stores data for the class
     */
    public $foo;
```

```

/**
 * Sets $foo to a new value upon class instantiation
 *
 * @param string $val a value required for the class
 * @return void
 */
public function __construct($val)
{
    $this->foo = $val;
}

/**
 * Multiplies two integers
 *
 * Accepts a pair of integers and returns the
 * product of the two.
 *
 * @param int $bat a number to be multiplied
 * @param int $baz a number to be multiplied
 * @return int the product of the two parameters
 */
public function bar($bat, $baz)
{
    return $bat *$baz;
}
}
?>

```

Once you scan the preceding class, the benefits of DocBlock are apparent: everything is clearly defined so that the next developer can pick up the code and never have to wonder what a snippet of code does or what it should contain.

■ **Note** For more information on DocBlocks, see <http://en.wikipedia.org/wiki/PHPDoc>

Comparing Object-Oriented and Procedural Code

There's not really a right and wrong way to write code. That being said, this section outlines a strong argument for adopting an object-oriented approach in software development, especially in large applications.

Ease of Implementation

While it may be daunting at first, OOP actually provides an easier approach to dealing with data. Because an object can store data internally, variables don't need to be passed from function to function to work properly.

Also, because multiple instantiations of the same class can exist simultaneously, dealing with large data sets is infinitely easier. For instance, imagine you have two people's information being processed in a file. They need names, occupations, and ages.

The Procedural Approach

Here's the procedural approach to our example:

```
<?php

function changeJob($person, $newjob)
{
    $person['job'] = $newjob; // Change the person's job
    return $person;
}

function happyBirthday($person)
{
    ++$person['age']; // Add 1 to the person's age
    return $person;
}

$person1 = array(
    'name' => 'Tom',
    'job' => 'Button-Pusher',
    'age' => 34
);

$person2 = array(
    'name' => 'John',
    'job' => 'Lever-Puller',
    'age' => 41
);

// Output the starting values for the people
echo "<pre>Person 1: ", print_r($person1, TRUE), "</pre>";
echo "<pre>Person 2: ", print_r($person2, TRUE), "</pre>";

// Tom got a promotion and had a birthday
$person1 = changeJob($person1, 'Box-Mover');
$person1 = happyBirthday($person1);

// John just had a birthday
$person2 = happyBirthday($person2);
```

```
// Output the new values for the people
echo "<pre>Person 1: ", print_r($person1, TRUE), "</pre>";
echo "<pre>Person 2: ", print_r($person2, TRUE), "</pre>";

?>
```

When executed, the code outputs the following:

```
Person 1: Array
(
    [name] => Tom
    [job] => Button-Pusher
    [age] => 34
)
Person 2: Array
(
    [name] => John
    [job] => Lever-Puller
    [age] => 41
)
Person 1: Array
(
    [name] => Tom
    [job] => Box-Mover
    [age] => 35
)
Person 2: Array
(
    [name] => John
    [job] => Lever-Puller
    [age] => 42
)
```

While this code isn't necessarily bad, there's a lot to keep in mind while coding. The array of the affected person's attributes must be passed and returned from each function call, which leaves margin for error.

To clean up this example, it would be desirable to leave as few things up to the developer as possible. Only absolutely essential information for the current operation should need to be passed to the functions.

This is where OOP steps in and helps you clean things up.

The OOP Approach

Here's the OOP approach to our example:

```
<?php
class Person
{
    private $_name;
    private $_job;
    private $_age;

    public function __construct($name, $job, $age)
    {
        $this->_name = $name;
        $this->_job = $job;
        $this->_age = $age;
    }

    public function changeJob($newjob)
    {
        $this->_job = $newjob;
    }

    public function happyBirthday()
    {
        ++$this->_age;
    }
}

// Create two new people
$person1 = new Person("Tom", "Button-Pusher", 34);
$person2 = new Person("John", "Lever Puller", 41);

// Output their starting point
echo "<pre>Person 1: ", print_r($person1, TRUE), "</pre>";
echo "<pre>Person 2: ", print_r($person2, TRUE), "</pre>";

// Give Tom a promotion and a birthday
$person1->changeJob("Box-Mover");
$person1->happyBirthday();
```

```
// John just gets a year older
$person2->happyBirthday();

// Output the ending values
echo "<pre>Person 1: ", print_r($person1, TRUE), "</pre>";
echo "<pre>Person 2: ", print_r($person2, TRUE), "</pre>";

?>
```

This outputs the following in the browser:

```
Person 1: Person Object
(
    [_name:private] => Tom
    [_job:private] => Button-Pusher
    [_age:private] => 34
)

Person 2: Person Object
(
    [_name:private] => John
    [_job:private] => Lever Puller
    [_age:private] => 41
)

Person 1: Person Object
(
    [_name:private] => Tom
    [_job:private] => Box-Mover
    [_age:private] => 35
)

Person 2: Person Object
(
    [_name:private] => John
    [_job:private] => Lever Puller
    [_age:private] => 42
)
```

There's a little bit more setup involved to make the approach object oriented, but after the class is defined, creating and modifying people is a breeze; a person's information does not need to be passed or returned from methods, and only absolutely essential information is passed to each method.

On the small scale, this difference may not seem like much, but as your applications grow in size, OOP will significantly reduce your workload if implemented properly

■ **Tip** Not everything needs to be object oriented. A quick function that handles something small in one place inside the application does not necessarily need to be wrapped in a class. Use your best judgment when deciding between object-oriented and procedural approaches.

Better Organization

Another benefit of OOP is how well it lends itself to being easily packaged and cataloged. Each class can generally be kept in its own separate file, and if a uniform naming convention is used, accessing the classes is extremely simple.

Assume you've got an application with 150 classes that are called dynamically through a controller file at the root of your application filesystem. All 150 classes follow the naming convention `class.classname.inc.php` and reside in the `inc` folder of your application.

The controller can implement PHP's `__autoload()` function to dynamically pull in only the classes it needs as they are called, rather than including all 150 in the controller file just in case or coming up with some clever way of including the files in your own code:

```
<?php
function __autoload($class_name)
{
    include_once 'inc/class.' . $class_name . '.inc.php';
}
?>
```

Having each class in a separate file also makes code more portable and easier to reuse in new applications without a bunch of copying and pasting.

Easier Maintenance

Due to the more compact nature of OOP when done correctly, changes in the code are usually much easier to spot and make than in a long spaghetti code procedural implementation.

If a particular array of information gains a new attribute, a procedural piece of software may require (in a worst-case scenario) that the new attribute be added to *each function that uses the array*.

An OOP application could potentially be updated as easily adding the new property and then adding the methods that deal with said property.

A lot of the benefits covered in this section are the product of OOP in combination with DRY programming practices. It is definitely possible to create easy-to-maintain procedural code that doesn't cause nightmares, and it is equally possible to create awful object-oriented code. This book will attempt to demonstrate a combination of good coding habits in conjunction with OOP to generate clean code that's easy to read and maintain.

Summary

At this point, you should feel comfortable with the object-oriented programming style. The whole core of the event calendar's backend will be based on OOP, so any concepts that may currently seem unclear will be more thoroughly examined as the concepts from this chapter are put into a practical, real-world example.

In the next chapter, you'll start building the backend of the events calendar.



Build an Events Calendar

Now that you're up to speed on the concept of object-oriented programming, you can start working on the project that will be the meat and potatoes of this book: the events calendar. It all starts here, and as this book progresses, you'll be adding more and more functionality using both PHP and jQuery.

Planning the Calendar

Because you're starting from absolute scratch, you need to take a minute to plan the application. This application will be database-driven (using MySQL), so the planning will take part in two stages: first the database structure and then a basic map of the application that will access and modify the database.

Defining the Database Structure

To make building the application much easier, the first thing you should plan is how the data will be stored. This shapes everything in the application.

For a basic events calendar, all the information you'll need to store is the following:

- `event_id`: An automatically incremented integer that uniquely identifies each event
- `event_title`: The title of the event
- `event_desc`: A full description of the event
- `event_start`: The start time of the event (in format YYYY-MM-DD HH:MM:SS)
- `event_end`: The end time of the event (in format YYYY-MM-DD HH:MM:SS)

Creating the Class Map

The next step is to lay out the main class that will handle all the actions our application will perform related to the calendar events. This class will be called `Calendar`; the methods and properties will be laid out like so:

- Build the constructor.
 - Make sure a database connection exists or create one.
 - Set the following basic properties: a database object,
 - the date to use, the month being viewed,
 - the year to view,
 - the number of days in the month, and the weekday on which the month starts.
- Generate HTML to build the events form.
 - Check if an event is being edited or created.
 - Load event information into the form if editing is needed.
- Save new events in the database and sanitize input.
- Delete events from the database and confirm deletion.
- Load events information.
 - Load events data from the database.
 - Store each event as an array in the proper day for the month.
- Output HTML with calendar information. Using the events array, loop through each day of the month and attach event titles and times where applicable.
- Display event information as HTML. Accept an event ID and load the description and details for the event

Planning the Application's Folder Structure

This application is going to be somewhat elaborate when it's finished, so it's worth taking a few minutes to think about how files are going to be organized.

For the sake of security, everything possible will be kept out of the **web root**, or publicly available folders: this includes database credentials, the core of the application, and the classes that will run it. With nothing in the web root, mischievous users won't be able to poke around in your folder structure without being on the server itself, which is a good practice for security.

To start, you'll have two folders: **public** to contain all files available for direct access by the application's users, such as CSS, the index file, and JavaScript files and **sys** to contain the nonpublic files, such as database credentials, the application's classes, and the core PHP files.

Public Files

The **public** folder will serve as the web root. When a user accesses your application's URL, this is the folder in which the server will look first. At the root level, it contains the files accessed by users to view and manipulate the data stored in the database:

- **index.php**: This is the main file, which displays the month in calendar format with event titles displayed in the box of the day on which they occur.
- **view.php**: If users clicks an event title, they're taken to this page where the event's data is displayed in detail.
- **admin.php**: To create or modify new events, the form displayed on this page is used.
- **confirmdelete.php**: To delete an event, the user must first confirm that choice by submitting the confirmation form on this page.

The **public** folder will also have a subfolder called **assets**, which will contain additional files for the site. Those files will be grouped by their usage, which in this section falls into four categories: common files, CSS files, JavaScript files, and form-processing files.

Create four folders within **assets** called **common**, **css**, **inc**, and **js**. The **common** folder will store files that will be used on all the publicly accessible pages (namely the header and footer of the app); the **css** folder will store site style sheets; the **inc** folder will store files to process form-submitted input; and the **js** folder will store site JavaScript files.

Nonpublic Application Files

The **sys** folder will be broken into three subfolders: **class**, which will store all class files for the application (such as the **Calendar** class); **config**, which stores application configuration information such as database credentials; and **core**, which holds the files that initialize the application.

When everything is organized and all files are created, the file structure will be well organized and easy to scale in the future (see Figure 4-1).




Figure 4-1. The folder structure and files as they appear in NetBeans 6.8 on Mac

PUBLIC AND NONPUBLIC FOLDERS—WHY BOTHER?

You may be asking yourself right about now, “Why put in the extra effort to create public and nonpublic folders? What’s the benefit?”

To answer that question, you need to know a little bit about how web servers work. A server is essentially a computer that stores files and serves selected files to a network (such as the World Wide Web) using a network identifier (an IP address or a URL mapped to an IP address). Hundreds of web sites or other applications can be hosted on one server, each in their own folder.

The server grants access to outside users to these public folders, which means all the files on the folder can be accessed from the network to which the server is connected. In the case of files that contain sensitive information, this isn’t always desirable.

Fortunately, files in a public folder can still access files outside of the public folder, even though the users on the network cannot. This allows you to hide your sensitive data from the rest of the world, but keep it accessible to your application.

There are other ways to hide this information, but simply keeping sensitive data nonpublic is the most straightforward, surefire method of doing so.

Modifying the Development Environment

Because you’re using public and nonpublic folders for this application, a quick modification to your development environment is necessary: you need to point the server to your public folder, rather than the folder containing both.

In this section, you’ll learn how to point your server to the `public` folder.

■ **Note** You can skip this section and keep the `sys` folder inside the public folder without losing any functionality in the application (keep in mind that file paths will differ from those used throughout the exercises in this book). You will, however, open the application to potential security risks. It’s highly recommended that you take a minute to follow these steps.

Local Development

To change the document root (`public` folder) in a local installation, you need to modify the server’s configuration file. This book assumes Apache is being used as your server in the XAMPP stack, so you need to locate the `httpd.conf` file (located at `/xamppfiles/etc/httpd.conf` on Mac, `/opt/lampp/etc/httpd.conf` on Linux, and `\xampp\apache\conf\httpd.conf` on Windows).

Inside `httpd.conf`, search for the `DocumentRoot` directive. This is where you set the path to your `public` folder. The file should look something like this:

```
#
# DocumentRoot: The directory out of which you will serve your
# documents. By default, all requests are taken from this directory, but
# symbolic links and aliases may be used to point to other locations.
#
DocumentRoot "/Applications/XAMPP/xamppfiles/htdocs/public"
```

Additionally, search for a line in your `httpd.conf` file that references document root to set permissions. It will look something like this:

```
<Directory "/Applications/XAMPP/xamppfiles/htdocs/public">
```

After locating and altering the paths above, *restart Apache* using the XAMPP control panel. Now, the default folder accessed is the `public` folder of the application. To test this, create the file `index.php` and add the following code snippet:

```
<?php echo "I'm the new document root!"; ?>
```

Navigate to document root of your development environment in a browser (`localhost` by default) to make sure the reconfiguration worked (see Figure 4-2).




Figure 4-2. The public folder's index file is displayed after reconfiguring Apache

Remote Development

Because remote development usually takes place on a hosting company's server, the steps to point your domain to the app's `public` folder will vary from hosting provider to hosting provider, and therefore won't be covered in this book.

However, in many cases, the host will allow you to point a domain to a folder within your hosting account. If this is the case, simply point the domain to the `public` folder, and everything should work properly.

Some hosts do not allow access outside of document root. If this is the case with your hosting provider, simply place the `sys` folder in the `public` folder and alter file paths accordingly.

Building the Calendar

With the folder structure ready and your development environment set up, it's time to actually start developing. We'll cover each of the three event views (main view, single event view, and administrative view) in steps, starting with the main calendar view.

Creating the Database

As with the application planning process, the first step in developing the application is to create the database. In your local development environment, pull up phpMyAdmin (<http://localhost/phpmyadmin> in XAMPP), and open the SQL tab (you can also execute these commands in a PHP script if not using phpMyAdmin). Create the database, a table to store event data called `events`, and a few dummy entries using the following SQL:

```
CREATE DATABASE IF NOT EXISTS `php-jquery_example`
  DEFAULT CHARACTER SET utf8
  COLLATE utf8_unicode_ci;

CREATE TABLE IF NOT EXISTS `php-jquery_example`.`events` (
  `event_id` INT(11) NOT NULL AUTO_INCREMENT,
  `event_title` VARCHAR(80) DEFAULT NULL,
  `event_desc` TEXT,
  `event_start` TIMESTAMP NOT NULL DEFAULT '0000-00-00 00:00:00',
  `event_end` TIMESTAMP NOT NULL DEFAULT '0000-00-00 00:00:00',

  PRIMARY KEY (`event_id`),
  INDEX (`event_start`)
) ENGINE=MyISAM CHARACTER SET utf8 COLLATE utf8_unicode_ci;

INSERT INTO `php-jquery_example`.`events`
  (`event_title`, `event_desc`, `event_start`, `event_end`) VALUES
  ('New Year's Day', 'Happy New Year!',
   '2010-01-01 00:00:00', '2010-01-01 23:59:59'),
  ('Last Day of January', 'Last day of the month! Yay!',
   '2010-01-31 00:00:00', '2010-01-31 23:59:59');
```

■ **Note** All the preceding commands are specific to MySQL. Since this book is focused on jQuery and PHP, I won't go into detail about MySQL here. For more information on MySQL, check out *Beginning PHP and MySQL* by Jason Gilmore (Apress).

After you execute the preceding commands, a new database called `php-jquery_example` will appear in the left-hand column. Click the database name to display the tables, and then click the `events` table to view the entries you created (see Figure 4-3).




Figure 4-3. The database, table, and entries after they're created

Connecting to the Database with a Class

Because you'll be creating multiple classes in this application that need database access, it makes sense to create an object that will open and store that database object. This object will be called `DB_Connect`, and it will reside in the class folder with the name `class.db_connect.inc.php` (`/sys/class/class.db_connect.inc.php`).

This class will have one property and one method, both of which are protected. The property will be called `$db` and will store a database object. The method will be a constructor; this will accept an optional database object to store in `$db`, or it will create a new PDO object if no database object is passed.

Insert the following code into `class.db_connect.inc.php`:

```
<?php

/**
 * Database actions (DB access, validation, etc.)
 *
 * PHP version 5
 *
 * LICENSE: This source file is subject to the MIT License, available
 * at http://www.opensource.org/licenses/mit-license.html
 *
 * @author Jason Lengstorf <jason.lengstorf@ennuidesign.com>
 * @copyright 2009 Ennui Design
 * @license http://www.opensource.org/licenses/mit-license.html
 */
class DB_Connect {

    /**
     * Stores a database object
     *
     * @var object A database object
     */
    protected $db;

    /**
     * Checks for a DB object or creates one if one isn't found
     *
     * @param object $dbo A database object
     */
    protected function __construct($dbo=NULL)
    {
        if ( is_object($db) )
        {
            $this->db = $db;
        }
        else
        {
            // Constants are defined in /sys/config/db-cred.inc.php
            $dsn = "mysql:host=" . DB_HOST . ";dbname=" . DB_NAME;
            try
            {
                $this->db = new PDO($dsn, DB_USER, DB_PASS);
            }
            catch ( Exception $e )
            {
                // If the DB connection fails, output the error
                die ( $e->getMessage() );
            }
        }
    }
}
```

```

    }
}
?>

```

■ **Note** The preceding function uses constants that are not defined just yet. You'll create the files to define these constants in the next section.

Creating the Class Wrapper

To build the application itself, start by creating the file `class.calendar.inc.php` in the `class` folder that resides within the non-public `sys` folder (`/sys/class/class.calendar.inc.php`). This class will extend the `DB_Connect` class in order to have access to the database object. Open the file in your editor of choice and create the `Calendar` class using the following code:

```

<?php
/**
 * Builds and manipulates an events calendar
 *
 * PHP version 5
 *
 * LICENSE: This source file is subject to the MIT License, available
 * at http://www.opensource.org/licenses/mit-license.html
 *
 * @author Jason Lengstorf <jason.lengstorf@ennuidesign.com>
 * @copyright 2009 Ennui Design
 * @license http://www.opensource.org/licenses/mit-license.html
 */
class Calendar extends DB_Connect
{
    // Methods and properties go here
}
?>

```

With the class created, you can start adding the properties and methods to the class.

Adding Class Properties

The `Calendar` class doesn't need any public properties, and you won't be extending it in the examples contained within this book, so all class properties will be private.

As defined in the section on planning, create the properties for the Calendar class:

```
<?php
class Calendar extends DB_Connect
{
    /**
     * The date from which the calendar should be built
     *
     * Stored in YYYY-MM-DD HH:MM:SS format
     *
     * @var string the date to use for the calendar
     */
    private $_useDate;

    /**
     * The month for which the calendar is being built
     *
     * @var int the month being used
     */
    private $_m;

    /**
     * The year from which the month's start day is selected
     *
     * @var int the year being used
     */
    private $_y;

    /**
     * The number of days in the month being used
     *
     * @var int the number of days in the month
     */
    private $_daysInMonth;

    /**
     * The index of the day of the week the month starts on (0-6)
     *
     * @var int the day of the week the month starts on
     */
    private $_startDay;

    // Methods go here
}
?>
```

■ **Note** For the sake of brevity, DocBlocks will be left out of repeated code snippets.

According to the original planning, the class properties are as follows:

- `$_useDate`: The date to use when building the calendar in YYYY-MM-DD HH:MM:SS format
- `$_m`: The month to use when building the calendar
- `$_y`: The year to use when building the calendar
- `$_daysInMonth`: How many days are in the current month
- `$_startDay`: Index from 0–6 representing on what day of the week the month starts

Building the Constructor

Next, you can build the class constructor. Start out by declaring it:

```
<?php
class Calendar extends DB_Connect
{

    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

    private $_startDay;

    /**
     * Creates a database object and stores relevant data
     *
     * Upon instantiation, this class accepts a database object
     * that, if not null, is stored in the object's private $_db
     * property. If null, a new PDO object is created and stored
     * instead.
     *
     * Additional info is gathered and stored in this method,
     * including the month from which the calendar is to be built,
     * how many days are in said month, what day the month starts
     * on, and what day it is currently.
     */
}
```

```

    * @param object $dbo a database object
    * @param string $useDate the date to use to build the calendar
    * @return void
    */
    public function __construct($dbo=NULL, $useDate=NULL)
    {

    }
}
?>

```

The constructor will accept two optional parameters: the first is a database object, and the second is the date around which the calendar display should be built.

Checking the Database Connection

To function properly, the class needs a database connection. The constructor will call the parent constructor from `DB_Connect` to check for an existing database object and use that when available, or it will create a new object if none is supplied.

Set up the call to make this check using the code shown in bold:

```

<?php

class Calendar extends DB_Connect
{

    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

    private $_startDay;

    public function __construct($dbo=NULL, $useDate=NULL)
    {
        /*
         * Call the parent constructor to check for
         * a database object
         */
        parent::__construct($dbo);
    }
}

```

```
}
?>
```

■ **Note** That the `Calendar` class constructor accepts an optional `$dbo` argument that is passed in turn to the `DB_Connect` constructor. This allows you to create a database object and pass it for use in the class easily.

Creating a File to Store Database Credentials

To keep the database credentials separate from the rest of the application for easy maintenance, you want to use a configuration file. Create a new file called `db-cred.inc.php` in the `config` folder (`/sys/config/db-cred.inc.php`). Inside, create an array called `$C` (for constants), and store each piece of data as a new key-value pair:

```
<?php

/*
 * Create an empty array to store constants
 */
$C = array();

/*
 * The database host URL
 */
$C['DB_HOST'] = 'localhost';

/*
 * The database username
 */
$C['DB_USER'] = 'root';

/*
 * The database password
 */
$C['DB_PASS'] = '';

/*
 * The name of the database to work with
 */
$C['DB_NAME'] = 'php-jquery_example';

?>
```

■ **Note** Initializing `$C` as an empty array is a safeguard against any tainted pieces of data being stored in `$C` and defined as constants. This is a good habit, especially when dealing with sensitive data.

Save this file. If you're not using XAMPP or if you've modified the default database credentials, you'll need to substitute your own host, username, password, and database name in the code.

Creating an Initialization File

At this point, your database credentials still aren't stored as constants. You'll be using an initialization file to handle this.

An **initialization file** collects data, loads files, and organizes information for an application. In this example, it will load and define all necessary constants, create a database object, and set up an automatic loading function for classes. Other functionality will be added later on as it becomes necessary.

Create a file called `init.inc.php`, and place it in the `core` folder (`/sys/core/init.inc.php`). Inside, add the following:

```
<?php

/*
 * Include the necessary configuration info
 */
include_once '../sys/config/db-cred.inc.php';

/*
 * Define constants for configuration info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a PDO object
 */
$dsn = "mysql:host=" . DB_HOST . ";dbname=" . DB_NAME;
$dbo = new PDO($dsn, DB_USER, DB_PASS);

/*
 * Define the auto-load function for classes
 */
function __autoload($class)
{
    $filename = "../sys/class/class." . $class . ".inc.php";
    if ( file_exists($filename) )
    {
```

```

        include_once $filename;
    }
}
?>

```

An automatic loading function is called when a script attempts to instantiate a class that hasn't been loaded yet. It's a convenient way to easily load classes into a script on demand. For more information on automatic loading, visit <http://php.net/autoload>.

Creating an Index File to Pull It All Together

To see everything in action, modify `index.php` in the `public` folder. Inside, simply include the initialization file and instantiate the `Calendar` class. Next, check if the class loaded properly, and output the object's structure if so:

```

<?php
/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Load the calendar for January
 */
$cal = new Calendar($dbo, "2010-01-01 12:00:00");

if ( is_object ($cal) )
{
    echo "<pre>", var_dump($cal), "</pre>";
}
?>

```

Once you navigate to `http://localhost/`, the following message is output:

```

object(Calendar)#2 (6) {
    ["_useDate:private"]=>
        NULL
    ["_m:private"]=>
        NULL
}

```

```

["_y:private"]=>
NULL

["_daysInMonth:private"]=>
NULL

["_startDay:private"]=>
NULL

["db:protected"]=>
object(PDO)#3 (0) {
}
}

```

Setting Basic Properties

With all that infrastructure taken care of, you can get back to finishing the `Calendar` class's constructor.

After checking the database object, the constructor needs to store several pieces of data about the month with which it will be building a calendar.

First, it checks if a date was passed to the constructor; if so, that is stored in the `$_useDate` property; otherwise, the current date is used.

Next, the date is converted to a UNIX timestamp (the number of seconds since the Unix epoch; read more about this at http://en.wikipedia.org/wiki/Unix_time) before the month and year are extracted and stored in `$_m` and `$_y`, respectively.

Finally, `$_m` and `$_y` are used to determine how many days are in the month being used and which day of the week the month starts on.

The following bold code adds this functionality to the constructor:

```

<?php

class Calendar extends DB_Connect
{

    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

```

```

private $_startDay;

public function __construct($dbo=NULL, $useDate=NULL)
{
    /*
     * Call the parent constructor to check for
     * a database object
     */
    parent::__construct($dbo);

    /*
     * Gather and store data relevant to the month
     */
    if ( isset($useDate) )
    {
        $this->_useDate = $useDate;
    }
    else
    {
        $this->_useDate = date('Y-m-d H:i:s');
    }

    /*
     * Convert to a timestamp, then determine the month
     * and year to use when building the calendar
     */
    $ts = strtotime($this->_useDate);
    $this->_m = date('m', $ts);
    $this->_y = date('Y', $ts);

    /*
     * Determine how many days are in the month
     */
    $this->_daysInMonth = cal_days_in_month(
        CAL_GREGORIAN,
        $this->_m,
        $this->_y
    );

    /*
     * Determine what weekday the month starts on
     */
    $ts = mktime(0, 0, 0, $this->_m, 1, $this->_y);
    $this->_startDay = date('w', $ts);
}

```

```
}
?>
```

Now all the properties that were previously NULL will have values when you reload <http://localhost/>:

```
object(Calendar)#2 (6) {
  ["_useDate:private"]=>
  string(19) "2010-01-01 12:00:00"
  ["_m:private"]=>
  string(2) "01"
  ["_y:private"]=>
  string(4) "2010"
  ["_daysInMonth:private"]=>
  int(31)
  ["_startDay:private"]=>
  string(1) "5"
  ["db:protected"]=>
  object(PDO)#3 (0) {
  }
}
```

Loading Events Data

To load data about events, you need to create a new method to access the database and retrieve them. Because event data will be accessed in two ways (the second of which will be addressed later in this chapter), the act of loading data will be kept generic for easy reuse.

This method will be private and named `_loadEventData()`. It accepts one optional parameter—the ID of an event—and follows these steps to load events:

1. Create a basic `SELECT` query to load the available fields from the events table.
2. Check if an ID was passed, and if so, add a `WHERE` clause to the query to return only one event.
3. Otherwise, do both of the following:
 - Find midnight of the first day of the month and 11:59:59PM on the last day of the month.
 - Add a `WHERE...BETWEEN` clause to only load dates that fall within the current month.
4. Execute the query.
5. Return an associative array of the results.

All put together, this method looks like so:

```
<?php
class Calendar extends DB_Connect
{

    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

    private $_startDay;

    public function __construct($dbo=NULL, $useDate=NULL) {...}

    /**
     * Loads event(s) info into an array
     *
     * @param int $id an optional event ID to filter results
     * @return array an array of events from the database
     */
    private function _loadEventData($id=NULL)
    {
        $sql = "SELECT
                `event_id`, `event_title`, `event_desc`,
                `event_start`, `event_end`
            FROM `events`";

        /**
         * If an event ID is supplied, add a WHERE clause
         * so only that event is returned
         */
    }
}
```

```

if ( !empty($id) )
{
    $sql .= "WHERE `event_id`=:id LIMIT 1";
}

/*
 * Otherwise, load all events for the month in use
 */
else
{
    /*
     * Find the first and last days of the month
     */
    $start_ts = mktime(0, 0, 0, $this->_m, 1, $this->_y);
    $end_ts = mktime(23, 59, 59, $this->_m+1, 0, $this->_y);
    $start_date = date('Y-m-d H:i:s', $start_ts);
    $end_date = date('Y-m-d H:i:s', $end_ts);

    /*
     * Filter events to only those happening in the
     * currently selected month
     */
    $sql .= "WHERE `event_start`
            BETWEEN '$start_date'
            AND '$end_date'
            ORDER BY `event_start`";
}

try
{
    $stmt = $this->db->prepare($sql);

    /*
     * Bind the parameter if an ID was passed
     */
    if ( !empty($id) )
    {
        $stmt->bindParam(":id", $id, PDO::PARAM_INT);
    }

    $stmt->execute();
    $results = $stmt->fetchAll(PDO::FETCH_ASSOC);
    $stmt->closeCursor();

    return $results;
}
catch ( Exception $e )
{
    die ( $e->getMessage() );
}
}

```

```
}
?>
```

■ **Note** For the sake of brevity, nonreferenced methods are collapsed.

This method returns an array that, when using the test entries you entered into the database previously, looks like this:

```
Array
(
  [0] => Array
  (
    [event_id] => 1
    [event_title] => New Year's Day
    [event_desc] => Happy New Year!
    [event_start] => 2010-01-01 00:00:00
    [event_end] => 2010-01-01 23:59:59
  )

  [1] => Array
  (
    [event_id] => 2
    [event_title] => Last Day of January
    [event_desc] => Last day of the month! Yay!
    [event_start] => 2010-01-31 00:00:00
    [event_end] => 2010-01-31 23:59:59
  )
)
```

Creating an Array of Event Objects for Use in the Calendar

The raw output of `_loadEventData()` isn't immediately usable in the calendar. Because events need to be displayed on the proper day, the events retrieved from `_loadEventData()` need to be grouped by the day on which they occur. For easy reference, the event fields will be simplified as well.

The end goal is an array of events that will use the day of the month as its index, containing each event as an object. The two test entries in your database should end up being stored like so when the new method is complete:

```
Array
(
  [1] => Array
  (
    [0] => Event Object
```

```

        (
            [id] => 1
            [title] => New Year's Day
            [description] => Happy New Year!
            [start] => 2010-01-01 00:00:00
            [end] => 2010-01-01 23:59:59
        )
    )
)
[31] => Array
(
    [0] => Event Object
    (
        [id] => 2
        [title] => Last Day of January
        [description] => Last day of the month! Yay!
        [start] => 2010-01-31 00:00:00
        [end] => 2010-01-31 23:59:59
    )
)
)
)

```

Creating an Event Class

To accomplish this, you must first create a new class called `Event` in the class folder (`/sys/class/class.event.inc.php`). It will have five public properties: `$id`, `$title`, `$description`, `$start`, and `$end`; and a constructor that will set each of those properties using the associative array returned by the database query. Create the file, and insert the following code inside it:

```

<?php
/**
 * Stores event information
 *
 * PHP version 5
 *
 * LICENSE: This source file is subject to the MIT License, available
 * at http://www.opensource.org/licenses/mit-license.html
 *
 * @author Jason Lengstorf <jason.lengstorf@ennuidesign.com>
 * @copyright 2010 Ennui Design
 * @license http://www.opensource.org/licenses/mit-license.html
 */
class Event
{
    /**

```

```

* The event ID
*
* @var int
*/
public $id;

/**
* The event title
*
* @var string
*/
public $title;

/**
* The event description
*
* @var string
*/
public $description;

/**
* The event start time
*
* @var string
*/
public $start;

/**
* The event end time
*
* @var string
*/
public $end;

/**
* Accepts an array of event data and stores it
*
* @param array $event Associative array of event data
* @return void
*/
public function __construct($event)
{
    if ( is_array($event) )
    {
        $this->id = $event['event_id'];
        $this->title = $event['event_title'];
        $this->description = $event['event_desc'];
        $this->start = $event['event_start'];
        $this->end = $event['event_end'];
    }
    else

```

```

        {
            throw new Exception("No event data was supplied.");
        }
    }
}
?>

```

Creating the Method to Store Event Objects in an Array

Now that each event can be stored as an object, you can create the method that will loop through the available events and store them in an array corresponding to the dates on which they occur. First, load the event data from the database using `_loadEventData()`. Next, extract the day of the month from each event's start date and add a new value to the array at that day's index. In the `Calendar` class, create a new method called `_createEventObj()` and set it to private. Load the events from the database, and create the new array using the following bold code:

```

<?php
class Calendar extends DB_Connect
{
    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

    private $_startDay;

    public function __construct($dbo=NULL, $useDate=NULL) {...}

    private function _loadEventData($id=NULL) {...}

    /**
     * Loads all events for the month into an array
     *
     * @return array events info
     */
    private function _createEventObj()
    {
        /**
         * Load the events array
         */
        $arr = $this->_loadEventData();

        /**

```

```

        * Create a new array, then organize the events
        * by the day of the month
on which they occur
    */
    $events = array();
    foreach ( $arr as $event )
    {
        $day = date('j', strtotime($event['event_start']));

        try
        {
            $events[$day][] = new Event($event);
        }
        catch ( Exception $e )
        {
            die ( $e->getMessage() );
        }
    }
    return $events;
}
}
?>

```

Now the events can be loaded and organized in such a way that the method to output the actual calendar, HTML can easily put dates in the proper place.

Outputting HTML to Display the Calendar and Events

At this point, you have the database set up, test events stored, and methods in place to load and organize the event data into an easy-to-use array. You're ready to put the pieces together and build a calendar!

The calendar will be built by a public method called `buildCalendar()`. This will generate a calendar with the following attributes:

- A heading that will show the month and year being displayed
- Weekday abbreviations to make the calendar look like a calendar
- Numbered boxes that contain events if they exist for the given date

To start, declare the `buildCalendar()` method in the `Calendar` class, and create the heading in an `H2` element. Also, create an array of weekday abbreviations and loop through them to generate an unordered list. Add the following bold code to do so:

```

<?php
class Calendar extends DB_Connect
{

    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

    private $_startDay;

    public function __construct($dbo=NULL, $useDate=NULL) {...}

    private function _loadEventData($id=NULL) {...}

    private function _createEventObj() {...}

    /**
     * Returns HTML markup to display the calendar and events
     *
     * Using the information stored in class properties, the
     * events for the given month are loaded, the calendar is
     * generated, and the whole thing is returned as valid markup.
     *
     * @return string the calendar HTML markup
     */
    public function buildCalendar()
    {
        /*
         * Determine the calendar month and create an array of
         * weekday abbreviations to label the calendar columns
         */
        $cal_month = date('F Y', strtotime($this->_useDate));
        $weekdays = array('Sun', 'Mon', 'Tue',
            'Wed', 'Thu', 'Fri', 'Sat');

        /*
         * Add a header to the calendar markup
         */
        $html = "\n\t<h2>$cal_month</h2>";
        for ( $d=0, $labels=NULL; $d<7; ++$d )
        {
            $labels .= "\n\t\t<li>" . $weekdays[$d] . "</li>";
        }
        $html .= "\n\t<ul class=\"weekdays\">
            . $labels . "\n\t</ul>";
    }
}

```

```

        /*
        * Return the markup for output
        */
        return $html;
    }
}
?>

```

Modifying the Index File

To see the output of the `buildCalendar()` method, you'll need to modify `index.php` in the `public` folder to call the method. Update the file with the code shown in bold:

```

<?php

/*
* Include necessary files
*/
include_once '../sys/core/init.inc.php';

/*
* Load the calendar for January
*/
$cal = new Calendar($dbo, "2010-01-01 12:00:00");

/*
* Display the calendar HTML
*/
echo $cal->buildCalendar();

?>

```

Pull up the file in your browser to see the results so far (see Figure 4-4).




Figure 4-4. The heading and weekday abbreviations

Building the Calendar

The next step is to build the actual calendar days. Several steps need to be completed for this to work out:

1. Create a new unordered list.
2. Set up a loop (with an iteration counter, a calendar date counter, today's date, and the month and year stored as variables) that runs as long as the calendar date counter is less than the number of days in the month.
3. Add a `fill` class to the days of the week that occur before the first.
4. Add a `today` class if the current date is contained within the same month and year and matches the date being generated.
5. Create an opening and closing list item tag for each day.
6. Check if the current calendar box falls within the current month, and add the date if so.
7. Check if the current calendar box is a Saturday, and close the list and open a new one if so.
8. Assemble the pieces of the list item and append them to the markup.

9. After the loop, run another loop to add filler days until the calendar week is completed.
10. Close the final unordered list and return the markup.

To start, complete steps 1 and 2 by adding the following bold code to the `buildCalendar()` method:

```
public function buildCalendar()
{
    /*
     * Determine the calendar month and create an array of
     * weekday abbreviations to label the calendar columns
     */
    $cal_month = date('F Y', strtotime($this->_useDate));
    $weekdays = array('Sun', 'Mon', 'Tue',
        'Wed', 'Thu', 'Fri', 'Sat');

    /*
     * Add a header to the calendar markup
     */
    $html = "\n\t<h2>$cal_month</h2>";
    for ( $d=0, $labels=NULL; $d<7; ++$d )
    {
        $labels .= "\n\t\t<li>" . $weekdays[$d] . "</li>";
    }
    $html .= "\n\t<ul class=\"weekdays\">"
        . $labels . "\n\t</ul>";

    /*
     * Create the calendar markup
     */
    $html .= "\n\t<ul>"; // Start a new unordered list
    for ( $i=1, $c=1, $t=date('j'), $m=date('m'), $y=date('Y');
        $c<=$this->_daysInMonth; ++$i )
    {
        // More steps go here
    }

    /*
     * Return the markup for output
     */
    return $html;
}
```

Next, add the bold code below to complete steps 3–5:

```
public function buildCalendar()
{
    /*
     * Determine the calendar month and create an array of
     * weekday abbreviations to label the calendar columns
     */
```

```

$cal_month = date('F Y', strtotime($this->_useDate));
$weekdays = array('Sun', 'Mon', 'Tue',
    'Wed', 'Thu', 'Fri', 'Sat');

/*
 * Add a header to the calendar markup
 */
$html = "\n\t<h2>$cal_month</h2>";
for ( $d=0, $labels=NULL; $d<7; ++$d )
{
    $labels .= "\n\t\t<li>" . $weekdays[$d] . "</li>";
}
$html .= "\n\t<ul class=\"weekdays\">"
    . $labels . "\n\t</ul>";

/*
 * Create the calendar markup
 */
$html .= "\n\t<ul>"; // Start a new unordered list
for ( $i=1, $c=1, $t=date('j'), $m=date('m'), $y=date('Y');
    $c<=$this->_daysInMonth; ++$i )
{
    /*
     * Apply a "fill" class to the boxes occurring before
     * the first of the month
     */
    $class = $i<=$this->_startDay ? "fill" : NULL;

    /*
     * Add a "today" class if the current date matches
     * the current date
     */
    if ( $c==$t && $m==$this->_m && $y==$this->_y )
    {
        $class = "today";
    }

    /*
     * Build the opening and closing list item tags
     */
    $ls = sprintf("\n\t\t<li class=\"%s\">", $class);
    $le = "\n\t\t</li>";

    // More steps go here
}

/*
 * Return the markup for output
 */
return $html;
}

```

To complete steps 6-10—actually build the dates; check if the week needs to wrap; assemble the date markup; finish the last week out with filler, and return the markup—add the following bold code:

```
public function buildCalendar()
{
    /*
     * Determine the calendar month and create an array of
     * weekday abbreviations to label the calendar columns
     */
    $cal_month = date('F Y', strtotime($this->_useDate));
    $weekdays = array('Sun', 'Mon', 'Tue',
        'Wed', 'Thu', 'Fri', 'Sat');

    /*
     * Add a header to the calendar markup
     */
    $html = "\n\t<h2>$cal_month</h2>";
    for ( $d=0, $labels=NULL; $d<7; ++$d )
    {
        $labels .= "\n\t\t<li>" . $weekdays[$d] . "</li>";
    }
    $html .= "\n\t<ul class=\"weekdays\">"
        . $labels . "\n\t</ul>";

    /*
     * Create the calendar markup
     */
    $html .= "\n\t<ul>"; // Start a new unordered list
    for ( $i=1, $c=1, $t=date('j'), $m=date('m'), $y=date('Y');
        $c<=$this->_daysInMonth; ++$i )
    {
        /*
         * Apply a "fill" class to the boxes occurring before
         * the first of the month
         */
        $class = $i<=$this->_startDay ? "fill" : NULL;

        /*
         * Add a "today" class if the current date matches
         * the current date
         */
        if ( $c+1==$t && $m==$this->_m && $y==$this->_y )
        {
            $class = "today";
        }

        /*
         * Build the opening and closing list item tags
         */
        $ls = sprintf("\n\t\t<li class=\"%s\">", $class);
```

```

    $le = "\n\t\t</li>";

    /*
     * Add the day of the month to identify the calendar box
     */
    if ( $this->_startDay<$i && $this->_daysInMonth>=$c)
    {
        $date = sprintf("\n\t\t\t<strong>%02d</strong>", $c++);
    }
    else { $date="&nbsp;"; }

    /*
     * If the current day is a Saturday, wrap to the next row
     */
    $wrap = $i!=0 && $i%7==0 ? "\n\t</ul>\n\t<ul>" : NULL;

    /*
     * Assemble the pieces into a finished item
     */
    $html .= $ls . $date . $le . $wrap;
}

/*
 * Add filler to finish out the last week
 */
while ( $i%7!=1 )
{
    $html .= "\n\t\t<li class=\"fill\">&nbsp;</li>";
    ++$i;
}

/*
 * Close the final unordered list
 */
$html .= "\n\t</ul>\n\n";

/*
 * Return the markup for output
 */
return $html;
}

```

Test the function as it stands now, and you'll see the unordered lists in your browser (see Figure 4-5).




Figure 4-5. The markup as generated by buildCalendar()

Displaying Events in the Calendar

Adding the events to the calendar display is as easy as loading the events array from `_createEventObj()` and looping through the events stored in the index that matches the current day if any exist. Add event data to the calendar markup using the following bold code:

```
public function buildCalendar()
{
    /*
     * Determine the calendar month and create an array of
     * weekday abbreviations to label the calendar columns
     */
    $cal_month = date('F Y', strtotime($this->_useDate));
    $weekdays = array('Sun', 'Mon', 'Tue',
        'Wed', 'Thu', 'Fri', 'Sat');

    /*
     * Add a header to the calendar markup
```

```

*/
$html = "\n\t<h2>$cal_month</h2>";
for ( $d=0, $labels=NULL; $d<7; ++$d )
{
    $labels .= "\n\t\t<li>" . $weekdays[$d] . "</li>";
}
$html .= "\n\t<ul class=\"weekdays\">"
    . $labels . "\n\t</ul>";

/*
 * Load events data
 */
$events = $this->_createEventObj();

/*
 * Create the calendar markup
 */
$html .= "\n\t<ul>"; // Start a new unordered list
for ( $i=1, $c=1, $t=date('j'), $m=date('m'), $y=date('Y');
    $c<=$this->_daysInMonth; ++$i )
{
    /*
     * Apply a "fill" class to the boxes occurring before
     * the first of the month
     */
    $class = $i<=$this->_startDay ? "fill" : NULL;

    /*
     * Add a "today" class if the current date matches
     * the current date
     */
    if ( $c+1==$t && $m==$this->_m && $y==$this->y )
    {
        $class = "today";
    }

    /*
     * Build the opening and closing list item tags
     */
    $ls = sprintf("\n\t\t<li class=\"%s\">", $class);
    $le = "\n\t\t</li>";

    /*
     * Add the day of the month to identify the calendar box
     */
    if ( $this->_startDay<$i && $this->_daysInMonth>=$c )
    {
        /*
         * Format events data
         */
        $event_info = NULL; // clear the variable
    }
}

```

```

    if ( isset($events[$c]) )
    {
        foreach ( $events[$c] as $event )
        {
            $link = '<a href="view.php?event_id='
                . $event->id . '">' . $event->title
                . '</a>';
            $event_info .= "\n\t\t\t\t$link";
        }

        $date = sprintf("\n\t\t\t\t<strong>%02d</strong>", $c++);
    }
    else { $date="&nbsp;"; }

    /*
     * If the current day is a Saturday, wrap to the next row
     */
    $wrap = $i!=0 && $i%7==0 ? "\n\t</ul>\n\t<ul>" : NULL;

    /*
     * Assemble the pieces into a finished item
     */
    $html .= $ls . $date . $event_info . $le . $wrap;
}

/*
 * Add filler to finish out the last week
 */
while ( $i%7!=1 )
{
    $html .= "\n\t\t<li class=\"fill\">&nbsp;</li>";
    ++$i;
}

/*
 * Close the final unordered list
 */
$html .= "\n\t</ul>\n\n";

/*
 * Return the markup for output
 */
return $html;
}

```

■ **Caution** Don't forget to add the new `$event_info` variable into the markup at the bottom of the loop!

When the database events are loaded into the calendar display, the titles show up next to the appropriate date (see Figure 4-6).




Figure 4-6. An event title displayed next to the appropriate date

■ **Note** The linked event titles point to a file called `view.php` that doesn't exist yet. This file will be built and explained in the “Outputting HTML to Display Full Event Descriptions” section later in this chapter.

Making the Calendar Look Like a Calendar

At this point, your markup is proper and your events are there, but the generated code doesn't look much like a calendar at all.

To rectify this, you'll now be taking a moment to complete the HTML markup and style the page using CSS.

■ **Note** Because this book is not about CSS, the rules used won't be explained in detail. For more information on CSS, check out *Beginning CSS Web Development* by Simon Collison (Apress, 2006).

In a nutshell, the CSS file will do the following:

- Float each list item to the left.
- Adjust margins and borders to make the dates look like a traditional calendar.
- Add a hover effect so the day over which the mouse is hovering will be highlighted.
- Style event titles.
- Add hover effects for event titles as well.
- Add some CSS3 flair, including rounded corners and drop shadows, for fun.

■ **Tip** For more information on CSS3, visit <http://css3.info/>.

Create a new file called `style.css` in the `css` folder (`/public/assets/css/style.css`) and add the following rules:

```
body {
  background-color: #789;
  font-family: georgia, serif;
  font-size: 13px;
}

#content {
  display: block;
  width: 812px;
  margin: 40px auto 10px;
  padding: 10px;
  background-color: #FFF;
  -moz-border-radius: 6px;
  -webkit-border-radius: 6px;
  border-radius: 6px;
  border: 2px solid black;
  -moz-box-shadow: 0 0 14px #123;
  -webkit-box-shadow: 0 0 14px #123;
  box-shadow: 0 0 14px #123;
}

h2,p {
  margin: 0 auto 14px;
```

```

    text-align: center;
}

ul {
    display: block;
    clear: left;
    height: 82px;
    width: 812px;
    margin: 0 auto;
    padding: 0;
    list-style: none;
    background-color: #FFF;
    text-align: center;
    border: 1px solid black;
    border-top: 0;
    border-bottom: 2px solid black;
}

li {
    position: relative;
    float: left;
    margin: 0;
    padding: 20px 2px 2px;
    border-left: 1px solid black;
    border-right: 1px solid black;
    width: 110px;
    height: 60px;
    overflow: hidden;
    background-color: white;
}

li:hover {
    background-color: #FCB;
    z-index: 1;
    -moz-box-shadow: 0 0 10px #789;
    -webkit-box-shadow: 0 0 10px #789;
    box-shadow: 0 0 10px #789;
}

.weekdays {
    height: 20px;
    border-top: 2px solid black;
}

.weekdays li {
    height: 16px;
    padding: 2px 2px;
    background-color: #BCF;
}

.fill {

```

```

    background-color: #BCD;
}

.weekdays li:hover,li.fill:hover {
    background-color: #BCD;
    -moz-box-shadow: none;
    -webkit-box-shadow: none;
    box-shadow: none;
}

.weekdays li:hover,.today {
    background-color: #BCF;
}

li strong {
    position: absolute;
    top: 2px;
    right: 2px;
}

li a {
    position: relative;
    display: block;
    border: 1px dotted black;
    margin: 2px;
    padding: 2px;
    font-size: 11px;
    background-color: #DEF;
    text-align: left;
    -moz-border-radius: 6px;
    -webkit-border-radius: 6px;
    border-radius: 6px;
    z-index: 1;
    text-decoration: none;
    color: black;
    font-weight: bold;
    font-style: italic;
}

li a:hover {
    background-color: #BCF;
    z-index: 2;
    -moz-box-shadow: 0 0 6px #789;
    -webkit-box-shadow: 0 0 6px #789;
    box-shadow: 0 0 6px #789;
}

```

Save the style sheet, and close it; you won't need to modify it again in this chapter. In the next section, you'll create common files that will, among other things, include these styles into the page.

Creating the Common Files—Header and Footer

There are going to be multiple pages viewed by your users in this application, and they all need a common set of HTML elements, style sheets, and more. To simplify maintenance as much as possible, you'll be using two files—`header.inc.php` and `footer.inc.php`—to contain those common elements.

First, create a file called `header.inc.php` in the common folder (`/public/assets/common/header.inc.php`). This file will hold the `DOCTYPE` declaration for the HTML and create a head section that contains a Content-Type meta tag, the document title, and links to any CSS files required for the document.

Because the document title will vary from page to page, you'll be setting a variable—`$page_title`—to store each page's title.

Also, because more than one CSS file may be needed for a page, an array of CSS file names will be passed in a variable called `$css_files` and looped through to generate the proper markup.

Inside this file, place the following code:

```
<!DOCTYPE html
PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<head>
  <meta http-equiv="Content-Type"
    content="text/html; charset=utf-8" />
  <title><?php echo $page_title; ?></title>
<?php foreach ( $css_files as $css ): ?>
  <link rel="stylesheet" type="text/css" media="screen,projection"
    href="assets/css/<?php echo $css; ?>" />
<?php endforeach; ?>
</head>

<body>
```

Next, create a file called `footer.inc.php` in the common folder (`/public/assets/common/footer.inc.php`) to contain the closing parts of the markup.

For now, this file doesn't need to do much: it simply closes the `body` and `html` tags opened in `header.inc.php`. As you continue developing this application, more will be added here.

Insert the following into `footer.inc.php`:

```
</body>

</html>
```

Adding the Files to the Index

To bring the new pieces together, you'll need to modify the index file. First, you'll need to add values to the `$page_title` and `$css_files` variables, and then you should include the header file.

Also, to wrap the page content, add in a new div with the ID `content` that wraps around the call to `buildCalendar()`.

Finally, add a call to the footer file to finish the page. When it's completed, the index file will be modified with the code shown in bold:

```

<?php

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo, "2010-01-01 12:00:00");

/*
 * Set up the page title and CSS files
 */
$page_title = "Events Calendar";
$css_files = array('style.css');

/*
 * Include the header
 */
include_once 'assets/common/header.inc.php';

?>

<div id="content">
<?php

/*
 * Display the calendar HTML
 */
echo $cal->buildCalendar();

?>

</div><!-- end #content -->
<?php

/*
 * Include the footer
 */
include_once 'assets/common/footer.inc.php';

?>

```

After saving the changes, reload your browser to see the results (see Figure 4-7).




Figure 4-7. The calendar with the header, footer, and CSS styles applied

Outputting HTML to Display Full Event Descriptions

The next step in this application is to allow the user to view the details of an event. This will be done in three steps:

1. Create a method to format an array of a single event's data when loaded by ID.
2. Create a method to generate markup containing the data as loaded by the first method.
3. Create a new file to display the markup generated by the second method.

Creating a Method to Format Single Event Data

Similar to `_createEventObj()`, the purpose of this method, which you'll call `_loadEventById()`, is to generate an Event object from the result set returned by `_loadEventData()`.

Because the markup generation is fairly simple when only using one event, all this method will do is load the desired event by its ID using `_loadEventData()` and then return the first—and only, due to the `LIMIT 1` clause—result from the method.

Add the following method to the `Calendar` class:

```
<?php
class Calendar extends DB_Connect
{
    private $_useDate;
    private $_m;
    private $_y;
    private $_daysInMonth;
    private $_startDay;
    public function __construct($dbo=NULL, $useDate=NULL) {...}
    public function buildCalendar() {...}
    private function _loadEventData($id=NULL) {...}
    private function _createEventObj() {...}
    /**
     * Returns a single event object
     *
     * @param int $id an event ID
     * @return object the event object
     */
    private function _loadEventById($id)
    {
        /*
         * If no ID is passed, return NULL
         */
        if ( empty($id) )
        {
            return NULL;
        }
        /*
         * Load the events info array
         */
        $event = $this->_loadEventData($id);
        /*
         * Return an event object

```

```

        */
        if ( isset($event[0]) )
        {
            return new Event($event[0]);
        }
        else
        {
            return NULL;
        }
    }
}
?>

```

When called, this method will return an object (for the ID of 1) that looks like this:

```

Event Object
(
    [id] => 1
    [title] => New Year's Day
    [description] => Happy New Year!
    [start] => 2010-01-01 00:00:00
    [end] => 2010-01-01 23:59:59
)

```

Creating a Method to Generate Markup

Now that an array of a single event's data is available, you can build a new public method to format the event data into HTML markup.

This method will be called `displayEvent()`; it will accept an event's ID and generate HTML markup using the following steps:

1. Load the event data using `_loadEventById()`.
2. Use the start and end dates to generate strings to describe the event.
3. Return the HTML markup to display the event.

Create the `displayEvent()` method by adding the bold code to the `Calendar` class:

```

<?php
class Calendar extends DB_Connect
{
    private $_useDate;
    private $_m;
    private $_y;

```

```

private $_daysInMonth;

private $_startDay;

public function __construct($dbo=NULL, $useDate=NULL) {...}

public function buildCalendar() {...}

/**
 * Displays a given event's information
 *
 * @param int $id the event ID
 * @return string basic markup to display the event info
 */
public function displayEvent($id)
{
    /**
     * Make sure an ID was passed
     */
    if ( empty($id) ) { return NULL; }

    /**
     * Make sure the ID is an integer
     */
    $id = preg_replace('/^[^0-9]/', '', $id);

    /**
     * Load the event data from the DB
     */
    $event = $this->_loadEventById($id);

    /**
     * Generate strings for the date, start, and end time
     */
    $ts = strtotime($event->start);
    $date = date('F d, Y', $ts);
    $start = date('g:ia', $ts);
    $end = date('g:ia', strtotime($event->end));

    /**
     * Generate and return the markup
     */
    return "<h2>$event->title</h2>"
        . "\n\t<p class=\"dates\">$date, $start&mdash;$end</p>"
        . "\n\t<p>$event->description</p>";
}

private function _loadEventData($id=NULL) {...}

```

```

    private function _createEventObj() {...}

    private function _loadEventById($id) {...}
}
?>

```

Creating a New File to Display Full Events

To display the output of `displayEvent()`, you'll create a new file. This file will be called `view.php`, and it will reside in the public folder (`/public/view.php`).

This file will be called with a query string containing the ID of the event to be displayed. If no ID is supplied, the user will be sent back out to the main view of the calendar.

At the top of `view.php`, check for an event ID, and then load the initialization file; the page title and CSS file are set up in variables, and the header file is called. After that, a new instance of the `Calendar` class is created.

Next, set up a new div with the ID of content and call the `displayEvent()` method. Add a link to go back to the main calendar page, close the div, and include the footer.

All things considered, the file should end up looking like this:

```

<?php

/*
 * Make sure the event ID was passed
 */
if ( isset($_GET['event_id']) )
{
    /*
     * Make sure the ID is an integer
     */
    $id = preg_replace('/^[^0-9]/', '', $_GET['event_id']);

    /*
     * If the ID isn't valid, send the user to the main page
     */
    if ( empty($id) )
    {
        header("Location: ./");
        exit;
    }
}
else
{
    /*
     * Send the user to the main page if no ID is supplied
     */
    header("Location: ./");
    exit;
}

```

```

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Output the header
 */
$page_title = "View Event";
$css_files = array("style.css");
include_once 'assets/common/header.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo);

?>

<div id="content">
<?php echo $cal->displayEvent($id) ?>

    <a href=".">&laquo; Back to the calendar</a>
</div><!-- end #content -->

<?php

/*
 * Output the footer
 */
include_once 'assets/common/footer.inc.php';

?>

```

Test this file by going back to the main calendar and clicking an event title. The `view.php` file loads and displays the event information in a format that matches the calendar (see Figure 4-8).




Figure 4-8. The event information displayed after clicking an event title

Summary

You now have a fully functional events calendar, which you created using object-oriented PHP and MySQL. Along the way, you learned how to handle dates, how to organize entries into objects for easy access, and how to output markup and stylesheets to resemble a traditional calendar. In the next chapter, you'll build controls to add, edit, and create events.



Add Controls to Create, Edit, and Delete Events

Now that the calendar can be viewed, you need to add controls that will allow administrators to create, edit, and delete events.

Generating a Form to Create or Edit Events

To edit an event or add new events to the calendar, you need to use a form. You do this by adding a method called `displayForm()` that generates a form for editing and creating events to the `Calendar` class.

This simple method accomplishes the following tasks:

1. Checks for an integer passed as the event ID.
2. Instantiates empty variables for the different fields used to describe events.
3. Loads event data if an event ID was passed.
4. Stores event data in the variables instantiated earlier if it exists.
5. Outputs a form.

■ **Note** By explicitly sanitizing the event ID passed in the `$_POST` superglobal, you ensure that the ID is safe to use since any non-integer values will be converted to 0.

You build the `displayForm()` method by adding the following bold code to the `Calendar` class:

```
<?php
class Calendar extends DB_Connect
{
    private $_useDate;
    private $_m;
```

```

private $_y;
private $_daysInMonth;
private $_startDay;
public function __construct($dbo=NULL, $useDate=NULL) {...}
public function buildCalendar() {...}
public function displayEvent($id) {...}

/**
 * Generates a form to edit or create events
 *
 * @return string the HTML markup for the editing form
 */
public function displayForm()
{
    /*
     * Check if an ID was passed
     */
    if ( isset($_POST['event_id']) )
    {
        $id = (int) $_POST['event_id'];
        // Force integer type to sanitize data
    }
    else
    {
        $id = NULL;
    }

    /*
     * Instantiate the headline/submit button text
     */
    $submit = "Create a New Event";

    /*
     * If an ID is passed, loads the associated event
     */
    if ( !empty($id) )
    {
        $event = $this->_loadEventById($id);

        /*
         * If no object is returned, return NULL
         */
        if ( !is_object($event) ) { return NULL; }

        $submit = "Edit This Event";
    }
}

```

```

    }

    /*
     * Build the markup
     */
    return <<<FORM_MARKUP

<form action="assets/inc/process.inc.php" method="post">
  <fieldset>
    <legend>$submit</legend>
    <label for="event_title">Event Title</label>
    <input type="text" name="event_title"
      id="event_title" value="$event->title" />
    <label for="event_start">Start Time</label>
    <input type="text" name="event_start"
      id="event_start" value="$event->start" />
    <label for="event_end">End Time</label>
    <input type="text" name="event_end"
      id="event_end" value="$event->end" />
    <label for="event_description">Event Description</label>
    <textarea name="event_description"
      id="event_description">$event->description</textarea>
    <input type="hidden" name="event_id" value="$event->id" />
    <input type="hidden" name="token" value="$_SESSION[token]" />
    <input type="hidden" name="action" value="event_edit" />
    <input type="submit" name="event_submit" value="$submit" />
    or <a href="." />cancel</a>
  </fieldset>
</form>
FORM_MARKUP;
}

private function _loadEventData($id=NULL) {...}

private function _createEventObj() {...}

private function _loadEventById($id) {...}

}

?>

```

Adding a Token to the Form

If you look at the preceding form, there's a hidden input named *token* that holds a session value, also called *token*. This is a security measure to prevent *cross-site request forgeries* (CSRF), which are form submissions that are faked by submitting a form to your app's processing file from somewhere other than the form itself. This is a common tactic used by spammers to send multiple forged entry submissions, which is annoying, potentially harmful, and definitely undesirable.

This token is created by generating a random hash and storing it in the session, and then posting the token along with the form data. If the token in the `$_POST` superglobal matches the one in the `$_SESSION` superglobal, then it's a reasonably sure bet that the submission is legitimate.

You add an anti-CSRF token into your application by modifying the initialization file with the code shown in bold:

```
<?php

/*
 * Enable sessions
*/

session_start();

/*
 * Generate an anti-CSRF token if one doesn't exist
*/
if ( !isset($_SESSION['token']) )
{
    $_SESSION['token'] = sha1(uniqid(mt_rand(), TRUE));
}

/*
 * Include the necessary configuration info
*/
include_once '../sys/config/db-cred.inc.php'; // DB info

/*
 * Define constants for configuration info
*/
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a PDO object
*/
$dsn = "mysql:host=" . DB_HOST . ";dbname=" . DB_NAME;
$dbo = new PDO($dsn, DB_USER, DB_PASS);

/*
 * Define the auto-load function for classes
*/
function __autoload($class)
{
    $filename = "../sys/class/class." . $class . ".inc.php";
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}
```

```
}
?>
```

■ **Caution** You may want to include a time limit for tokens to increase security further. Making sure a token is no older than 20 minutes, for instance, helps prevent a user from leaving a computer unattended and having a mischievous user start poking around later. For more information on tokens and preventing CSRF, visit Chris Shiflett's blog and read his article on the topic at <http://shiflett.org/csrf>.

Creating a File to Display the Form

Now that the method exists to display the form, you need to create a file that will call that method. This file will be called `admin.php`, and it will reside in the root level of the `public` folder (`/public/admin.php`).

Similar to `view.php`, this file accomplishes the following:

- Loads the initialization file.
- Sets up a page title and CSS file array.
- Includes the header.
- Creates a new instance of the `Calendar` class.
- Calls the `displayForm()` method.
- Includes the footer.

Next, add the following inside the new `admin.php` file:

```
<?php
/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Output the header
 */
$page_title = "Add/Edit Event";
$css_files = array("style.css");
include_once 'assets/common/header.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo);
```

```

?>

<div id="content">
<?php echo $cal->displayForm(); ?>

</div><!-- end #content -->

<?php
/*
 * Output the footer
 */
include_once 'assets/common/footer.inc.php';
?>

```

After saving this code, navigate to `http://localhost/admin.php` to see the resulting form (see Figure 5-1).




Figure 5-1. The form before adding any CSS styles

Adding a New Stylesheet for Administrative Features

Obviously, the preceding form needs some visual enhancement to make it more usable. However, this form will ultimately be accessible only to administrators (because you don't want just anyone making changes to your calendar), so the CSS rules will be separated out to a separate stylesheet called `admin.css`. You can find this file in the `css` folder (`/public/assets/css/`).

Again, since this book is not about CSS, the rules won't be explained. Essentially, the following CSS makes the form elements look more like what your user expects a form to look like; it also adds a couple rules for elements that will be created shortly.

Now add the following code into `admin.css`:

```

fieldset {
    border: 0;

```

```

}

legend {
    font-size: 24px;
    font-weight: bold;
}

input[type=text],input[type=password],label {
    display: block;
    width: 70%;
    font-weight: bold;
}

textarea {
    width: 99%;
    height: 200px;
}

input[type=text],input[type=password],textarea {
    border: 1px solid #123;
    -moz-border-radius: 6px;
    -webkit-border-radius: 6px;
    border-radius: 6px;
    -moz-box-shadow: inset 1px 2px 4px #789;
    -webkit-box-shadow: inset 1px 2px 4px #789;
    box-shadow: inset 1px 2px 4px #789;
    padding: 4px;
    margin: 0 0 4px;
    font-size: 16px;
    font-family: georgia, serif;
}

input[type=submit] {
    margin: 4px 0;
    padding: 4px;
    border: 1px solid #123;
    -moz-border-radius: 6px;
    -webkit-border-radius: 6px;
    border-radius: 6px;
    -moz-box-shadow: inset -2px -1px 3px #345,
        inset 1px 1px 3px #BCF,
        1px 2px 6px #789;
    -webkit-box-shadow: inset -2px -1px 3px #345,
        inset 1px 1px 3px #BCF,
        1px 2px 6px #789;
    box-shadow: inset -2px -1px 3px #345,
        inset 1px 1px 3px #BCF,
        1px 2px 6px #789;
    background-color: #789;
    font-family: georgia, serif;
    text-transform: uppercase;
}

```

```
    font-weight: bold;
    font-size: 14px;
    text-shadow: 0px 0px 1px #fff;
}

.admin-options {
    text-align: center;
}

.admin-options form, .admin-options p {
    display: inline;
}

a.admin {
    display: inline-block;
    margin: 4px 0;
    padding: 4px;
    border: 1px solid #123;
    -moz-border-radius: 6px;
    -webkit-border-radius: 6px;
    border-radius: 6px;
    -moz-box-shadow: inset -2px -1px 3px #345,
        inset 1px 1px 3px #BCF,
        1px 2px 6px #789;
    -webkit-box-shadow: inset -2px -1px 3px #345,
        inset 1px 1px 3px #BCF,
        1px 2px 6px #789;
    box-shadow: inset -2px -1px 3px #345,
        inset 1px 1px 3px #BCF,
        1px 2px 6px #789;
    background-color: #789;
    color: black;
    text-decoration: none;
    font-family: georgia, serif;
    text-transform: uppercase;
    font-weight: bold;
    font-size: 14px;
    text-shadow: 0px 0px 1px #fff;
}
```

Save this file, then add `admin.css` to the `$css_files` array in `admin.php` by making the changes shown in bold:

```
<?php
/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Output the header
 */
$page_title = "Add/Edit Event";
$css_files = array("style.css", "admin.css");
include_once 'assets/common/header.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo);

?>

<div id="content">
<?php echo $cal->displayForm(); ?>
</div><!-- end #content -->

<?php
/*
 * Output the footer
 */
include_once 'assets/common/footer.inc.php';

?>
```

After saving the preceding code, reload `http://localhost/admin.php` to see the styled form (see Figure 5-2).

The screenshot shows a web browser window with the title 'Add/Edit Event' and the URL 'http://localhost/admin.php'. The browser's address bar also shows 'marcofolio'. The main content area contains a form titled 'Create a New Event'. The form has four input fields: 'Event Title', 'Start Time', 'End Time', and 'Event Description'. The 'Event Description' field is a larger text area. At the bottom of the form, there is a button labeled 'CREATE A NEW EVENT' and a link labeled 'or cancel'.

Figure 5-2. The form to add or edit events after applying CSS styles

Saving New Events in the Database

To save events entered in the form, you create a new method in the `Calendar` class called `processForm()` that accomplishes the following:

- Sanitizes the data passed from the form via `POST`
- Determines whether an event is being edited or created
- Generates an `INSERT` statement if no event is being edited; or it generates an `UPDATE` statement if an event ID was posted
- Creates a prepared statement and binds the parameters
- Executes the query and returns `TRUE` or the error message on failure

The following code creates the `processForm()` method in the `Calendar` class:

```
<?php
class Calendar extends DB_Connect
{
    private $_useDate;
```

```

private $_m;
private $_y;
private $_daysInMonth;
private $_startDay;
public function __construct($dbo=NULL, $useDate=NULL) {...}
public function buildCalendar() {...}
public function displayEvent($id) {...}
public function displayForm() {...}

/**
 * Validates the form and saves/edits the event
 *
 * @return mixed TRUE on success, an error message on failure
 */
public function processForm()
{
    /*
     * Exit if the action isn't set properly
     */
    if ( $_POST['action'] != 'event_edit' )
    {
        return "The method processForm was accessed incorrectly";
    }

    /*
     * Escape data from the form
     */
    $title = htmlentities($_POST['event_title'], ENT_QUOTES);
    $desc = htmlentities($_POST['event_description'], ENT_QUOTES);
    $start = htmlentities($_POST['event_start'], ENT_QUOTES);
    $end = htmlentities($_POST['event_end'], ENT_QUOTES);

    /*
     * If no event ID passed, create a new event
     */
    if ( empty($_POST['event_id']) )
    {
        $sql = "INSERT INTO `events`
                (`event_title`, `event_desc`, `event_start`,
                 `event_end`)
                VALUES
                (:title, :description, :start, :end)";
    }
}

```

```

    /*
    * Update the event if it's being edited
    */
    else
    {
        /*
        * Cast the event ID as an integer for security
        */
        $id = (int) $_POST['event_id'];
        $sql = "UPDATE `events`
            SET
                `event_title`=:title,
                `event_desc`=:description,
                `event_start`=:start,
                `event_end`=:end
            WHERE `event_id`=$id";
    }

    /*
    * Execute the create or edit query after binding the data
    */
    try
    {
        $stmt = $this->db->prepare($sql);
        $stmt->bindParam(":title", $title, PDO::PARAM_STR);
        $stmt->bindParam(":description", $desc, PDO::PARAM_STR);
        $stmt->bindParam(":start", $start, PDO::PARAM_STR);
        $stmt->bindParam(":end", $end, PDO::PARAM_STR);
        $stmt->execute();
        $stmt->closeCursor();
        return TRUE;
    }
    catch ( Exception $e )
    {
        return $e->getMessage();
    }
}

private function _loadEventData($id=NULL) {...}

private function _createEventObj() {...}

private function _loadEventById($id) {...}

}

?>

```

Adding a Processing File to Call the Processing Method

The form to add and edit events is submitted to a file called `process.inc.php`, which is located in the `inc` folder (`/public/assets/inc/process.inc.php`). This file checks the submitted form data and saves or updates entries by performing the following steps:

1. Enables the session.
2. Includes the database credentials and the `Calendar` class.
3. Defines constants (as occurs in the initialization file).
4. Creates an array that stores information about each action.
5. Verifies that the token was submitted and is correct, and that the submitted action exists in the lookup array. If so, go to Step 6. If not, go to Step 7.
6. Creates a new instance of the `Calendar` class.
 - Calls the `processForm()` method.
 - Sends the user back to the main view or output an error on failure.
7. Sends the user back out to the main view with no action if the token doesn't match.

The array created in Step 4 allows you to avoid a long, repetitive string of `if...elseif` blocks to test for each individual action. Using the action as the array key and storing the object, method name, and page to which the user should be redirected as array values means that you can write a single block of logic using the variables from the array.

Insert the following code into `process.inc.php` to complete the steps just described:

```
<?php
/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../../../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a lookup array for form actions
```

```

*/
$action = array(
    'event_edit' => array(
        'object' => 'Calendar',
        'method' => 'processForm',
        'header' => 'Location: ../../..'
    )
);

/*
 * Make sure the anti-CSRF token was passed and that the
 * requested action exists in the lookup array
 */
if ( $_POST['token']==$_SESSION['token']
    && isset($action[$_POST['action']] )
{
    $use_array = $action[$_POST['action']];
    $obj = new $use_array['object']($dbo);
    if ( TRUE === $msg=$obj->$use_array['method']() )
    {
        header($use_array['header']);
        exit;
    }
    else
    {
        // If an error occurred, output it and end execution
        die ( $msg );
    }
}
else
{
    // Redirect to the main index if the token/action is invalid
    header("Location: ../../..");
    exit;
}

function __autoload($class_name)
{
    $filename = '../../..../sys/class/class.'
        . strtolower($class_name) . '.inc.php';
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}

?>

```

Save this file, and then navigate to <http://localhost/admin.php> and create a new event with the following information:

- **Event Title:** Dinner Party
- **Start Time:** 2010-01-22 17:00:00
- **End Time:** 2010-01-22 19:00:00
- **Description:** Five-course meal with wine pairings at John's house

After clicking the Create new event button, the calendar is updated with the new event (see Figure 5-3).




Figure 5-3. The new event as it appears when hovered over

Adding a Button to the Main View to Create New Events

To make it easier for your authorized users to create new events, add a button to the calendar that takes the user to the form in `admin.php`. Do this by creating a new private method called `_adminGeneralOptions()` in the `Calendar` class:

```

<?php
class Calendar extends DB_Connect
{
    private $_useDate;
    private $_m;
    private $_y;
    private $_daysInMonth;
    private $_startDay;
    public function __construct($dbo=NULL, $useDate=NULL) {...}
    public function buildCalendar() {...}
    public function displayEvent($id) {...}
    public function displayForm() {...}
    public function processForm() {...}
    private function _loadEventData($id=NULL) {...}
    private function _createEventObj() {...}
    private function _loadEventById($id) {...}

    /**
     * Generates markup to display administrative links
     *
     * @return string markup to display the administrative links
     */
    private function _adminGeneralOptions()
    {
        /**
         * Display admin controls
         */
        return <<<ADMIN_OPTIONS

        <a href="admin.php" class="admin">+ Add a New Event</a>
ADMIN_OPTIONS;
    }
}

?>

```

■ **Note** Checks to ensure that this button is only displayed to authorized users will be added Chapter 6.

Next, modify the `buildCalendar()` method to call your new `_adminGeneralOptions()` method by inserting the following bold code:

```
public function buildCalendar()
{
    // To save space, the bulk of this method has been omitted

    /*
     * Close the final unordered list
     */
    $html .= "\n\t</ul>\n\n";

    /*
     * If logged in, display the admin options
     */
    $admin = $this->_adminGeneralOptions();

    /*
     * Return the markup for output
     */
    return $html . $admin;
}
```

Finally, add the admin stylesheet (`admin.css`) to `index.php` using the following code in bold to make sure the link displays correctly:

```
<?php

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo, "2010-01-01 12:00:00");

/*
 * Set up the page title and CSS files
 */
$page_title = "Events Calendar";
$css_files = array('style.css', 'admin.css');

/*
 * Include the header
```

```
*/
include_once 'assets/common/header.inc.php';

?>

<div id="content">
<?php

/*
 * Display the calendar HTML
 */
echo $cal->buildCalendar();

?>

</div><!-- end #content -->
<?php

/*
 * Include the footer
 */
include_once 'assets/common/footer.inc.php';

?>
```

Save the file and reload <http://localhost/> to see the button (see Figure 5-4).




Figure 5-4. The Admin button appears in the bottom left of the calendar

Adding Edit Controls to the Full Event View

Next, you need to make it possible for authorized users to edit events. You will do this by adding a button to the full view of an event in `view.php`.

However, unlike the simple link used to create a new option, an Edit button will require an actual form submission. To keep this code manageable, you'll create a new private method called `_adminEntryOptions()` in the `Calendar` class that will generate the markup for the form.

For now, this form will simply return the form markup to display the Edit button. More will be added to the form as you continue on through the exercises in this book.

You create this method by adding the following bold code to the `Calendar` class:

```
<?php
class Calendar extends DB_Connect
{
```

```

private $_useDate;
private $_m;
private $_y;
private $_daysInMonth;
private $_startDay;
public function __construct($dbo=NULL, $useDate=NULL) {...}
public function buildCalendar() {...}
public function displayEvent($id) {...}
public function displayForm() {...}
public function processForm() {...}
private function _loadEventData($id=NULL) {...}
private function _createEventObj() {...}
private function _loadEventById($id) {...}
private function _adminGeneralOptions() {...}
/**
 * Generates edit and delete options for a given event ID
 *
 * @param int $id the event ID to generate options for
 * @return string the markup for the edit/delete options
 */
private function _adminEntryOptions($id)
{
    return <<<ADMIN_OPTIONS

<div class="admin-options">
<form action="admin.php" method="post">
    <p>
        <input type="submit" name="edit_event"
            value="Edit This Event" />
        <input type="hidden" name="event_id"
            value="$id" />
    </p>
</form>
</div><!-- end .admin-options -->
ADMIN_OPTIONS;
}

```

```
}
?>
```

Modifying the Full Event Display Method to Show Admin Controls

Before the Edit button will be displayed, the `_adminEntryOptions()` method needs to be called from within the `displayEvent()` method. This is as simple as storing the return value of `_adminEntryOptions()` in a variable, `$admin`, and outputting that variable along with the rest of the entry markup.

Add the following bold modifications to `displayEvent()` in the `Calendar` class:

```
/**
 * Displays a given event's information
 *
 * @param int $id the event ID
 * @return string basic markup to display the event info
 */
public function displayEvent($id)
{
    /*
     * Make sure an ID was passed
     */
    if ( empty($id) ) { return NULL; }

    /*
     * Make sure the ID is an integer
     */
    $id = preg_replace('/[^0-9]/', '', $id);

    /*
     * Load the event data from the DB
     */
    $event = $this->_loadEventById($id);          /*
     * Generate strings for the date, start, and end time
     */
    $ts = strtotime($event->start);
    $date = date('F d, Y', $ts);
    $start = date('g:ia', $ts);
    $end = date('g:ia', strtotime($event->end));

    /*
     * Load admin options if the user is logged in
     */
    $admin = $this->_adminEntryOptions($id);
    /*
     * Generate and return the markup
     */
    return "<h2>$event->title</h2>"
        . "\n\t<p class=\"dates\">$date, $start&mdash;$end</p>"
}
```

```

. "\n\t<p>$event->description</p>$admin";
}

```

■ **Note** Make sure that you include the `$admin` variable at the end of the `return` string.

■ **Note** As with the Create a new entry button, checks will be added later to ensure that only authorized users see the editing controls.

Adding the Admin Stylesheet to the Full Event View Page

The last step before the Edit button is ready for use is to include the `admin.css` stylesheet in the `$css_files` variable of `view.php`:

```

<?php

/*
 * Make sure the event ID was passed
 */
if ( isset($_GET['event_id']) )
{
    /*
     * Collect the event ID from the URL string
     */
    $id = htmlentities($_GET['event_id'], ENT_QUOTES);
}
else
{
    /*
     * Send the user to the main page if no ID is supplied
     */
    header("Location: ./");
    exit;
}

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Output the header
 */
$page_title = "View Event";

```

```

$css_files = array("style.css", "admin.css");
include_once 'assets/common/header.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo);

?>

<div id="content">
<?php echo $cal->displayEvent($id) ?>

    <a href=".">&laquo; Back to the calendar</a>
</div><!-- end #content -->

<?php

/*
 * Output the footer
 */
include_once 'assets/common/footer.inc.php';

?>

```

Save this file, then click an event to see the Edit button (see Figure 5-5).



Figure 5-5. The edit button as it appears when viewing a full event description

Clicking the Edit button will bring up the form on `admin.php` with all the event's data loaded in the form (see Figure 5-6).




Figure 5-6. The admin form when an event is being edited

Deleting Events

The last step in creating the `Calendar` class is to allow authorized users to delete events. Event deletion is different from creating or editing events in that you want to confirm a user's intentions before deleting the event. Otherwise an accidental click could result in frustration and inconvenience for the user.

This means that you must implement the Delete button in two stages:

1. The Delete button is clicked, and the user is taken to a confirmation page.
2. The confirmation button is clicked, and the event is removed from the database.

Generating a Delete Button

To start, add a Delete button to the full view edit controls by modifying `_adminEntryOptions()` in the `Calendar` class with the code shown in bold:

```

/**
 * Generates edit and delete options for a given event ID
 *
 * @param int $id the event ID to generate options for
 * @return string the markup for the edit/delete options
 */
private function _adminEntryOptions($id)
{
    return <<<ADMIN_OPTIONS

<div class="admin-options">
<form action="admin.php" method="post">
    <p>
        <input type="submit" name="edit_event"
            value="Edit This Event" />
        <input type="hidden" name="event_id"
            value="$id" />
    </p>
</form>
<form action="confirmdelete.php" method="post">
    <p>
        <input type="submit" name="delete_event"
            value="Delete This Event" />
        <input type="hidden" name="event_id"
            value="$id" />
    </p>
</form>
</div><!-- end .admin-options -->
ADMIN_OPTIONS;
}

```

This adds a button that sends the user to a yet-to-be-created confirmation page called `confirmdelete.php`, which you'll build later in this section. After saving the preceding changes, you will see both edit and delete options when viewing a full event description (see Figure 5-7).




Figure 5-7. The Delete button as it appears on the full event view

Creating a Method to Require Confirmation

When a user clicks the Delete button, he is sent to a confirmation page that contains a form to make sure he really wants to delete the event. That form will be generated by a new public method in the `Calendar` class called `confirmDelete()`.

This method confirms that an event should be deleted by performing the following actions:

1. Checks if the confirmation form was submitted and a valid token was passed.
If so, go to Step 2. If not, go to Step 3.
2. Checks whether the button clicked was the Confirmation button.
 - If so, it deletes the event.
 - If not, it sends the user back out to the main calendar view.
3. It loads the event data and displays the confirmation form.

You accomplish the preceding steps by adding the new method, shown in bold, to the `Calendar` class:

```
<?php
class Calendar extends DB_Connect
{
    private $_useDate;
    private $_m;
    private $_y;
    private $_daysInMonth;
    private $_startDay;
```

```

public function __construct($dbo=NULL, $useDate=NULL) {...}

public function buildCalendar() {...}

public function displayEvent($id) {...}

public function displayForm() {...}

public function processForm() {...}

/**
 * Confirms that an event should be deleted and does so
 *
 * Upon clicking the button to delete an event, this
 * generates a confirmation box. If the user confirms,
 * this deletes the event from the database and sends the
 * user back out to the main calendar view. If the user
 * decides not to delete the event, they're sent back to
 * the main calendar view without deleting anything.
 *
 * @param int $id the event ID
 * @return mixed the form if confirming, void or error if deleting
 */
public function confirmDelete($id)
{
    /**
     * Make sure an ID was passed
     */
    if ( empty($id) ) { return NULL; }

    /**
     * Make sure the ID is an integer
     */
    $id = preg_replace('/[^0-9]/', '', $id);

    /**
     * If the confirmation form was submitted and the form
     * has a valid token, check the form submission
     */
    if ( isset($_POST['confirm_delete'])
        && $_POST['token']==$_SESSION['token'] )
    {
        /**
         * If the deletion is confirmed, remove the event
         * from the database
         */
        if ( $_POST['confirm_delete']=="Yes, Delete It" )
        {
            $sql = "DELETE FROM `events`
                WHERE `event_id`=:id";

```

```

        LIMIT 1";
    try
    {
        $stmt = $this->db->prepare($sql);
        $stmt->bindParam(
            ":id",
            $id,
            PDO::PARAM_INT
        );
        $stmt->execute();
        $stmt->closeCursor();
        header("Location: ./");
        return;
    }
    catch ( Exception $e )
    {
        return $e->getMessage();
    }
}

/*
 * If not confirmed, sends the user to the main view
 */
else
{
    header("Location: ./");
    return;
}

/*
 * If the confirmation form hasn't been submitted, display it
 */
$event = $this->_loadEventById($id);

/*
 * If no object is returned, return to the main view
 */
if ( !is_object($event) ) { header("Location: ./"); }

return <<<CONFIRM_DELETE

<form action="confirmdelete.php" method="post">
    <h2>
        Are you sure you want to delete "$event->title"?
    </h2>
    <p>There is <strong>no undo</strong> if you continue.</p>
    <p>
        <input type="submit" name="confirm_delete"
            value="Yes, Delete It" />
        <input type="submit" name="confirm_delete"

```

```

        value="Nope! Just Kidding!" />
<input type="hidden" name="event_id"
        value="$event->id" />
<input type="hidden" name="token"
        value="$_SESSION[token]" />
    </p>
</form>
CONFIRM_DELETE;
}

private function _loadEventData($id=NULL) {...}
private function _createEventObj() {...}
private function _loadEventById($id) {...}
private function _adminGeneralOptions() {...}
private function _adminEntryOptions($id) {...}
}
?>

```

Creating a File to Display the Confirmation Form

In order to call the `confirmDelete()` method, the file `confirmdelete.php` needs to be created. This file will reside in the root level of the `public` folder (`/public/confirmdelete.php`), and it will be very similar to `index.php`. This file accomplishes the following tasks:

- Ensures an event ID was passed and stored in the `$id` variable; sends the user to the main view otherwise.
- Loads the initialization file.
- Creates a new instance of the `Calendar` object.
- Loads the return value of `confirmDelete()` into a variable, `$markup`.
- Defines the `$page_title` and `$css_files` variables and includes the header.
- Outputs the data stored in `$markup`.
- Outputs the footer.

■ **Note** The reason you load the output of `confirmDelete()` into a variable before including the header is because the method sometimes uses `header()` to send the user elsewhere in the app; if the header file was included before calling `confirmDelete()`, the script would fail in certain cases because no data can be output to the browser before `header()` is called or a fatal error occurs. For more information on the `header()` function, visit <http://php.net/header>

Now add the following code inside `confirmdelete.php`:

```
<?php
/*
 * Make sure the event ID was passed
 */
if ( isset($_POST['event_id']) )
{
    /*
     * Collect the event ID from the URL string
     */
    $id = (int) $_POST['event_id'];
}
else
{
    /*
     * Send the user to the main page if no ID is supplied
     */
    header("Location: ./");
    exit;
}

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo);
$markup = $cal->confirmDelete($id);

/*
 * Output the header
 */
$page_title = "View Event";
$css_files = array("style.css", "admin.css");
```

```

include_once 'assets/common/header.inc.php';

?>

<div id="content">
<?php echo $markup; ?>

</div><!-- end #content -->

<?php
/*
 * Output the footer
 */
include_once 'assets/common/footer.inc.php';

?>

```

Save this file, then test the system by deleting the “Dinner Party” entry. After showing you the full event description, the calendar takes you to the confirmation form (see Figure 5-8).




Figure 5-8. The confirmation form a user sees after clicking the Delete button

After clicking the Yes, Delete It button, the event is removed from the calendar (see Figure 5-9).




Figure 5-9. After the user confirms the deletion, the event is removed from the calendar

Summary

At this point, you have a fully functional events calendar. You've learned how to create a form to create, edit, save, and delete events, including how to confirm event deletion. However, the administrative controls are currently available to anyone who visits the site.

In the next chapter, you'll build a class to grant authorized users access to your site's administrative controls.



Password Protecting Sensitive Actions and Areas

Now that your app can add, edit, and remove events, you need to protect those actions by requiring users to log in before they can make any changes. You'll need to create a new table in the database and a new class in the app to make this happen; you'll also need to make a few modifications to existing files.

Building the Admin Table in the Database

To store information about users authorized to modify events, you'll need to create a new database table. This table will be called `users`, and it will store four pieces of information about each user: an ID, name, password hash, and email address.

To create this table, navigate to <http://localhost/phpmyadmin> and select the SQL tab to execute the following command:

```
CREATE TABLE IF NOT EXISTS `php-jquery_example`.`users` (  
  `user_id` INT(11) NOT NULL AUTO_INCREMENT,  
  `user_name` VARCHAR(80) DEFAULT NULL,  
  `user_pass` VARCHAR(47) DEFAULT NULL,  
  `user_email` VARCHAR(80) DEFAULT NULL,  
  PRIMARY KEY (`user_id`),  
  UNIQUE (`user_name`)  
) ENGINE=MyISAM CHARACTER SET utf8 COLLATE utf8_unicode_ci;
```

After this code executes, select the `php-jquery_example` database from the left-hand column and click the `users` table to view the new table (see Figure 6-1).




Figure 6-1. The users table as it appears in phpMyAdmin

Building a File to Display a Login Form

In order to log in, users will need access to a login form. This will be displayed on a page called `login.php`, which is stored in the public folder (`/public/login.php`). This file will be similar to `admin.php`, except it will simply output the form since none of its information is variable.

The form will accept a username and a password, and it will pass the session token and an action of `user_login`, as well. Insert the following code into `login.php` to create this form:

```
<?php
/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Output the header
 */
$page_title = "Please Log In";
$css_files = array("style.css", "admin.css");
include_once 'assets/common/header.inc.php';

?>
```

```

<div id="content">
  <form action="assets/inc/process.inc.php" method="post">
    <fieldset>
      <legend>Please Log In</legend>
      <label for="uname">Username</label>
      <input type="text" name="uname"
        id="uname" value="" />
      <label for="pword">Password</label>
      <input type="password" name="pword"
        id="pword" value="" />
      <input type="hidden" name="token"
        value="<?php echo $_SESSION['token']; ?>" />
      <input type="hidden" name="action"
        value="user_login" />
      <input type="submit" name="login_submit"
        value="Log In" />
      or <a href=".">cancel</a>
    </fieldset>
  </form>
</div><!-- end #content -->

<?php
/*
 * Output the footer
 */
include_once 'assets/common/footer.inc.php';

?>

```

Save this code and navigate to `http://localhost/login.php` in your browser to see the resulting login form (see Figure 6-2).




Figure 6-2. The login form

Creating the Admin Class

With your table in place, you can now start structuring the class that will interact with it. In the `class` folder, create a new file called `class.admin.inc.php` (`/sys/class/class.admin.inc.php`). This class will contain methods to allow users to log in and log out.

Defining the Class

First, you define the class, which will extend `DB_Connect` in order to have database access. This class will have one private property, `$_saltLength`, which you'll learn about a little later in this section.

The constructor will call the parent constructor to ensure a database object exists, and then it will check whether an integer was passed as the constructor's second argument. If so, the integer is used as the value of `$_saltLength`.

Now insert the following code into `class.admin.inc.php` to define the class, the property, and the constructor:

```
<?php
/**
 * Manages administrative actions
 *
 * PHP version 5
 *
 * LICENSE: This source file is subject to the MIT License, available
 * at http://www.opensource.org/licenses/mit-license.html
 *
 * @author Jason Lengstorf <jason.lengstorf@ennuidesign.com>
 * @copyright 2010 Ennui Design
 * @license http://www.opensource.org/licenses/mit-license.html
 */
class Admin extends DB_Connect
{
    /**
     * Determines the length of the salt to use in hashed passwords
     *
     * @var int the length of the password salt to use
     */
    private $_saltLength = 7;

    /**
     * Stores or creates a DB object and sets the salt length
     *
     * @param object $db a database object
     * @param int $saltLength length for the password hash
     */
    public function __construct($db=NULL, $saltLength=NULL)
    {
        parent::__construct($db);
    }
}
```

```

        /*
        * If an int was passed, set the length of the salt
        */
        if ( is_int($saltLength) )
        {
            $this->_saltLength = $saltLength;
        }
    }
}
?>

```

Building a Method to Check the Login Credentials

The data from `login.php` needs to be validated in order to verify that a user is authorized to make changes to the `events` table. You can follow these steps to accomplish this:

1. Verify that the form was submitted using the proper action.
2. Sanitize the user input with `htmlentities()`.
3. Retrieve user data that has a matching username from the database.
4. Store the user information in a variable, `$user`, and make sure it isn't empty.
5. Generate a salted hash from the user-supplied password and the password stored in the database.
6. Make sure the hashes match.
7. Store user data in the current session using an array and return `TRUE`.

■ **Note** Salted hashes will be covered in the next section, “Build a Method to Create Salted Hashes.”

Start by defining the method in the `Admin` class and completing the preceding Steps 1 and 2 using the following bold code:

```

<?php
class Admin extends DB_Connect
{
    private $_saltLength = 7;

    public function __construct($db=NULL, $saltLength=NULL) {...}

    /**

```

```

* Checks login credentials for a valid user
*
* @return mixed TRUE on success, message on error
*/
public function processLoginForm()
{
    /*
     * Fails if the proper action was not submitted
     */
    if ( $_POST['action'] != 'user_login' )
    {
        return "Invalid action supplied for processLoginForm.";
    }

    /*
     * Escapes the user input for security
     */
    $uname = htmlentities($_POST['uname'], ENT_QUOTES);
    $pword = htmlentities($_POST['pword'], ENT_QUOTES);

    // finish processing...
}
}
?>

```

Next, complete Steps 3 and 4 by adding the following code shown in bold:

```

public function processLoginForm()
{
    /*
     * Fails if the proper action was not submitted
     */
    if ( $_POST['action'] != 'user_login' )
    {
        return "Invalid action supplied for processLoginForm.";
    }

    /*
     * Escapes the user input for security
     */
    $uname = htmlentities($_POST['uname'], ENT_QUOTES);
    $pword = htmlentities($_POST['pword'], ENT_QUOTES);

    /*
     * Retrieves the matching info from the DB if it exists
     */
    $sql = "SELECT
            `user_id`, `user_name`, `user_email`, `user_pass`
        FROM `users`

```

```

        WHERE
            `user_name` = :uname
        LIMIT 1";
    try
    {
        $stmt = $this->db->prepare($sql);
        $stmt->bindParam(':uname', $uname, PDO::PARAM_STR);
        $stmt->execute();
        $user = array_shift($stmt->fetchAll());
        $stmt->closeCursor();
    }
    catch ( Exception $e )
    {
        die ( $e->getMessage() );
    }

    /*
     * Fails if username doesn't match a DB entry
     */
    if ( !isset($user) )
    {
        return "Your username or password is invalid.";
    }

    // finish processing...
}

```

Now the user's data is stored in the variable `$user` (or the method failed because no match was found for the supplied username in the users table).

Finishing Steps 5-7 completes the method; do this by adding the following bold code:

```

public function processLoginForm()
{
    /*
     * Fails if the proper action was not submitted
     */
    if ( $_POST['action'] != 'user_login' )
    {
        return "Invalid action supplied for processLoginForm.";
    }

    /*
     * Escapes the user input for security
     */
    $uname = htmlentities($_POST['uname'], ENT_QUOTES);
    $pword = htmlentities($_POST['pword'], ENT_QUOTES);

    /*
     * Retrieves the matching info from the DB if it exists
     */
    $sql = "SELECT

```

```

        `user_id`, `user_name`, `user_email`, `user_pass`
    FROM `users`
    WHERE
        `user_name` = :uname
    LIMIT 1";
try
{
    $stmt = $this->db->prepare($sql);
    $stmt->bindParam(':uname', $uname, PDO::PARAM_STR);
    $stmt->execute();
    $user = array_shift($stmt->fetchAll());
    $stmt->closeCursor();
}
catch ( Exception $e )
{
    die ( $e->getMessage() );
}

/*
 * Fails if username doesn't match a DB entry
 */
if ( !isset($user) )
{
    return "No user found with that ID.";
}

/*
 * Get the hash of the user-supplied password
 */
$hash = $this->getSaltedHash($pword, $user['user_pass']);

/*
 * Checks if the hashed password matches the stored hash
 */
if ( $user['user_pass']==$hash )
{
    /*
     * Stores user info in the session as an array
     */
    $_SESSION['user'] = array(
        'id' => $user['user_id'],
        'name' => $user['user_name'],
        'email' => $user['user_email']
    );

    return TRUE;
}

/*
 * Fails if the passwords don't match
 */

```

```

else
{
    return "Your username or password is invalid.";
}
}

```

This method will now validate a login form submission. However, it doesn't work just quite yet; first, you need to build the `_getSaltedHash()` method.

Building a Method to Create Salted Hashes

In order to validate a user's password hash stored in the database, you need a function to generate a salted hash from the user's supplied password (a *hash* is an encrypted string generated by a security algorithm such as MD5 or SHA1).

■ **Note** For more information on password hashing and security algorithms, visit http://en.wikipedia.org/wiki/Cryptographic_hash_function.

INCREASING SECURITY WITH SALTED PASSWORDS

Even though PHP provides functions to *hash*, or encrypt, strings, you should use additional security measures to ensure that your information is entirely secure. One of the simplest and most effective ways to heighten security is through the use of *salts*, which are additional strings used when hashing passwords.

Using Rainbow Tables and Common Encryption Algorithms

Common encryption algorithms, such as SHA1 and MD5, have been fully mapped using *rainbow tables*¹, which are reverse lookup tables for password hashes. In a nutshell, a rainbow table allows an attacker to search for the hash produced by a given encryption algorithm in a large table that contains every possible hash and a value that will produce that hash.

Rainbow tables have been generated for MD5 and SHA1, so it's possible for an attacker to crack your users' passwords with relative ease if no extra security measures are taken.

¹ http://en.wikipedia.org/wiki/Rainbow_table

Improving Security with Salted Hashes

While not bulletproof, adding a salt to your hashing algorithm will make cracking your users' passwords much more cumbersome for attackers. A salt is a string, either predefined or random, that is used in addition to the user input when hashing.

Without using a salt, a password may be hashed like this:

```
$hash = sha1($password);
```

To add a random salt to the preceding hash, you could apply the following this code to it:

```
$salt = substr(md5(time()), 0, 7); // create a random salt
$hash = $salt . sha1($salt . $password);
```

The preceding code generates a random seven-digit salt. The salt is prepended to the password string before hashing; this means that even if two users have the same password, their individual password hashes will be different.

However, in order to reproduce that hash, the salt needs to be available. For this reason, the salt is also prepended, unencrypted, to the hash. This way, when a user signs in, you're able to extract the salt from the hash when it's retrieved from the database and use it to recreate the salted hash of the user's password:

```
$salt = substr($dbhash, 0, 7); // extract salt from stored hash
$hash = $salt . sha1($salt . $_POST['password']);
```

```
if ( $dbhash==$hash )
{
    echo "Match!";
}
else
{
    echo "No match.";
}
```

Incorporating Salted Hashes and Rainbow Tables

By adding a salt, rainbow tables are rendered useless. A new table will need to be generated taking the salt into account in order to crack user passwords; while this isn't impossible, it's time-consuming for the attacker and adds an extra layer of security to your app.

In most applications (especially those that don't store much in the way of sensitive personal information such as credit card information), a salted password is deterrent enough to ward off potential attackers.

As an additional countermeasure, it is also advisable to add a check for repeated failed attempts to log in. This way, an attacker has a finite number of attempts to crack a password before being locked out of the system. This can also prevent **denial of service attacks**, or attacks in which a huge volume of requests are sent in an attempt to overload a site and take it offline.

Creating this function is relatively straightforward, requiring only a few steps:

1. Check whether a salt was supplied; if not, generate a new salt by hashing the current UNIX timestamp, and then take a substring of the returned value at the length specified in `$_saltLength` and store it as `$salt`.
2. Otherwise, take a substring of the supplied salted hash from the database at the length specified in `$_saltLength` and store it as `$salt`.
3. Prepend the salt to the hash of the salt and the password, and return the new string.

Complete all three steps by inserting the following method into the `Admin` class:

```
<?php
class Admin extends DB_Connect
{
    private $_saltLength = 7;
    public function __construct($db=NULL, $saltLength=NULL) {...}
    public function processLoginForm() {...}
    /**
     * Generates a salted hash of a supplied string
     *
     * @param string $string to be hashed
     * @param string $salt extract the hash from here
     * @return string the salted hash
     */
    private function _getSaltedHash($string, $salt=NULL)
    {
        /*
         * Generate a salt if no salt is passed
         */
        if ( $salt==NULL )
        {
            $salt = substr(md5(time()), 0, $this->_saltLength);
        }

        /*
         * Extract the salt from the string if one is passed
         */
        else
        {
            $salt = substr($salt, 0, $this->_saltLength);
        }

        /*
```

```

        * Add the salt to the hash and return it
        */
        return $salt . sha1($salt . $string);
    }
}
?>

```

Creating a Test Method for Salted Hashes

To see how salted hashes work, create a quick test method for `_getSaltedHash()` called `testSaltedHash()`. This will be a public function that calls and outputs the values, enabling you to see how the script functions.

In the `Admin` class, define the `testSaltedHash()` method:

```

<?php

class Admin extends DB_Connect
{
    private $_saltLength = 7;

    public function __construct($db=NULL, $saltLength=NULL) {...}

    public function processLoginForm() {...}

    private function _getSaltedHash($string, $salt=NULL) {...}

    public function testSaltedHash($string, $salt=NULL)
    {
        return $this->_getSaltedHash($string, $salt);
    }
}

?>

```

Next, add a new file called `test.php` to use this function and place it in the `public` folder (`/public/test.php`). Inside this function, call the initialization file, create a new `Admin` class, and output three hashes of this word: `test`. Create the first hash with no salt, and then sleep for one second to get a new timestamp. Create the second hash with no salt, and then sleep for another second. Finally, create the third hash using the salt from the second hash. Insert the following code to accomplish this test:

```

<?php

// Include necessary files
include_once '../sys/core/init.inc.php';

// Load the admin object

```

```

$obj = new Admin($dbo);

// Load a hash of the word test and output it
$hash1 = $obj->testSaltedHash("test");
echo "Hash 1 without a salt:<br />", $hash1, "<br /><br />";

// Pause execution for a second to get a different timestamp
sleep(1);

// Load a second hash of the word test
$hash2 = $obj->testSaltedHash("test");
echo "Hash 2 without a salt:<br />", $hash2, "<br /><br />";

// Pause execution for a second to get a different timestamp
sleep(1);

// Rehash the word test with the existing salt
$hash3 = $obj->testSaltedHash("test", $hash2);
echo "Hash 3 with the salt from hash 2:<br />", $hash3;

?>

```

■ **Note** The `sleep()` function delays execution of a script by a given number of seconds, passed as its sole argument. You can learn more about this function at <http://php.net/sleep>.

Your results will not be identical because the timestamp hashes used for the salt will differ; however, your results should look something like this:

Hash 1 without a salt:

```
518fd85bb85815af85e88b7c43d892238af9a5ca5775807
```

Hash 2 without a salt:

```
93b14e3f42ca09caf1330b592669a5d02e9815bc2f69de
```

Hash 3 with the salt from hash 2:

```
93b14e3f42ca09caf1330b592669a5d02e9815bc2f69de
```

As you can see, hashes of the word *test* don't match up when passed separately; however, if you supply an existing salted hash of *test*, the same hash is produced. This way, even if two users have the same password, their stored hashes will be different, making it much more difficult for potential attackers to crack passwords.

■ **Note** Bear in mind that no algorithm is 100% effective. However, using techniques like salted hashes makes it possible to reduce the possibility of an attack significantly.

Creating a User to Test Administrative Access

In order to test the administrative functions, you'll need a username/password pair to exist in your `users` table. For simplicity, the username will be `testuser`, the password will be `admin`, and the email address will be `admin@example.com`. Keep in mind that *this is not a secure password*; it is being used for illustration purposes only, and it should be changed before you use it with any production scripts.

Begin by generating a hash of the password, `admin`, which is easy using the test method `testSaltedHash()` and `test.php`. Add the following bold code to `test.php` to generate a salted hash of your test user's password:

```
<?php
// Include necessary files
include_once '../sys/core/init.inc.php';

// Load the admin object
$obj = new Admin($dbo);

// Generate a salted hash of "admin"
$pass = $obj->testSaltedHash("admin");
echo 'Hash of "admin":<br />', $pass, "<br /><br />";

?>
```

Navigate to `http://localhost/test.php`, and you'll see output similar to the following:

```
Hash of "admin":
a1645e41f29c45c46539192fe29627751e1838f7311eeb4
```

Copy the hash, navigate to `http://localhost/phpmyadmin`, and then click the SQL tab. Execute the following query to insert a test user into the table:

```
INSERT INTO `php-jquery_example`.`users`
(`user_name`, `user_pass`, `user_email`)
VALUES
```

```
(
    'testuser',
    'a1645e41f29c45c46539192fe29627751e1838f7311eeb4',
    'admin@example.com'
);
```

After executing the preceding code, click the `php-jquery_example` database, and then the `users` table. Select the Browse tab to view the user info in the table (see Figure 6-3).




Figure 6-3. The test user data after inserting it into the database

Now that a user exists in the user database with a salted hash stored, you can delete both the `testSaltedHash()` method from the `Admin` class and the entire `test.php` file.

Modifying the App to Handle the Login Form Submission

At this point, you're almost ready to test a user login. Before it will work, however, you need to modify `process.inc.php` to handle form submissions from the login form.

Due to the way the file is set up, this change is as simple as adding a new element to the `$actions` array. Open `process.inc.php` and insert the following bold code:

```
<?php
/*
```

```

* Enable sessions
*/
session_start();

/*
* Include necessary files
*/
include_once '../../../sys/config/db-cred.inc.php';

/*
* Define constants for config info
*/
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
* Create a lookup array for form actions
*/
$action = array(
    'event_edit' => array(
        'object' => 'Calendar',
        'method' => 'processForm',
        'header' => 'Location: ../..//'
    ),
    'user_login' => array(
        'object' => 'Admin',
        'method' => 'processLoginForm',
        'header' => 'Location: ../..//'
    )
);

/*
* Make sure the anti-CSRF token was passed and that the
* requested action exists in the lookup array
*/
if ( $_POST['token']==$_SESSION['token']
    && isset($action[$_POST['action']] )
{
    $use_array = $action[$_POST['action']];
    $obj = new $use_array['object']($dbo);
    if ( TRUE === $msg=$obj->$use_array['method']() )
    {
        header($use_array['header']);
        exit;
    }
}
else
{
    // If an error occured, output it and end execution
    die ( $msg );
}

```

```

    }
}
else
{
    // Redirect to the main index if the token/action is invalid
    header("Location: ../../");
    exit;
}

function __autoload($class_name)
{
    $filename = '../../../../../sys/class/class.'
        . strtolower($class_name) . '.inc.php';
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}
?>

```

Now you can officially test a login. Because no checks for a login are in place yet, simply add a conditional comment in `index.php` to show login or logout status by inserting the following bold line into the file:

```

<?php
/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo, "2010-01-01 12:00:00");

/*
 * Set up the page title and CSS files
 */
$page_title = "Events Calendar";
$css_files = array('style.css', 'admin.css');

/*
 * Include the header
 */
include_once 'assets/common/header.inc.php';

?>

<div id="content">

```

```
<?php
/*
 * Display the calendar HTML
 */
echo $cal->buildCalendar();

?>

</div><!-- end #content -->
<p>
<?php
    echo isset($_SESSION['user']) ? "Logged In!" : "Logged Out!";

?>
</p>

<?php
/*
 * Include the footer
 */
include_once 'assets/common/footer.inc.php';

?>
```

Now save this file and navigate to <http://localhost/> to see the “Logged Out!” message below the calendar (see Figure 6-4).




Figure 6-4. Before the user logs in, the “Logged Out!” message appears below the calendar

Next, navigate to `http://localhost/login.php` and enter the username `testuser` with the password, `admin` (see Figure 6-5).




Figure 6-5. The login form with the username and password information entered

After clicking the Log In button, you'll be redirected back to the calendar; however, now the message below the calendar will read "Logged In!" (see Figure 6-6).




Figure 6-6. After the user logs in, the "Logged In!" message appears below the calendar

Allowing the User to Log Out

Next, you need to add a method that allows the user to log out. You will do this using a form that submits information to `process.inc.php`. The method `_adminGeneralOptions()` in the `Calendar` class generates the form.

Adding a Log Out Button to the Calendar

To add a button that allows users to log out, modify `_adminGeneralOptions()` in the `Calendar` class. In addition to providing a button for adding new events, this method will now also output a form that submits the site token and an action value of `user_logout` to `process.inc.php`. Open the `Calendar` class and modify `_adminGeneralOptions()` with the following bold code:

```
private function _adminGeneralOptions()
{
    /*
     * Display admin controls

```

```

*/
return <<<ADMIN_OPTIONS

<a href="admin.php" class="admin">+ Add a New Event</a>
<form action="assets/inc/process.inc.php" method="post">
  <div>
    <input type="submit" value="Log Out" class="admin" />
    <input type="hidden" name="token"
      value="$_SESSION[token]" />
    <input type="hidden" name="action"
      value="user_logout" />
  </div>
</form>
ADMIN_OPTIONS;
}

```

Now save the changes and refresh `http://localhost/` in your browser to see the new button (see Figure 6-7).




Figure 6-7. The Log Out button as it appears after you modify the Calendar class

Creating a Method to Process the Logout

To process the logout, a new public method called `processLogout()` needs to be added to the `Admin` class. This method does a quick check to make sure the proper action, `user_logout`, was supplied, and then uses `session_destroy()` to remove the user data array by destroying the current session entirely.

You add this method to the `Admin` class by inserting the following bold code:

```
<?php

class Admin extends DB_Connect
{
    private $_saltLength = 7;

    public function __construct($db=NULL, $saltLength=NULL) {...}

    public function processLoginForm() {...}

    /**
     * Logs out the user
     *
     * @return mixed TRUE on success or message on failure
     */
    public function processLogout()
    {
        /*
        * Fails if the proper action was not submitted
        */
        if ( $_POST['action'] != 'user_logout' )
        {
            return "Invalid action supplied for processLogout.";
        }

        /*
        * Removes the user array from the current session
        */
        session_destroy();
        return TRUE;
    }

    private function _getSaltedHash($string, $salt=NULL) {...}
}

?>
```

Modifying the App to Handle the User Logout

The last step you need to take before users can successfully log out is to add another array element to the `$actions` array in `process.inc.php`. Insert the following bold code into `process.inc.php` to complete the logout process:

```
<?php

/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../.../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a lookup array for form actions
 */
$actions = array(
    'event_edit' => array(
        'object' => 'Calendar',
        'method' => 'processForm',
        'header' => 'Location: ../..'
    ),
    'user_login' => array(
        'object' => 'Admin',
        'method' => 'processLoginForm',
        'header' => 'Location: ../..'
    ),
    'user_logout' => array(
        'object' => 'Admin',
        'method' => 'processLogout',
        'header' => 'Location: ../..'
    )
);

/*
 * Make sure the anti-CSRF token was passed and that the
 * requested action exists in the lookup array
 */
```

```

if ( $_POST['token']==$_SESSION['token']
    && isset($actions[$_POST['action']]) )
{
    $use_array = $actions[$_POST['action']];
    $obj = new $use_array['object']($dbo);
    if ( TRUE === $msg=$obj->$use_array['method']() )
    {
        header($use_array['header']);
        exit;
    }
    else
    {
        // If an error occurred, output it and end execution
        die ( $msg );
    }
}
else
{
    // Redirect to the main index if the token/action is invalid
    header("Location: ../../");
    exit;
}

function __autoload($class_name)
{
    $filename = '../../sys/class/class.'
        . strtolower($class_name) . '.inc.php';
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}

?>

```

Save this file, then navigate to <http://localhost/>, and click the Log Out button at the bottom of the calendar. Clicking this button causes the message below the calendar to now read, “Logged Out!” (see Figure 6-8).




Figure 6-8. Clicking the Log Out button removes the user data from the session

■ **Note** Now that you know the login is working, remove the Logged In!/Logged Out! message logic and the paragraph tags that enclose it from `index.php`.

Displaying Admin Tools Only to Administrators

Your users can log in and log out; the last steps you need to take are to make sure that all actions and options that require administrative access are only shown to users who are logged in.

Showing Admin Options to Administrators

The buttons for adding and editing events should not be displayed unless a user is logged in. To perform this check, you need to modify both the `_adminGeneralOptions()` and `_adminEntryOptions()` methods in the `Calendar` class.

Modifying the General Admin Options Method

Now let's take a look at the calendar's general options. If the user is logged in, you want to show her the options to create a new entry and to log out.

However, if the user is logged out, she should see a link to log in. Perform this check by making the modifications shown in bold to the `_adminGeneralOptions()` method in the `Calendar` class:

```
<?php

class Calendar extends DB_Connect
{
    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

    private $_startDay;

    public function __construct($dbo=NULL, $useDate=NULL) {...}

    public function buildCalendar() {...}

    public function displayForm() {...}

    public function processForm() {...}

    public function confirmDelete($id) {...}

    private function _loadEventData($id=NULL) {...}

    private function _createEventObj() {...}

    private function _loadEventById($id) {...}

    private function _adminGeneralOptions()
    {
        /*
         * If the user is logged in, display admin controls
         */
        if ( isset($_SESSION['user']) )
        {
            return <<<ADMIN_OPTIONS

<a href="admin.php" class="admin">+ Add a New Event</a>
<form action="assets/inc/process.inc.php" method="post">
    <div>
        <input type="submit" value="Log Out" class="admin" />
    </div>
    </form>
    </div>
    </pre>

```

```

        <input type="hidden" name="token"
            value="$ _SESSION[token]" />
        <input type="hidden" name="action"
            value="user_logout" />
    </div>
</form>
ADMIN_OPTIONS;
    }
    else
    {
        return <<<ADMIN_OPTIONS

        <a href="login.php">Log In</a>
ADMIN_OPTIONS;
    }
}

private function _adminEntryOptions($id) {...}
}
?>

```

After saving the changes, reload <http://localhost/> while logged out to see the administrative options replaced with a simple Log In link (see Figure 6-9).




Figure 6-9. While a user is logged out, only a Log In link is displayed

Modifying the Event Options Method

Next, you want add code to prevent the editing and deletion of events by unauthorized users; you do this by modifying `_adminEventOptions()` in the `Calendar` class with the following bold code:

```
<?php
class Calendar extends DB_Connect
{
    private $_useDate;
    private $_m;
    private $_y;
```

```

private $_daysInMonth;
private $_startDay;
public function __construct($dbo=NULL, $useDate=NULL) {...}
public function buildCalendar() {...}
public function displayForm() {...}
public function processForm() {...}
public function confirmDelete($id) {...}
private function _loadEventData($id=NULL) {...}
private function _createEventObj() {...}
private function _loadEventById($id) {...}
private function _adminGeneralOptions() {...}
private function _adminEntryOptions($id)
{
    if ( isset($_SESSION['user']) )
    {
        return <<<ADMIN_OPTIONS

<div class="admin-options">
<form action="admin.php" method="post">
    <p>
        <input type="submit" name="edit_event"
            value="Edit This Event" />
        <input type="hidden" name="event_id"
            value="$id" />
    </p>
</form>
<form action="confirmdelete.php" method="post">
    <p>
        <input type="submit" name="delete_event"
            value="Delete This Event" />
        <input type="hidden" name="event_id"
            value="$id" />
    </p>
</form>
</div><!-- end .admin-options -->
ADMIN_OPTIONS;
    }
    else
    {
        return NULL;
    }
}

```

```

    }
}
?>

```

After inserting these changes, navigate to `http://localhost/` while logged out and click an event to bring up its full view; the administrative options will not be displayed (see Figure 6-10).




Figure 6-10. The full event view while logged out

Limiting Access to Administrative Pages

As an additional security precaution, you should ensure that any pages that only authorized users should have access to, such as the event creation/editing form, check for proper authorization before executing.

Disallowing Access to the Event Creation Form Without Login

You can prevent a mischievous user from finding the event creation form while logged out by performing a simple check that you add to the file. If the user is not logged in, he'll be sent to the main calendar view before the script has the chance to execute.

To implement this change, open `admin.php` and insert the code shown in bold:

```

<?php

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * If the user is not logged in, send them to the main file
 */

```

```

if ( !isset($_SESSION['user']) )
{
    header("Location: ./");
    exit;
}

/*
 * Output the header
 */
$page_title = "Add/Edit Event";
$css_files = array("style.css", "admin.css");
include_once 'assets/common/header.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo);

?>

<div id="content">
<?php echo $cal->displayForm(); ?>

</div><!-- end #content -->

<?php

/*
 * Output the footer
 */
include_once 'assets/common/footer.inc.php';

?>

```

After saving this file, attempt to navigate to <http://localhost/admin.php> while logged out. You'll automatically be sent to <http://localhost/>.

Ensuring Only Logged In Users Can Delete Events

Also, to keep unauthorized users from deleting events, insert a check for a valid user session in the `confirmdelete.php` file:

```

<?php

/*
 * Enable sessions
 */
session_start();

/*

```

```

    * Make sure an event ID was passed and the user is logged in
    */
if ( isset($_POST['event_id']) && isset($_SESSION['user']) )
{
    /*
     * Collect the event ID from the URL string
     */
    $id = (int) $_POST['event_id'];
}
else
{
    /*
     * Send the user to the main page if no ID is supplied
     * or the user is not logged in
     */
    header("Location: ./");
    exit;
}

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo);
$markup = $cal->confirmDelete($id);

/*
 * Output the header
 */
$page_title = "View Event";
$css_files = array("style.css", "admin.css");
include_once 'assets/common/header.inc.php';

?>

<div id="content">
<?php echo $markup; ?>

</div><!-- end #content -->

<?php

/*
 * Output the footer
 */

```

```
include_once 'assets/common/footer.inc.php';  
?>
```

Now save this code and try to directly access `http://localhost/confirmdelete.php` while logged out. As expected, you'll be redirected to `http://localhost/` instead.

Summary

In this chapter, you learned how to add user authorization to your calendar app, which means only authorized users can now make modifications to the calendar. You learned how to create the `Admin` class, check login credentials, display admin tools to admins only, and limit access to admin pages. In the next chapter, you'll start integrating jQuery into the application to progressively enhance the user experience.

PART 3



Combining jQuery with PHP Applications

With the calendar running properly, you can now enhance the application with jQuery to improve the user experience. In the following chapters, you'll create a layer of JavaScript that will sit on top of your app to add AJAX functionality.



Enhancing the User Interface with jQuery

The application as it stands now is fully functional. Events can be viewed, and users with administrative clearance can log in to create, edit, or delete events.

The next step is to add a layer of polish to the app that creates that finished look-and-feel, which you'll accomplish using a technique called progressive enhancement to add AJAX functionality to the app.

Adding Progressive Enhancements with jQuery

Progressive enhancement is a term originally coined by Steven Champeon¹ in 2003 to describe a web-development technique in which applications are designed to be accessible to any Internet connection and browser using semantic HTML and other technologies that are applied in layers (such as CSS files and JavaScript markup).

For an application to follow the principles of progressive enhancement, it must adhere to the following guidelines:

- Basic content is accessible to all browsers using the simplest, most semantic HTML markup possible.
- All of the basic functionality of the app works in all browsers.
- The user's preferences are respected; this means that the web app doesn't override browser settings (such as window size).
- Externally linked CSS handles the styling and presentation of the document.
- Externally linked JavaScript enhances the user experience, but it remains *unobtrusive*, or non-essential to the application's operation.

Your application already meets the first four guidelines (it's not pretty, but the application will work with styles disabled). So as long as your JavaScript doesn't create any new functionality that can't be accessed with JavaScript disabled, you will have successfully created a progressively enhanced web application.

¹ <http://www.hesketh.com/about-us/leadership-team/>

Setting Progressive Enhancement Goals

Using the principles of progressive enhancement, you'll add the ability to view event information without a page refresh in a *modal window*, a content area that sits on top of existing markup to display additional information. Such windows are usually triggered by JavaScript, and they are used on many of today's most popular web sites.

In your calendar application, you'll use a modal window to display event details after a user clicks the event title. This will be done without a page refresh using AJAX.

Include jQuery in the Calendar App

As you learned in the introduction to jQuery earlier in this book, using jQuery syntax requires that you first include the jQuery library. Because JavaScript files should be the last thing in your HTML markup before you the close body tag (`</body>`), you'll include the jQuery library and all subsequent files in `footer.inc.php` (`/public/assets/common/footer.inc.php`). Begin by including the latest version of jQuery in your app; you accomplish this by adding the following bold lines to `footer.inc.php`:

```
<script type="text/javascript"
    src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
    google.load("jquery", "1");
</script>
</body>

</html>
```

Save this code, then load `http://localhost/` in your browser. Open the Firebug console and execute the following command to ensure that jQuery is loaded in your app:

```
$("#h2").text();
```

After running this command, the console will display the following output:

```
>>> $("#h2").text();
```

```
"January 2010"
```

■ **Note** Because you're using the Google JSAPI, you need to have an Internet connection available, in addition to your Apache server. If you do not have access to an Internet connection or prefer not to use one, download the latest version of jQuery from `http://jquery.com/` and include it instead.

Create a JavaScript Initialization File

Your app is following progressive enhancement guidelines, so all scripts will be housed in an external file called `init.js`. It will reside in the public `js` folder (`/public/assets/js/init.js`), and it will contain all of the custom jQuery code for your app.

Include the Initialization File in the Application

Before any of your scripts will be available to your app, you will need to include the initialization file in the application. Your app will use jQuery syntax, so the initialization file needs to be included after the script that loads the jQuery library in `footer.inc.php`.

You include the file in your app by inserting the following bold code into `footer.inc.php`:

```
<script type="text/javascript"
  src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
  google.load("jquery", "1");
</script>
<script type="text/javascript"
  src="assets/js/init.js"></script>
</body>

</html>
```

Ensuring the Document Is Ready Before Script Execution

After creating `init.js`, use the `document.ready` shortcut from jQuery to ensure that no scripts execute before the document is actually ready to be manipulated. Insert the following code into `init.js`:

```
// Makes sure the document is ready before executing scripts
jQuery(function($){

// A quick check to make sure the script loaded properly
console.log("init.js was loaded successfully.");

});
```

Save this file and load `http://localhost/` in your browser with the Firebug console open. After the file is loaded, you should see the following result appear in the console:

```
init.js was loaded successfully.
```

Creating a New Stylesheet for Elements Created by jQuery

To ensure the elements created with jQuery look right when you start building them, you're going to jump a bit ahead here and create a new CSS file to store styling information for the elements you'll create with the jQuery scripts you're about to write.

This file will be called `ajax.css`, and it will reside in the `css` folder (`/public/assets/css/ajax.css`). After creating it, place the following style rules inside it:

```
.modal-overlay {  
  position: fixed;  
  top: 0;  
  left: 0;  
  bottom: 0;  
  width: 100%;  
  height: 100%;  
  background-color: rgba(0,0,0,.5);  
  z-index: 4;  
}  
  
.modal-window {  
  position: absolute;  
  top: 140px;  
  left: 50%;  
  width: 300px;  
  height: auto;  
  margin-left: -150px;  
  padding: 20px;  
  border: 2px solid #000;  
  background-color: #FFF;  
  -moz-border-radius: 6px;  
  -webkit-border-radius: 6px;  
  border-radius: 6px;  
  -moz-box-shadow: 0 0 14px #123;  
  -webkit-box-shadow: 0 0 14px #123;  
  box-shadow: 0 0 14px #123;  
  z-index: 5;  
}  
  
.modal-close-btn {  
  position: absolute;  
  top: 0;  
  right: 4px;  
  margin: 0;  
  padding: 0;  
  text-decoration: none;  
  color: black;  
  font-size: 16px;  
}  
  
.modal-close-btn:before {  
  position: relative;  
  top: -1px;  
  content: "Close";  
  text-transform: uppercase;  
  font-size: 10px;  
}
```

Including the Stylesheet in the Index File

Next, open `index.php` and include the new stylesheet in the `$css_files` array by adding the line in bold:

```
<?php

/*
 * Include necessary files
 */
include_once '../sys/core/init.inc.php';

/*
 * Load the calendar
 */
$cal = new Calendar($dbo, "2010-01-01 12:00:00");

/*
 * Set up the page title and CSS files
 */
$page_title = "Events Calendar";
$css_files = array('style.css', 'admin.css', 'ajax.css');

/*
 * Include the header
 */
include_once 'assets/common/header.inc.php';

?>

<div id="content">
<?php

/*
 * Display the calendar HTML
 */
echo $cal->buildCalendar();

?>

</div><!-- end #content -->

<?php

/*
 * Include the footer
 */
include_once 'assets/common/footer.inc.php';

?>
```

Creating a Modal Window for Event Data

The modal window you'll create for this app will be fairly simple; the script to create it will follow these steps:

1. Prevent the default action (opening the detailed event view in `view.php`).
2. Add an *active* class to the event link in the calendar.
3. Extract the query string from the event link's `href` attribute.
4. Create a button that will close the modal window when clicked.
5. Create the modal window itself and put the Close button inside it.
6. Use AJAX to retrieve the information from the database and display it in the modal window.

All of the preceding steps will be carried out when the `click` event is fired for an event title link.

Binding a Function to the Click Event of Title Links

Begin by adding a new selector to `init.js` that selects all anchor elements that are direct descendants of list items (`li>a`) and use the `.live()` method to bind a handler to the `click` event. Insert the following bold code into `init.js`:

```
// Makes sure the document is ready before executing scripts
jQuery(function($){

// Pulls up events in a modal window
$("#li>a").live("click", function(event){

    // Event handler scripts go here

});

});
```

Preventing the Default Action and Adding an Active Class

Next, you need to prevent the default action by using `.preventDefault()`, then add an active class to the clicked element using `.addClass()`.

This is accomplished by adding the following bold code:

```
// Makes sure the document is ready before executing scripts
jQuery(function($){

// Pulls up events in a modal window
$("#li>a").live("click", function(event){

    // Stops the link from loading view.php


```

```

    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Proves the event handler worked by logging the link text
    console.log( $(this).text() );

});

});

```

After saving this code, reload `http://localhost/` in your browser and click any of the event titles. Instead of going to the event details on `view.php`, the title of the event is output in the console. For instance, if you click the `New Year's Day` event, you will see the following output in the console:

```
New Year's Day
```

Extracting the Query String with Regular Expressions

The modal window is being created to display event information, so you'll need some way of knowing which event should be displayed. Without adding any extra markup, you can actually pull the event ID right out of the `href` attribute using regular expressions.

To do this, you need to extract the query string from the link. (If the `href` attribute value is `http://localhost/view.php?event_id=1`, the query string is `event_id=1`.)

You will extract the query string using two items: `.replace()`, a native JavaScript function that accepts a string or regular expression pattern to match; and a string or pattern that matches should be replaced with.

Using the Lazy Approach: String-Based Replacement

At a glance, the obvious solution might seem to be the following:

```
var data = string.replace("http://localhost/view.php?", "");
```

And, yes, this does work, producing the output `"event_id=1"` (if you assume the original value of `$string` was `http://localhost/view.php?event_id=1`). Unfortunately, this approach is not flexible enough; for example, what if the application is moved to another domain name? Or, what if the file name is changed to `event.php`? Either change breaks the preceding logic and requires an update to the script.

Adopting a Better Solution: Regular Expressions

However, there is a better solution: *regular expressions*. Regular expressions are a powerful pattern-matching tool available in most modern programming languages.

To extract the query string, you'll use a pattern that looks for the first question mark (?) in a string, and then returns everything after it. This pattern will look like this:

```
/.*\?\.?(\.*)$/
```

Regular expressions in JavaScript are delimited by forward slashes (/) at each end of the expression. Inside this expression, the pattern looks for zero or more of any character (from left to right) until the first time it reaches a question mark; it then stores all characters after the question mark until the end of the string as a named group for use in the replacement.

■ **Note** You'll learn much more about regular expressions and how they work in Chapter 9.

Incorporating a Regular Expression into a Script

You want to extract the href value of the link that was clicked, so you'll use the `this` keyword. In order to use jQuery methods, you have to pass `this` as the selector to the jQuery function first. Now access the href value with the `.attr()` method, then call `.replace()` and extract the query string.

When using regular expressions in `.replace()`, no quotes are used to enclose the pattern. Using the regular expression just described, modify `init.js` to store the query string from the clicked link in a variable called `data`; do this by adding the code shown in bold:

```
// Makes sure the document is ready before executing scripts
jQuery(function($){

// Pulls up events in a modal window
$("li>a").live("click", function(event){

    // Stops the link from loading view.php
    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Gets the query string from the link href
    var data = $(this)
                .attr("href")
                .replace(/.*\?\.?(\.*)$/, "$1");

    // Logs the query string
    console.log( data );
```

```
});
});
```

Save this code, then reload `http://localhost/` and click a link. You should see something similar to the following appear in the console:

```
event_id=1
```

Creating a Modal Window

The next step is to generate the HTML markup that will actually create the modal window and overlay. This markup is extremely simple, and it will basically consist of a `div` element wrapped around other content. For example, the New Year's Day event modal window markup will look like this:

```
<div class="modal-window">
  <h2>New Year's Day</h2>
  <p class="dates">January 01, 2010, 12:00am–11:59pm</p>
  <p>Happy New Year!</p>
</div>
```

You are going to use this same modal window for other features as well (such as for displaying the editing form for events), so the actual creation of the modal window is going to be abstracted in a separate function for easy re-use. Because you will re-use more than one function, you'll organize your script by placing all utility functions in an *object literal*, which is a comma-separated list of name-value pairs (for more information, see the sidebar, "Using an Object Literal for Utility Functions").

Creating the Utility Function to Check for a Modal Window

At the top of `init.js`, declare a new object literal called `fx` to store your utility functions:

```
// Makes sure the document is ready before executing scripts
jQuery(function($){

// Functions to manipulate the modal window
var fx = {};

// Pulls up events in a modal window
$("li>a").live("click", function(event){

    // Stops the link from loading view.php
    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Gets the query string from the link href
```

```

    var data = $(this)
        .attr("href")
        .replace(/.+?\?(.*)$/, "$1");

    // Logs the query string
    console.log( data );

});

});

```

The first function to be stored in `fx` will be called `initModal`, and it will check whether a modal window already exists. If it does, the function will select it; otherwise, it will create a new one and append it to the body tag.

To see if an element already exists, use the `length` property after executing the jQuery function with a selector for that element. If the `length` property returns 0, the element does not currently exist in the document object model (DOM).

Perform the check and return a modal window by inserting the following bold code into `fx` inside `init.js`:

```

// Functions to manipulate the modal window
var fx = {

    // Checks for a modal window and returns it, or
    // else creates a new one and returns that
    "initModal" : function() {
        // If no elements are matched, the length
        // property will return 0
        if ( $(".modal-window").length==0 )
        {
            // Creates a div, adds a class, and
            // appends it to the body tag
            return $("<div>")
                .addClass("modal-window")
                .appendTo("body");
        }
        else
        {
            // Returns the modal window if one
            // already exists in the DOM
            return $(".modal-window");
        }
    }
};

```

Calling the Utility Function from the Event Handler

Next, modify the click event handler to load the result of `fx.initModal` into a variable for use in the script by adding the following bold code in `init.js`:

```
// Pulls up events in a modal window
$("li>a").live("click", function(event){

    // Stops the link from loading view.php
    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Gets the query string from the link href
    var data = $(this)
        .attr("href")
        .replace(/.+?\?(.*)$/, "$1"),

    // Checks if the modal window exists and
    // selects it, or creates a new one
    modal = fx.initModal();

});
```

■ **Note** The semicolon after the data variable has been replaced with a comma in this example.

Save, then reload `http://localhost/` and click one of the event titles to cause a modal window to appear on the screen (see Figure 7-1).




Figure 7-1. Clicking an event title causes a modal window to appear

USING AN OBJECT LITERAL FOR UTILITY FUNCTIONS

Utility functions often come into play when writing applications. The more complex the app, the more likely it is that a large number of utility functions will exist for it, and the harder it is to keep those functions organized.

One option for keeping utility functions organized is to use object literals. This allows developers to put the functions in one place or even to group functions according to their usage.

Understanding Object Literals

At its simplest, an object literal is a variable in JavaScript that is an empty set of curly braces, signifying an empty object literal:

```
var obj = {};
```

You can add any number of values to the object literal using comma-separated name-value pairs:

```
var obj = {
  "name" : "Jason Lengstorf",
  "age" : "25"
};
```

To access a value, simply append a dot (.) and the name of the property you wish to access:

```
alert(obj.name); // alerts "Jason Lengstorf"
```

What makes object literals so useful is that you can also store functions in them:

```
var obj = {
  "func" : function() { alert("Object literals rule!"); }
};
```

To call a function stored in an object literal, use the same syntax that you would to access a value; however, you must also include the parentheses at the end. Otherwise, JavaScript assumes you're trying to store that function in another variable and simply returns it:

```
obj.func(); // alerts "Object literals rule!"
```

Functions in object literals can accept parameters, as well:

```
var obj = {
  "func" : function(text){ alert(text); }
};
obj.func("I'm a parameter!"); // alerts "I'm a parameter!"
```

Object Literals vs. Procedural Programming

Keeping functions organized in an object literal makes code more legible and—if the developer makes an effort to keep the functions abstract enough—can cut down on the time spent maintaining the code in the future because everything is compartmentalized and easy to find.

That said, object literals are not always the best solution. In instances where you may be dealing with multiple objects, it can be better to use a full-on object-oriented approach. If hardly any scripting is required, an object literal may be overkill.

At the end of the day, it's up to you as a developer to decide what the best approach is for your project. Ultimately, it's a matter of taste and comfort; you need to decide what makes your development process easiest.

Retrieve and Display Event Information with AJAX

Now that the modal window loads, it's time to load the event information and display it. To do this, you'll be using the `$.ajax()` method.

Using the `$.ajax()` method, you will send data to a processing file (which you'll build in the next section) using the POST method, then insert the response into the modal window.

Creating a File to Handle AJAX Requests

Before you put together the call to `$.ajax()`, it helps to know where and how the data should be sent. In the `inc` folder, create a new file called `ajax.inc.php` (`/public/assets/inc/ajax.inc.php`). This file will work very similarly to `process.inc.php`, except it will deal exclusively with AJAX calls. Because a value returned from a PHP function can't be read by JavaScript unless the value is actually output (using `echo` or its ilk), `process.inc.php` will not function properly for this aspect of the application.

Essentially, `ajax.inc.php` will use a lookup array to determine which objects and methods need to be used, then output the returned values using `echo` for use with AJAX.

Start by enabling sessions, loading the necessary configuration information, defining a constant, and putting together an auto-load function. Now add the following to `ajax.inc.php`:

```
<?php
/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../../../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

function __autoload($class_name)
{
    $filename = '../../../sys/class/class.'
        . strtolower($class_name) . '.inc.php';
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}
?>
```

Next, define the lookup array with information for loading event data, then put together the code that will instantiate an object, call the method, and output the returned value using the bold code that follows:

```
<?php
```

```

/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../.../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a lookup array for form actions
 */
$actions = array(
    'event_view' => array(
        'object' => 'Calendar',
        'method' => 'displayEvent'
    )
);

/*
 * Make sure the anti-CSRF token was passed and that the
 * requested action exists in the lookup array
 */
if ( isset($actions[$_POST['action']]) )
{
    $use_array = $actions[$_POST['action']];
    $obj = new $use_array['object']($dbo);

    /*
     * Check for an ID and sanitize it if found
     */
    if ( isset($_POST['event_id']) )
    {
        $id = (int) $_POST['event_id'];
    }
    else { $id = NULL; }

    echo $obj->$use_array['method']($id);
}

function __autoload($class_name)
{

```

```

$filename = '../../../sys/class/class.'
    . strtolower($class_name) . '.inc.php';
if ( file_exists($filename) )
{
    include_once $filename;
}
}
?>

```

The only real differences from `process.inc.php` in the preceding code are the lack of a *header* key in the lookup array and the use of `echo` to output the return value of called methods.

Loading Event Data Using AJAX

Moving back to `init.js`, you can now add the call to `$.ajax()`. There will eventually be several calls to `$.ajax()` in your application, so store the location of the processing file in a variable for easy maintenance if the file location or name could ever change. Add this variable to the top of `init.js` by inserting the code shown in bold:

```

// Makes sure the document is ready before executing scripts
jQuery(function($){

// File to which AJAX requests should be sent
var processFile = "assets/inc/ajax.inc.php",

// Functions to manipulate the modal window
fx = {

    // Checks for a modal window and returns it, or
    // else creates a new one and returns that
    "initModal" : function() {
        // If no elements are matched, the length
        // property will be 0
        if ( $(".modal-window").length==0 )
        {
            // Creates a div, adds a class, and
            // appends it to the body tag
            return $("<div>")
                .addClass("modal-window")
                .appendTo("body");
        }
        else
        {
            // Returns the modal window if one
            // already exists in the DOM
            return $(".modal-window");
        }
    }
};

```

```
// Pulls up events in a modal window
$("li>a").live("click", function(event){

    // Stops the link from loading view.php
    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Gets the query string from the link href
    var data = $(this)
        .attr("href")
        .replace(/.+?\?(.*)$/, "$1"),

    // Checks if the modal window exists and
    // selects it, or creates a new one
    modal = fx.initModal();

});

});
```

Next, set up the call to `$.ajax()` in the event handler. It will use the `POST` method, point to the `processFile`, and send the appropriate data. Because the query string extracted from the link does not include an action field, insert one manually here. Finally, use `.append()` to insert the returned markup into the modal window if the call succeeds or to display an error message if it fails.

Do this by inserting the following bold lines into `init.js`:

```
// Pulls up events in a modal window
$("li>a").live("click", function(event){

    // Stops the link from loading view.php
    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Gets the query string from the link href
    var data = $(this)
        .attr("href")
        .replace(/.+?\?(.*)$/, "$1"),

    // Checks if the modal window exists and
    // selects it, or creates a new one
    modal = fx.initModal();

    // Loads the event data from the DB
    $.ajax({
        type: "POST",
        url: processFile,
```

```

    data: "action=event_view&" + data,
    success: function(data){
        // Alert event data for now
        modal.append(data);
    },
    error: function(msg) {
        modal.append(msg);
    }
});

});

```

Save your changes, then reload `http://localhost/` and click an event title to see the event information loaded into the modal window (see Figure 7-2).




Figure 7-2. The event information loaded into the modal window

Add a Close Button

As it stands right now, the only way to get rid of the modal window after clicking an event title is to reload the page. Of course, this isn't good enough, so you need to add a Close button.

To accomplish this, you need to create a new link and bind a click event handler to it that removes the modal window from the DOM. To give it a traditional Close button feel, use the multiplication symbol as its content (and the CSS in `ajax.css` adds the word "close" in front of it). Also, add an `href` attribute to make sure hovering over the link causes the mouse to behave as though the button is clickable.

Next, add a Close button by inserting the following bold code into `init.js`:

```
// Pulls up events in a modal window
$("li>a").live("click", function(event){

    // Stops the link from loading view.php
    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Gets the query string from the link href
    var data = $(this)
        .attr("href")
        .replace(/.+?\?(.*)$/, "$1"),

    // Checks if the modal window exists and
    // selects it, or creates a new one
    modal = fx.initModal();

    // Creates a button to close the window
    $("<a>")
        .attr("href", "#")
        .addClass("modal-close-btn")
        .html("&times;")
        .click(function(event){
            // Prevent the default action
            event.preventDefault();

            // Removes modal window
            $(".modal-window")
                .remove();
        })
        .appendTo(modal);

    // Loads the event data from the DB
    $.ajax({
        type: "POST",
        url: processFile,
        data: "action=event_view&" + data,
        success: function(data){
            // Alert event data for now
```

```

        modal.append(data);
    },
    error: function(msg) {
        modal.append(msg);
    }
});

});

```

After saving the preceding code, load `http://localhost/` and click an event title to see the new Close button (see Figure 7-3). Click the Close button to remove the modal window.




Figure 7-3. The Close button is now visible in the modal window

Add Effects to the Creation and Destruction of the Modal Window

To give the modal window a little more style and polish, you'll add effects to make the box fade in when it's created and fade out when it's removed. Also, to help draw focus to the modal window when it's active, you'll add an overlay to the site that will darken everything but the modal window.

Fade Out the Modal Window

First, you need to add effects to fade out the modal window. This function will be triggered in several ways, some of which also trigger events; to handle this, you create a conditional statement that checks whether an event was triggered, then prevent the default action if that's the case.

Next, remove the class active from all links, since none of them are in use when the modal window isn't visible.

Finally, you select and fade out the modal window using `.fadeOut()`. In the callback function of `.fadeOut()`, the modal window will be removed from the DOM entirely.

You add this function by inserting the following bold code in the fx object literal:

```
// Functions to manipulate the modal window
fx = {

    // Checks for a modal window and returns it, or
    // else creates a new one and returns that
    "initModal" : function() {
        // If no elements are matched, the length
        // property will be 0
        if ( $(".modal-window").length==0 )
        {
            // Creates a div, adds a class, and
            // appends it to the body tag
            return $("

")
                .addClass("modal-window")
                .appendTo("body");
        }
        else
        {
            // Returns the modal window if one
            // already exists in the DOM
            return $(".modal-window");
        }
    },

    // Fades out the window and removes it from the DOM
    "boxout" : function(event) {
        // If an event was triggered by the element
        // that called this function, prevents the
        // default action from firing
        if ( event!=undefined )
        {
            event.preventDefault();
        }

        // Removes the active class from all links
        $(".a").removeClass("active");

        // Fades out the modal window, then removes
        // it from the DOM entirely
        $(".modal-window")


```

```

        .fadeOut("slow", function() {
            $(this).remove();
        });
    }
};

```

To incorporate this new function into the script, modify the click event handler for the Close button using the following bold code:

```

// Creates a button to close the window
$("<a>")
    .attr("href", "#")
    .addClass("modal-close-btn")
    .html("&times;")
    .click(function(event){
        // Removes modal window
        fx.boxout(event);
    })
    .appendTo(modal);

```

Save `init.js` and reload `http://localhost/` in your browser. Click an event title to create a new modal window, then click the Close button to watch the modal window fade out (see Figure 7-4).




Figure 7-4. The modal window mid-fade after the user clicks the Close button

Adding an Overlay and Fade in the Modal Window

To add the overlay and fade in the modal window, you need to add another function to the `fx` object literal. It will be called `boxin`, and it will be called in the success callback of `$.ajax()` in the event title click handler. This function will accept two parameters: the data returned by `ajax.inc.php` (`data`) and the modal window object (`modal`).

First, the function will create a new div with a class of `modal-overlay`; next, it will hide the div and append it to the body element. To help usability, the overlay will also have a click handler attached to it that will remove the modal window when clicked by invoking `fx.boxout()`.

Next, the function will hide the modal window and append the information stored in `data` to it. Finally, it will fade in both elements using `.fadeIn()`.

You add this function to the `fx` object literal by inserting the code shown in bold:

```
// Functions to manipulate the modal window
fx = {
    // Checks for a modal window and returns it, or
    // else creates a new one and returns that
```

```

"initModal" : function() {
    // If no elements are matched, the length
    // property will be 0
    if ( $(".modal-window").length==0 )
    {
        // Creates a div, adds a class, and
        // appends it to the body tag
        return $("<div>")
            .addClass("modal-window")
            .appendTo("body");
    }
    else
    {
        // Returns the modal window if one
        // already exists in the DOM
        return $(".modal-window");
    }
},

// Adds the window to the markup and fades it in
"boxin" : function(data, modal) {
    // Creates an overlay for the site, adds
    // a class and a click event handler, then
    // appends it to the body element
    $("<div>")
        .hide()
        .addClass("modal-overlay")
        .click(function(event){
            // Removes event
            fx.boxout(event);
        })
        .appendTo("body");

    // Loads data into the modal window and
    // appends it to the body element
    modal
        .hide()
        .append(data)
        .appendTo("body");

    // Fades in the modal window and overlay
    $(".modal-window,.modal-overlay")
        .fadeIn("slow");
},

// Fades out the window and removes it from the DOM
"boxout" : function(event) {
    // If an event was triggered by the element
    // that called this function, prevents the
    // default action from firing
    if ( event!=undefined )

```

```

    {
        event.preventDefault();
    }

    // Removes the active class from all links
    $("a").removeClass("active");

    // Fades out the modal window, then removes
    // it from the DOM entirely
    $(".modal-window")
        .fadeOut("slow", function() {
            $(this).remove();
        })
    );
}

};

```

Next, you need to modify the callback function that fires on a successful execution of `$.ajax()` when clicking an event title to call `fx.boxin`; you do so by adding the line of bold code in the listing that follows:

```

// Pulls up events in a modal window
$("li>a").live("click", function(event){

    // Stops the link from loading view.php
    event.preventDefault();

    // Adds an "active" class to the link
    $(this).addClass("active");

    // Gets the query string from the link href
    var data = $(this)
        .attr("href")
        .replace(/.+?\?(.*)$/, "$1"),

    // Checks if the modal window exists and
    // selects it, or creates a new one
    modal = fx.initModal();

    // Creates a button to close the window
    $("<a>")
        .attr("href", "#")
        .addClass("modal-close-btn")
        .html("&times;")
        .click(function(event){
            // Removes modal window
            fx.boxout(event);
        })
        .appendTo(modal);

```

```

// Loads the event data from the DB
$.ajax({
  type: "POST",
  url: processFile,
  data: "action=event_view&" + data,
  success: function(data){
    fx.boxin(data, modal);
  },
  error: function(msg) {
    modal.append(msg);
  }
});
});

```

Save this code, reload `http://localhost/`, and click an event title to see the modal overlay and modal window fade in (see Figure 7-5).




Figure 7-5. The modal window with an overlay to help draw the focus

You may have noticed that the modal window appears to flicker right as it's opened. This happens because `fx.initModal()` appends the modal window to the body element without hiding it. To correct this, add a call to `.hide()` in `fx.initModal()` using the following bold code:

```
// Functions to manipulate the modal window
fx = {

    // Checks for a modal window and returns it, or
    // else creates a new one and returns that
    "initModal" : function() {
        // If no elements are matched, the length
        // property will be 0
        if ( $(".modal-window").length==0 )
        {
            // Creates a div, adds a class, and
            // appends it to the body tag
            return $("<div>")
                .hide()
                .addClass("modal-window")
                .appendTo("body");
        }
        else
        {
            // Returns the modal window if one
            // already exists in the DOM
            return $(".modal-window");
        }
    },

    // Adds the window to the markup and fades it in
    "boxin" : function(data, modal) {
        // Code omitted for brevity
    },

    // Fades out the window and removes it from the DOM
    "boxout" : function(event) {
        // Code omitted for brevity
    }

};
```

Finally, clicking the Close button does not remove the overlay. To fade out and remove the overlay, simply modify the selector in `fx.boxout()` to include the class `modal-overlay`:

```
// Functions to manipulate the modal window
fx = {

    // Checks for a modal window and returns it, or
    // else creates a new one and returns that
    "initModal" : function() {
        // Code omitted for brevity
```

```

    },
    // Adds the window to the markup and fades it in
    "boxin" : function(data, modal) {
        // Code omitted for brevity
    },
    // Fades out the window and removes it from the DOM
    "boxout" : function(event) {
        // If an event was triggered by the element
        // that called this function, prevents the
        // default action from firing
        if ( event!=undefined )
        {
            event.preventDefault();
        }

        // Removes the active class from all links
        $("a").removeClass("active");

        // Fades out the modal window and overlay,
        // then removes both from the DOM entirely
        $(".modal-window, .modal-overlay")
            .fadeOut("slow", function() {
                $(this).remove();
            }
        );
    }
};

```

After making this change, reload <http://localhost/> and click an event title. The modal window and overlay will fade in, and clicking either the Close button or the overlay will cause the modal window and overlay to fade out.

Summary

In this chapter, you learned how to load event data dynamically with jQuery using the progressive enhancement technique. You also learned about event handling, basic effects, and even a little bit about regular expressions.

In the next chapter, you'll continue to add AJAX functionality by making the editing controls work via AJAX, as well.



Editing the Calendar with AJAX and jQuery

Now that your app can display event data without a page refresh, you can see the added convenience provided by AJAX in web applications. Historically, one of the biggest pitfalls of using web apps has been the fact that each action, no matter how small, usually required waiting for the page to refresh while the setting was saved. Web apps were convenient when a user needed access to his information on a shared computer, but the slow workflow was usually enough to make users lean toward desktop applications whenever possible.

However, with mainstream acceptance and use of AJAX, users can now make changes rapidly without constantly waiting for a page to reload. This makes web apps feel more like desktop apps, which also makes them much more appealing to users.

In this chapter, you'll learn to add scripts that make the editing controls for administrators function smoothly without requiring a page refresh for each action. The only action that will require a page refresh is the login, since that requires changes to the session.

■ **Note** Before starting the exercises in this chapter, please log in to the calendar application. The default login relies on a username of `testuser` and a password of `admin`.

Opening the Event Creation Form

To start, you'll modify the script to let administrators add new events without a page refresh. Open `init.js` and select the button to add new events by its class (`admin`). Add a `click` event handler that prevents the default action and (for now) logs a message to confirm it fired properly:

```
jQuery(function($){  
  
var processFile = "assets/inc/ajax.inc.php",  
    fx = {  
        "initModal" : function() {...},  
        "boxin" : function(data, modal) {...},  
        "boxout" : function(event) {...}  
    }  
  
$("li>a").live("click", function(event){...});
```

```
// Displays the edit form as a modal window
$("#admin").live("click", function(event){

    // Prevents the form from submitting
    event.preventDefault();

    // Logs a message to prove the handler was triggered
    console.log( "Add a New Event button clicked!" );

});
});
```

■ **Note** For the sake of brevity, all unchanged functions have been abbreviated, and comments have been omitted from code samples in this chapter. You can find the code at the book's Apress page: <http://apress.com/book/view/1430228474>.

Save this code and refresh <http://localhost/>. Click the Add a New Event button, and you'll see the following result logged to the console:

```
Add a New Event button clicked!
```

Adding an AJAX Call to Load the Form

Next, create a variable to store an action that will be sent to the processing file. You're loading the editing and creation form, so set the action to `event_edit`.

Now you can call the `$.ajax()` function. This function will be similar to the script for loading event data into the modal window; in fact, the only difference will be in the data submitted and the way the return value is handled.

On a successful load, you hide the form and store a reference to it in the variable `form`. Next, you check for a modal window using `fx.initModal()` and fade it in using `fx.boxin()` with a null first argument. Finally, you append the form to the modal window, fade it in, and assign to it the class `edit-form` for easy selection later.

Add the following bold code to `init.js` to carry out these steps:

```
jQuery(function($){
var processFile = "assets/inc/ajax.inc.php",
    fx = {
        "initModal" : function() {...},
        "boxin" : function(data, modal) {...},
        "boxout" : function(event) {...}
    }
});
```

```

$("li>a").live("click", function(event){...});

// Displays the edit form as a modal window
$(".admin").live("click", function(event){

    // Prevents the form from submitting
    event.preventDefault();

    // Loads the action for the processing file
    var action = "edit_event";

    // Loads the editing form and displays it
    $.ajax({
        type: "POST",
        url: processFile,
        data: "action="+action,
        success: function(data){
            // Hides the form
            var form = $(data).hide(),

            // Make sure the modal window exists
            modal = fx.initModal();

            // Call the boxin function to create
            // the modal overlay and fade it in
            fx.boxin(null, modal);

            // Load the form into the window,
            // fades in the content, and adds
            // a class to the form
            form
                .appendTo(modal)
                .addClass("edit-form")
                .fadeIn("slow");
        },
        error: function(msg){
            alert(msg);
        }
    });

});

});

```

Modifying the AJAX Processing File to Load the Form

Before the preceding AJAX call will work, you need to modify the `ajax.inc.php` lookup array. Add a new array element that tells the script to create a new `Calendar` object, and then call the `displayForm()` method with the code shown in bold:

```

<?php
/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../.../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a lookup array for form actions
 */
$actions = array(
    'event_view' => array(
        'object' => 'Calendar',
        'method' => 'displayEvent'
    ),
    'edit_event' => array(
        'object' => 'Calendar',
        'method' => 'displayForm'
    )
);

/*
 * Make sure the anti-CSRF token was passed and that the
 * requested action exists in the lookup array
 */
if ( isset($actions[$_POST['action']]) )
{
    $use_array = $actions[$_POST['action']];
    $obj = new $use_array['object']($dbo);

    /*
     * Check for an ID and sanitize it if found
     */
    if ( isset($_POST['event_id']) )
    {
        $id = (int) $_POST['event_id'];
    }
}

```

```
else { $id = NULL; }  
echo $obj->$use_array['method']($id);  
}  
  
function __autoload($class_name)  
{  
    $filename = '../.../sys/class/class.'  
        . strtolower($class_name) . '.inc.php';  
    if ( file_exists($filename) )  
    {  
        include_once $filename;  
    }  
}  
  
?>
```

Now save the file, load <http://localhost/>, and click the Add a New Event button. A new modal window will fade in with the edit form inside (see Figure 8-1).




Figure 8-1. The event creation form loaded in a modal window

Making the Cancel Button Behave Like the Close Button

You may have noticed that the modal window doesn't contain a Close button when the form is displayed. However, the modal window does include a Cancel button that will refresh the page when clicked. Instead of adding more buttons to the window, you're simply going to make the Cancel button call the `fx.boxout()` method to close the window.

To accomplish this, use `.live()` to bind a click event handler to any link containing the word *cancel* inside a form with the `edit-form` class:

```
jQuery(function($){
var processFile = "assets/inc/ajax.inc.php",
    fx = {
      "initModal" : function() {...},
```

```

        "boxin" : function(data, modal) {...},
        "boxout" : function(event) {...}
    }

$("li>a").live("click", function(event){...});

$(".admin").live("click", function(event){...});

// Make the cancel button on editing forms behave like the
// close button and fade out modal windows and overlays
$(".edit-form a:contains(cancel)").live("click", function(event){
    fx.boxout(event);
});
});

```

Save the file, reload <http://localhost/>, and click the Add a New Event button. After the modal window has loaded, click the Cancel link in the form. The modal window and overlay will fade out, just as they do when the Close button is clicked.

Saving New Events in the Database

To make the form work properly, you must now add a click event handler to the Submit button on the form. This handler will prevent the default form submission, then use `.serialize()` to create a query string from the form inputs. It then uses the serialized data to submit the form via POST to `ajax.inc.php`.

Start by adding a new click handler to any inputs of type `submit` that exist in a form with the `edit-form` class. Using `.live()` ensures that dynamically created inputs will still be targeted by the handler. You can prevent the default action using `event.preventDefault()`.

Do this by inserting the bold code into `init.js`:

```

jQuery(function($){
var processFile = "assets/inc/ajax.inc.php",
    fx = {
        "initModal" : function() {...},
        "boxin" : function(data, modal) {...},
        "boxout" : function(event) {...}
    }

$("li>a").live("click", function(event){...});

$(".admin").live("click", function(event){...});

// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Logs a message to indicate the script is working

```

```

        console.log( "Form submission triggered!" );
    });
    $(".edit-form a:contains(cancel)")
        .live("click", function(event){...});
});

```

Next, save and reload the calendar in your browser. Click the Add a New Event button to bring up the modal window, and then click the Create a New Event button to submit the form. This outputs the following result to the console:

```
Form submission triggered!
```

Serializing the Form Data

To send the event data to the processing file, you need to convert the data to a query string. Fortunately, jQuery has a built-in method to do this called `.serialize()`. It will convert form inputs into a string of name-value pairs, separated by an ampersand (&).

Modify `init.js` to serialize the form data by selecting the parent form of the clicked input, and then serialize its data. Next, log the output to the console for now:

```

// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize();

    // Logs a message to indicate the script is working
    console.log( formData );

});

```

Save the preceding code and bring up the event creation form in your browser. Now enter the following test data:

- **Event Title:** Test Event
- **Event Start:** 2010-01-04 08:00:00
- **Event End:** 2010-01-04 10:00:00
- **Event Description:** This is a test description.

Click the Create a New Event button to submit the form and output the following to your console (the token value will vary):

```
event_title=Test+Event&event_start=2010-01-04+08%3A00%3A00&event_end=2010-01-04+10%3A00
%3A00&event_description=This+is+a+test+description.&event_id=&token=a52412c2e7bfb993844
odc9d4e0867370e350134&action=event_edit
```

Submitting the Serialized Form Data to the Processing File

Now that the form data is serialized, you're ready use `$.ajax()` to send the data to the processing file.

Use the `POST` method to submit the serialized data to `ajax.inc.php`, and then fade out the modal window and overlay using `fx.boxout()` on a successful submission. Also, log a confirmation message in the Firebug console and append the following bold code to `init.js`:

```
// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize();

    // Sends the data to the processing file
    $.ajax({
        type: "POST",
        url: processFile,
        data: formData,
        success: function(data) {
            // Fades out the modal window
            fx.boxout();

            // Logs a message to the console
            console.log( "Event saved!" );
        },
        error: function(msg) {
            alert(msg);
        }
    });
});
```

At this point, the script is ready to save new events. First, however, you need to modify `ajax.inc.php` to accept this data.

Modifying the AJAX Processing File to Handle New Submissions

Getting `ajax.inc.php` ready to accept submissions from the event editing form is as easy as adding a new element to the lookup array:

```

<?php
/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../../../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a lookup array for form actions
 */
$actions = array(
    'event_view' => array(
        'object' => 'Calendar',
        'method' => 'displayEvent'
    ),
    'edit_event' => array(
        'object' => 'Calendar',
        'method' => 'displayForm'
    ),
    'event_edit' => array(
        'object' => 'Calendar',
        'method' => 'processForm'
    )
);

/*
 * Make sure the anti-CSRF token was passed and that the
 * requested action exists in the lookup array
 */
if ( isset($actions[$_POST['action']]) )
{
    $use_array = $actions[$_POST['action']];
    $obj = new $use_array['object']($dbo);

    /*
     * Check for an ID and sanitize it if found
     */
    if ( isset($_POST['event_id']) )

```

```

    {
        $id = (int) $_POST['event_id'];
    }
    else { $id = NULL; }

    echo $obj->$use_array['method']($id);
}

function __autoload($class_name)
{
    $filename = '../../../sys/class/class.'
        . strtolower($class_name) . '.inc.php';
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}
?>

```

Save this file and reload `http://localhost/`. Next, click the Add a New Event button to bring up the form in a modal window, and then enter a new event with the following information:

- **Event Title:** Test Event
- **Event Start:** 2010-01-04 08:00:00
- **Event End:** 2010-01-04 10:00:00
- **Event Description:** This is a test description.

Now click the Create a New Event button; the modal window will fade out, and the following message will be logged into the console:

Event saved!

Note that the new event does not appear in the calendar unless the page is refreshed. This may confuse users, so in the next section you'll modify the app to add newly created events into the calendar after a successful save.

Adding Events Without Refreshing

Adding the new events to the calendar is fairly involved; after the event is saved, you need to take the following steps:

1. Deserialize the form data.
2. Create date objects for both the currently displayed month and the new event.
3. Make sure the month and year match up for the new event.

4. Get the new event's ID.
5. Determine on what day of the month the event falls.
6. Generate a new link with the proper event data and insert it into the corresponding calendar day.

This functionality will be enclosed in a new addition to the `fx` object literal called `addevent`, which will accept the returned data from `ajax.inc.php` (`data`), as well as the serialized form data (`formData`).

To begin, modify the `fx` object literal in `init.js` by inserting the following bold code:

```
jQuery(function($){
var processFile = "assets/inc/ajax.inc.php",
    fx = {
        "initModal" : function() {...},
        "boxin" : function(data, modal) {...},
        "boxout" : function(event) {...},

        // Adds a new event to the markup after saving
        "addevent" : function(data, formData){
            // Code to add the event goes here
        }
    };

$("li>a").live("click", function(event){...});
$(".admin").live("click", function(event){...});
$(".edit-form input[type=submit]")
    .live("click", function(event){...});
$(".edit-form a:contains(cancel)")
    .live("click", function(event){...});
});
```

Deserializing the Form Data

The first step when adding a new event is to deserialize the form data. Because this action can stand alone, you'll handle this step by creating an additional function in the `fx` object literal called `deserialize` that accepts a string (`str`):

```
fx = {
    "initModal" : function() {...},
    "boxin" : function(data, modal) {...},
    "boxout" : function(event) {...},

    // Adds a new event to the markup after saving
    "addevent" : function(data, formData){
        // Code to add the event goes here
    }
    deserialize : function(str){
        // Code to deserialize the form data goes here
    }
};
```

```

    },
    // Deserializes the query string and returns
    // an event object
    "deserialize" : function(str){
        // Deserialize data here
    }
};

```

As you learned earlier in this book, a serialized string is a series of name-value pairs connected by an equals sign (=) and separated by ampersands (&). An example of two serialized name-value pairs might look like this:

```
name1=value1&name2=value2
```

To deserialize these values, start by splitting the string at each ampersand using the native JavaScript function, `.split()`. This function breaks the string into an array of name-value pairs:

```

Array
(
  0 => "name1=value1",
  1 => "name2=value2"
)

```

Next, you need to loop through the array of name-value pairs. Inside this loop, split the pairs at the equals sign and store the array in a variable called `pairs`. This means each name-value pair is split into an array, with the first index containing the name and the second index containing the value. The array follows this format:

```

Array
(
  0 => "name1",
  1 => "value1"
)

```

Store these values in variables called `key` and `val`, respectively, and then store them in a new object called `entry` as properties.

When the loop is completed, return the deserialized data object.

Next, add the following bold code inside `fx.deserialize`:

```

fx = {
    "initModal" : function() {...},
    "boxin" : function(data, modal) {...},
    "boxout" : function(event) {...},

    // Adds a new event to the markup after saving
    "addevent" : function(data, formData){
        // Code to add the event goes here
    },

    // Deserializes the query string and returns

```

```

// an event object
"deserialize" : function(str){
    // Breaks apart each name-value pair
    var data = str.split("&"),

    // Declares variables for use in the loop
    pairs=[], entry={}, key, val;

    // Loops through each name-value pair
    for ( x in data )
    {
        // Splits each pair into an array
        pairs = data[x].split("=");

        // The first element is the name
        key = pairs[0];

        // Second element is the value
        val = pairs[1];

        // Stores each value as an object property
        entry[key] = val;
    }
    return entry;
};

```

Decode Any URL-Encoded Characters in Form Values

Before `fx.deserialize` is officially ready for use, you must first modify it to decode any URL-encoded entities. When data is serialized, string values are encoded so that they can be passed in the query string. This means that the string “I’m testing & logging!” will be converted to the following when it is serialized:

```
I'm+testing+%26+logging!
```

To reverse this, replace all plus signs (+) with spaces using the regular expression `/\+/g`; this expression matches only plus signs. The `g` following the expression’s closing delimiter makes the regular expression search globally, so more than one match will be replaced.

Next, you need to use the native, stand-alone JavaScript function, `decodeURIComponent()`. You will create a new function in `fx` called `urldecode` and insert the following code:

```

fx = {
    "initModal" : function() {...},
    "boxin" : function(data, modal) {...},
    "boxout" : function(event) {...},

    // Adds a new event to the markup after saving
    "addevent" : function(data, formData){

```

```

        // Code to add the event goes here
    },

    // Deserializes the query string and returns
    // an event object
    "deserialize" : function(str){
        // Breaks apart each name-value pair
        var data = str.split("&"),

        // Declares variables for use in the loop
        pairs=[], entry={}, key, val;

        // Loops through each name-value pair
        for ( x in data )
        {
            // Splits each pair into an array
            pairs = data[x].split("=");

            // The first element is the name
            key = pairs[0];

            // Second element is the value
            val = pairs[1];

            // Stores each value as an object property
            entry[key] = val;
        }
        return entry;
    },

    // Decodes a query string value
    "urldecode" : function(str) {
        // Converts plus signs to spaces
        var converted = str.replace(/\+/g, ' ');

        // Converts any encoded entities back
        return decodeURIComponent(converted);
    }
};

```

Next, you implement `fx.urldecode` in `fx.deserialize` by adding the following code in bold:

```

fx = {
    "initModal" : function() {...},
    "boxin" : function(data, modal) {...},
    "boxout" : function(event) {...},

    // Adds a new event to the markup after saving
    "addevent" : function(data, formData){
        // Code to add the event goes here
    },
};

```

```

// Deserializes the query string and returns
// an event object
"deserialize" : function(str){
    // Breaks apart each name-value pair
    var data = str.split("&"),

    // Declares variables for use in the loop
    pairs=[], entry={}, key, val;

    // Loops through each name-value pair
    for ( x in data )
    {
        // Splits each pair into an array
        pairs = data[x].split("=");

        // The first element is the name
        key = pairs[0];

        // Second element is the value
        val = pairs[1];

        // Reverses the URL encoding and stores
        // each value as an object property
        entry[key] = fx.urldecode(val);
    }
    return entry;
},

"urldecode" : function(str) {...}
};

```

Bring It All Together

With `fx.deserialize` and `fx.urldecode` in place, you can now modify `fx.addevent` by adding a variable (`entry`) to store the deserialized event data:

```

fx = {
    "initModal" : function() {...},
    "boxin" : function(data, modal) {...},
    "boxout" : function(event) {...},

    // Adds a new event to the markup after saving
    "addevent" : function(data, formData){
        // Converts the query string to an object
        var entry = fx.deserialize(formData);
    },
};

```

```

    "deserialize" : function(str){...},
    "urldecode" : function(str) {...}
};

```

Creating Date Objects

Because only events created for the month being displayed should be added to the calendar, you need to determine what month and year is being displayed, as well as the month and year that the event occurs.

■ **Note** For this step you'll take advantage of JavaScript's built-in Date object, which provides methods to simplify many date-related operations. For a full explanation of all available methods associated with the Date object, visit http://w3schools.com/jsref/jsref_obj_date.asp.

Modifying the Calendar Class with an ID

To generate a Date object for the currently displayed month, you need to add an ID to the h2 element that displays the month above the calendar. To ensure cross-browser compatibility, modify the buildCalendar() method in the Calendar class with the following bold code:

```

public function buildCalendar()
{
    /*
     * Determine the calendar month and create an array of
     * weekday abbreviations to label the calendar columns
     */
    $cal_month = date('F Y', strtotime($this->_useDate));
    $cal_id = date('Y-m', strtotime($this->_useDate));
    $weekdays = array('Sun', 'Mon', 'Tue',
        'Wed', 'Thu', 'Fri', 'Sat');

    /*
     * Add a header to the calendar markup
     */
    $html = "\n\t<h2 id=\"month-$cal_id\">$cal_month</h2>";
    for ( $d=0, $labels=NULL; $d<7; ++$d )
    {
        $labels .= "\n\t\t<li> . $weekdays[$d] . "</li>";
    }
    $html .= "\n\t<ul class=\"weekdays\">"
        . $labels . "\n\t</ul>";

    // For brevity, the remainder of this method has been omitted
}

```

■ **Note** Using the “month-” prefix for the ID means that you stay compliant with W3 standards, which state that element IDs must begin with a letter.

Building Date Objects in JavaScript

To ensure that the new event falls within the current month, create two empty `Date` objects: one for the current month and one for the new event.

To set the value of the current month’s `Date` object, retrieve the ID attribute from the H2 element using the `.attr()` method, split it at the hyphens, and store it in the `cdata` variable.

For the new event, split the value of `entry.event_start` at the spaces and take the first array element (which is the date in the format of YYYY-MM-DD) and store it in a variable called `date`. Next, split the information at the hyphens and store the array in a variable called `edata`.

To set the `Date` objects, use the data from `cdata` and `edata` to set the date in `cal` and `event`, respectively.

Finally, modify `fx.addevent` with the following bold code:

```
fx = {
  "initModal" : function() {...},
  "boxin" : function(data, modal) {...},
  "boxout" : function(event) {...},

  // Adds a new event to the markup after saving
  "addevent" : function(data, formData){
    // Converts the query string to an object
    var entry = fx.deserialize(formData),

    // Makes a date object for current month
    cal = new Date(NaN),

    // Makes a date object for the new event
    event = new Date(NaN),

    // Extracts the calendar month from the H2 ID
    cdata = $("h2").attr("id").split('-'),

    // Extracts the event day, month, and year
    date = entry.event_start.split(' ')[0],

    // Splits the event data into pieces
    edata = date.split('-');

    // Sets the date for the calendar date object
    cal.setFullYear(cdata[1], cdata[2], 1);

    // Sets the date for the event date object
    event.setFullYear(edata[0], edata[1], edata[2]);
  },
},
```

```

    "deserialize" : function(str){...},
    "urldecode" : function(str) {...}
};

```

Fixing Timezone Inconsistencies

You aren't passing a time or timezone to the `Date` object, so that object will default to midnight Greenwich Mean Time (00:00:00 GMT). This can cause your dates to behave unexpectedly for users in different timezones. To address this problem, you'll need to adjust the date by the timezone offset using two built-in `Date` object methods: `.setMinutes()` and `.getTimezoneOffset()`.

The return value of `.getTimezoneOffset()` is the difference in the number of minutes between GMT and the user's timezone. For instance, the return value of `.getTimezoneOffset()` in Mountain Standard Time (-0700) is 420.

Using `.setMinutes()`, you can add the value of the timezone offset to the `Date` object, which will return the date to midnight on the given day, no matter what timezone the user is in.

You can make that adjustment using the following bold code:

```

fx = {
  "initModal" : function() {...},
  "boxin" : function(data, modal) {...},
  "boxout" : function(event) {...},

  // Adds a new event to the markup after saving
  "addevent" : function(data, formData){
    // Converts the query string to an object
    var entry = fx.deserialize(formData),

    // Makes a date object for current month
    cal = new Date(NaN),

    // Makes a date object for the new event
    event = new Date(NaN),

    // Extracts the event day, month, and year
    date = entry.event_start.split(' ')[0],

    // Splits the event data into pieces
    edata = date.split('-'),

    // Extracts the calendar month from the H2 ID
    cdata = $("h2").attr("id").split('-');

    // Sets the date for the calendar date object
    cal.setFullYear(cdata[1], cdata[2], 1);

    // Sets the date for the event date object
    event.setFullYear(edata[0], edata[1], edata[2]);

    // Since the date object is created using

```

```

        // GMT, then adjusted for the local timezone,
        // adjust the offset to ensure a proper date
        event.setMinutes(event.getTimezoneOffset());
    },
    "deserialize" : function(str){...},
    "urldecode" : function(str) {...}
};

```

Ensuring the Event Occurs in the Current Month

Your next step is to set up a conditional statement that ensures that only events that belong on the calendar are appended. If both the year and month match between the current calendar month and the event date, you can extract the day of the month using the `Date` object's `.getDay()` method. To work properly with the next step, which adds leading zeroes to single-digit dates, you also need to convert this value to a string, which is accomplished by passing the value to `String()`.

The day of the month needs to have a leading zero to properly match the calendar. For example, if the returned date is only one digit, you prepend a leading zero to the date.

Do this by inserting the following bold code:

```

fx = {
    "initModal" : function() {...},
    "boxin" : function(data, modal) {...},
    "boxout" : function(event) {...},

    // Adds a new event to the markup after saving
    "addevent" : function(data, formData){
        // Converts the query string to an object
        var entry = fx.deserialize(formData),

        // Makes a date object for current month
        cal = new Date(NaN),

        // Makes a date object for the new event
        event = new Date(NaN),

        // Extracts the event day, month, and year
        date = entry.event_start.split(' ')[0],

        // Splits the event data into pieces
        edata = date.split('-'),

        // Extracts the calendar month from the H2 ID
        cdata = $("h2").attr("id").split('-');

        // Sets the date for the calendar date object
        cal.setFullYear(cdata[1], cdata[2], 1);

        // Sets the date for the event date object
        event.setFullYear(edata[0], edata[1], edata[2]);
    }
};

```

```

    // Since the date object is created using
    // GMT, then adjusted for the local timezone,
    // adjust the offset to ensure a proper date
    event.setMinutes(event.getTimezoneOffset());

    // If the year and month match, start the process
    // of adding the new event to the calendar
    if ( cal.getFullYear()==event.getFullYear()
        && cal.getMonth()==event.getMonth() )
    {
        // Gets the day of the month for event
        var day = String(event.getDate());

        // Adds a leading zero to 1-digit days
        day = day.length==1 ? "0"+day : day;
    }
},
"deserialize" : function(str){...},
"urldecode" : function(str) {...}
};

```

Appending the Event to the Calendar

You're finally ready to append the new event to the calendar. To do so, create a new anchor element, hide it, set its href attribute, and use the title of the event as the link text.

Next, set a one-second delay using `.delay(1000)` and fade in the new event. You can implement this by adding the following code shown in bold:

```

fx = {
    "initModal" : function() {...},
    "boxin" : function(data, modal) {...},
    "boxout" : function(event) {...},

    // Adds a new event to the markup after saving
    "addevent" : function(data, formData){
        // Converts the query string to an object
        var entry = fx.deserialize(formData),

        // Makes a date object for current month
        cal = new Date(NaN),

        // Makes a date object for the new event
        event = new Date(NaN),

        // Extracts the event day, month, and year
        date = entry.event_start.split(' ')[0],

        // Splits the event data into pieces

```

```

        edata = date.split('-'),

// Extracts the calendar month from the H2 ID
        cdata = $("h2").attr("id").split('-');

// Sets the date for the calendar date object
cal.setFullYear(cdata[1], cdata[2], 1);

// Sets the date for the event date object
event.setFullYear(edata[0], edata[1], edata[2]);

// Since the date object is created using
// GMT, then adjusted for the local timezone,
// adjust the offset to ensure a proper date
event.setMinutes(event.getTimezoneOffset());

// If the year and month match, start the process
// of adding the new event to the calendar
if ( cal.getFullYear()==event.getFullYear()
    && cal.getMonth()==event.getMonth() )
{
    // Gets the day of the month for event
    var day = String(event.getDate());

    // Adds a leading zero to 1-digit days
    day = day.length==1 ? "0"+day : day;

    // Adds the new date link
    $("")
        .hide()
        .attr("href", "view.php?event_id="+data)
        .text(entry.event_title)
        .insertAfter($("strong:contains("+day+)"))
        .delay(1000)
        .fadeIn("slow");
}
},

"deserialize" : function(str){...},
"urldecode" : function(str) {...}
}

```

■ **Note** The data variable is undefined as of right now. You'll remedy this in the next section.

Now, back in the click event handler for the Submit button, modify the success callback of the \$.ajax() function to execute fx.addevent() by using the following bold code:

```

// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize();

    // Sends the data to the processing file
    $.ajax({
        type: "POST",
        url: processFile,
        data: formData,
        success: function(data) {
            // Fades out the modal window
            fx.boxout();

            // Adds the event to the calendar
            fx.addevent(data, formData);
        },
        error: function(msg) {
            alert(msg);
        }
    });
});

```

Save this file and reload <http://localhost/>. Bring up the event creation form and create a new event with the following information:

- **Event Title:** Addition Test
- **Event Start:** 2010-01-09 12:00:00
- **Event End:** 2010-01-09 14:00:00
- **Event Description:** This is a test of the dynamic addition of new events to the calendar.

Submitting the form causes the modal window to fade out; a second later, the new event title will fade in on the calendar in the proper place (see Figure 8-2).




Figure 8-2. The calendar after the new event is created

Getting the New Event's ID

Currently, a new event is not viewable without a page refresh after it is created. Because the event ID is absent (nothing is returned from a successful event addition), clicking the generated link results in an empty modal window (see Figure 8-3).




Figure 8-3. Here the event cannot be loaded because no event ID is available

Modifying the Event Creation Method to Return New Event IDs

To make the event immediately viewable, you only need to make one small adjustment in the `Calendar` class. Open the file (`/sys/class/class.calendar.inc.php`) and locate the `processForm()` method.

Inside this method, modify the return command to output the ID of the last inserted row using PDO's `lastInsertId()` method:

```
public function processForm()
{
    /*
     * Exit if the action isn't set properly
     */
    if ( $_POST['action'] != 'event_edit' )
    {
        return "The method processForm was accessed incorrectly";
    }
}
```

```

/*
 * Escape data from the form
 */
$title = htmlentities($_POST['event_title'], ENT_QUOTES);
$desc = htmlentities($_POST['event_description'], ENT_QUOTES);
$start = htmlentities($_POST['event_start'], ENT_QUOTES);
$end = htmlentities($_POST['event_end'], ENT_QUOTES);

/*
 * If no event ID passed, create a new event
 */
if ( empty($_POST['event_id']) )
{
    $sql = "INSERT INTO `events`
            (`event_title`, `event_desc`, `event_start`,
             `event_end`)
            VALUES
            (:title, :description, :start, :end)";
}

/*
 * Update the event if it's being edited
 */
else
{
    /*
     * Cast the event ID as an integer for security
     */
    $id = (int) $_POST['event_id'];
    $sql = "UPDATE `events`
            SET
                `event_title`=:title,
                `event_desc`=:description,
                `event_start`=:start,
                `event_end`=:end
            WHERE `event_id`=$id";
}

/*
 * Execute the create or edit query after binding the data
 */
try
{
    $stmt = $this->db->prepare($sql);
    $stmt->bindParam(":title", $title, PDO::PARAM_STR);
    $stmt->bindParam(":description", $desc, PDO::PARAM_STR);
    $stmt->bindParam(":start", $start, PDO::PARAM_STR);
    $stmt->bindParam(":end", $end, PDO::PARAM_STR);
    $stmt->execute();
    $stmt->closeCursor();

    /*

```

```
        * Returns the ID of the event
        */
        return $this->db->lastInsertId();
    }
    catch ( Exception $e )
    {
        return $e->getMessage();
    }
}
```

After making the preceding change, save this file and reload <http://localhost/> in your browser. Next, create a new event with the following information:

- **Event Title:** ID Test
- **Event Start:** 2010-01-06 12:00:00
- **Event End:** 2010-01-06 16:00:00
- **Event Description:** This event should be immediately viewable after creation.

Now save the event, and the title will appear on the calendar. Click the title, and the event will load in a modal window (see Figure 8-4).




Figure 8-4. An event loaded immediately after creation

Editing Events in a Modal Window

In its current state, your app is only a short ways away from allowing users to edit events from the modal window, as well. The existing click event handler for loading the event creation form will also work for event editing with only a little modification.

To start, expand the selector to include any element with a class `admin`; you can accomplish this by including the following bold code:

```
// Displays the edit form as a modal window
$(".admin-options form,.admin").live("click", function(event){

    // Prevents the form from submitting
    event.preventDefault();

    // Loads the action for the processing file
```

```

var action = "edit_event";

// Loads the editing form and displays it
$.ajax({
    type: "POST",
    url: processFile,
    data: "action="+action,
    success: function(data){
        // Hides the form
        var form = $(data).hide(),

        // Make sure the modal window exists
        modal = fx.initModal();

        // Call the boxin function to create
        // the modal overlay and fade it in
        fx.boxin(null, modal);

        // Load the form into the window,
        // fades in the content, and adds
        // a class to the form
        form
            .appendTo(modal)
            .addClass("edit-form")
            .fadeIn("slow");
    },
    error: function(msg){
        alert(msg);
    }
});
});

```

Determining the Form Action

In the editing controls displayed for individual events, the button names describe the action taken by the button (e.g., `edit_event` for the Edit This Event button and `delete_event` for the Delete This Event button). These buttons will be used by `ajax.inc.php` as the action for the submission.

Because the event creation button doesn't have a button name, you need to keep a default value (`edit_event`).

To access the name of the clicked button, you'll use a property of the event object called `target`. This property contains a reference to the element that triggered the event. Use jQuery to select the event target and use `.attr()` to retrieve its name.

Now modify the event handler using the following bold code:

```

// Displays the edit form as a modal window
$(".admin-options form,.admin").live("click", function(event){

    // Prevents the form from submitting
    event.preventDefault();

```

```

// Sets the action for the form submission
var action = $(event.target).attr("name") || "edit_event";

// Loads the editing form and displays it
$.ajax({
    type: "POST",
    url: processFile,
    data: "action="+action,
    success: function(data){
        // Hides the form
        var form = $(data).hide(),

        // Make sure the modal window exists
        modal = fx.initModal();

        // Call the boxin function to create
        // the modal overlay and fade it in
        fx.boxin(null, modal);

        // Load the form into the window,
        // fades in the content, and adds
        // a class to the form
        form
            .appendTo(modal)
            .addClass("edit-form")
            .fadeIn("slow");
    },
    error: function(msg){
        alert(msg);
    }
});
});

```

Storing the Event ID if One Exists

Next, the event ID needs to be extracted, assuming it's available. To find this value, use the `event.target` property again, but this time look for the sibling element with the name, `event_id`, and then store the value of this in a variable called `id`.

You add this to the event handler using the following bold code:

```

// Displays the edit form as a modal window
$(".admin-options form,.admin").live("click", function(event){

    // Prevents the form from submitting
    event.preventDefault();

    // Sets the action for the form submission
    var action = $(event.target).attr("name") || "edit_event",

    // Saves the value of the event_id input

```

```

    id = $(event.target)
        .siblings("input[name=event_id]")
        .val();

// Loads the editing form and displays it
$.ajax({
    type: "POST",
    url: processFile,
    data: "action="+action,
    success: function(data){
        // Hides the form
        var form = $(data).hide(),

        // Make sure the modal window exists
        modal = fx.initModal();

        // Call the boxin function to create
        // the modal overlay and fade it in
        fx.boxin(null, modal);

        // Load the form into the window,
        // fades in the content, and adds
        // a class to the form
        form
            .appendTo(modal)
            .addClass("edit-form")
            .fadeIn("slow");
    },
    error: function(msg){
        alert(msg);
    }
});
});

```

Adding the Event ID to the Query String

With the ID stored in the `id` variable, you can now append the value to the query string for submission to `ajax.inc.php`.

Check whether `id` is undefined first, and then create an `event_id` name-value pair. Next, attach the data to the query string using the following bold code:

```

// Displays the edit form as a modal window
$("#admin-options form,.admin").live("click", function(event){

    // Prevents the form from submitting
    event.preventDefault();

    // Sets the action for the form submission
    var action = $(event.target).attr("name") || "edit_event",

```

```

// Saves the value of the event_id input
id = $(event.target)
    .siblings("input[name=event_id]")
    .val();

// Creates an additional param for the ID if set
id = ( id!=undefined ) ? "&event_id="+id : "";

// Loads the editing form and displays it
$.ajax({
    type: "POST",
    url: processFile,
    data: "action="+action+id,
    success: function(data){
        // Hides the form
        var form = $(data).hide(),

        // Make sure the modal window exists
        modal = fx.initModal();

        // Call the boxin function to create
        // the modal overlay and fade it in
        fx.boxin(null, modal);

        // Load the form into the window,
        // fades in the content, and adds
        // a class to the form
        form
            .appendTo(modal)
            .addClass("edit-form")
            .fadeIn("slow");
    },
    error: function(msg){
        alert(msg);
    }
});
});

```

Remove Event Data from the Modal Window

To replace the content of the modal window with the editing form, you must first remove the event display information.

Where you've called `fx.initModal()` in the success handler, select all children that are not the Close button and remove them. After removing them, call `.end()` to revert back to the original selection of the modal window. (After calling children, the jQuery object only references the child elements you just removed.)

You can accomplish this by adding the following bold code:

```

// Displays the edit form as a modal window
$(".admin-options form,.admin").live("click", function(event){

```

```

// Prevents the form from submitting
event.preventDefault();

// Sets the action for the form submission
var action = $(event.target).attr("name") || "edit_event",

// Saves the value of the event_id input
id = $(event.target)
    .siblings("input[name=event_id]")
    .val();

// Creates an additional param for the ID if set
id = ( id!=undefined ) ? "&event_id="+id : "";

// Loads the editing form and displays it
$.ajax({
    type: "POST",
    url: processFile,
    data: "action="+action+id,
    success: function(data){
        // Hides the form
        var form = $(data).hide(),

        // Make sure the modal window exists
        modal = fx.initModal()
            .children(":not(.modal-close-btn)")
            .remove()
            .end();

        // Call the boxin function to create
        // the modal overlay and fade it in
        fx.boxin(null, modal);

        // Load the form into the window,
        // fades in the content, and adds
        // a class to the form
        form
            .appendTo(modal)
            .addClass("edit-form")
            .fadeIn("slow");
    },
    error: function(msg){
        alert(msg);
    }
});
});

```

After saving this file and reloading <http://localhost/> in your browser, click the **New Year's Day** event title to bring up the event description. Inside the modal window, click the **Edit This Event** button;

this causes the event description to disappear, and the editing form will fade in with the data for the entry loaded into the form for editing (see Figure 8-5).




Figure 8-5. Editing an event in a modal window

Ensuring Only New Events Are Added to the Calendar

If you make an edit to the New Year's Day event and save it, an extra event title will be appended to the calendar (see Figure 8-6).




Figure 8-6. After you edit an event, its title is duplicated

To avoid this, you need to add an additional tweak to the form submission click handler. Because events being edited will have their ID loaded in the editing form's hidden input named `event_id`, you can check for a length in the input's value. If the length is not zero, don't call `fx.addevent()`.

Insert the following bold code to make this check:

```
// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize();

    // Sends the data to the processing file
    $.ajax({
        type: "POST",
```

```

        url: processFile,
        data: formData,
        success: function(data) {
            // Fades out the modal window
            fx.boxout();

            // If this is a new event, adds it to
            // the calendar
            if ( $("#[name=event_id]").val().length==0 )
            {
                fx.addevent(data, formData);
            }
        },
        error: function(msg) {
            alert(msg);
        }
    });
});

```

With this change in place, your users can now edit events without seeing potentially confusing duplicate titles.

Confirming Deletion in a Modal Window

To round out your application, you're also going to allow users to delete entries without a page refresh. A good portion of the script you need to do this is already in place, so adding this functionality will mostly require tweaks to your existing code.

Displaying the Confirmation Dialog

To display the confirmation dialog for event deletion when the Delete This Event button is clicked, you need to add an additional element to the lookup array in `ajax.inc.php`:

```

<?php
/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */

```

```

foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a lookup array for form actions
 */
$actions = array(
    'event_view' => array(
        'object' => 'Calendar',
        'method' => 'displayEvent'
    ),
    'edit_event' => array(
        'object' => 'Calendar',
        'method' => 'displayForm'
    ),
    'event_edit' => array(
        'object' => 'Calendar',
        'method' => 'processForm'
    ),
    'delete_event' => array(
        'object' => 'Calendar',
        'method' => 'confirmDelete'
    )
);

/*
 * Make sure the anti-CSRF token was passed and that the
 * requested action exists in the lookup array
 */
if ( isset($actions[$_POST['action']]) )
{
    $use_array = $actions[$_POST['action']];
    $obj = new $use_array['object']($dbo);

    /*
     * Check for an ID and sanitize it if found
     */
    if ( isset($_POST['event_id']) )
    {
        $id = (int) $_POST['event_id'];
    }
    else { $id = NULL; }

    echo $obj->$use_array['method']($id);
}

function __autoload($class_name)
{
    $filename = '../.../sys/class/class.'

```

```

        . strtolower($class_name) . '.inc.php';
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}
?>

```

Clicking the Delete This Event button from a modal window at this point now causes the confirmation dialog to appear (see Figure 8-7).




Figure 8-7. The confirmation dialog to delete an event displayed in a modal window

Configuring the Form Submission Event Handler for Deletion

Confirming event deletion requires a little more modification to `init.js`. To execute properly, the value of the Submit button needs to be stored and passed to the processing file. This is because the form can be submitted with either Yes, Delete It or Nope! Just Kidding! as values; the script checks which button was clicked to determine what action to take.

To store the button's value, use the `this` keyword as the jQuery selector, and then store the returned string from `.val()` as a variable called `submitVal`. Next, check whether the button's name attribute is `confirm_delete`. If so, append the action `confirm_delete` and the value of the button to the query string before submitting it.

Insert the following code shown in bold to accomplish this:

```
// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize(),

    // Stores the value of the submit button
    submitVal = $(this).val();

    // If this is the deletion form, appends an action
    if ( $(this).attr("name")== "confirm_delete" )
    {
        // Adds necessary info to the query string
        formData += "&action=confirm_delete"
        + "&confirm_delete="+submitVal;
    }

    // Sends the data to the processing file
    $.ajax({
        type: "POST",
        url: processFile,
        data: formData,
        success: function(data) {
            // Fades out the modal window
            fx.boxout();

            // If this is a new event, adds it to
            // the calendar
            if ( $('[name=event_id]').val().length==0 )
            {
                fx.addevent(data, formData);
            }
        },
        error: function(msg) {
            alert(msg);
        }
    });
});
```

```

    });
});

```

Modifying the Processing File to Confirm Deletion

Finally, you need to add an additional element to the lookup array in `ajax.inc.php` to make the Delete button work:

```

<?php
/*
 * Enable sessions
 */
session_start();

/*
 * Include necessary files
 */
include_once '../.../sys/config/db-cred.inc.php';

/*
 * Define constants for config info
 */
foreach ( $C as $name => $val )
{
    define($name, $val);
}

/*
 * Create a lookup array for form actions
 */
$actions = array(
    'event_view' => array(
        'object' => 'Calendar',
        'method' => 'displayEvent'
    ),
    'edit_event' => array(
        'object' => 'Calendar',
        'method' => 'displayForm'
    ),
    'event_edit' => array(
        'object' => 'Calendar',
        'method' => 'processForm'
    ),
    'delete_event' => array(
        'object' => 'Calendar',
        'method' => 'confirmDelete'
    ),
    'confirm_delete' => array(

```

```

        'object' => 'Calendar',
        'method' => 'confirmDelete'
    );
);

/*
 * Make sure the anti-CSRF token was passed and that the
 * requested action exists in the lookup array
 */
if ( isset($actions[$_POST['action']]) )
{
    $use_array = $actions[$_POST['action']];
    $obj = new $use_array['object']($dbo);

    /*
     * Check for an ID and sanitize it if found
     */
    if ( isset($_POST['event_id']) )
    {
        $id = (int) $_POST['event_id'];
    }
    else { $id = NULL; }

    echo $obj->$use_array['method']($id);
}

function __autoload($class_name)
{
    $filename = '../.../sys/class/class.'
        . strtolower($class_name) . '.inc.php';
    if ( file_exists($filename) )
    {
        include_once $filename;
    }
}

?>

```

You can test the preceding code by deleting the ID Test event from the calendar. After the modal window fades out, the event title is still present and clickable; however, if you try to view the event's details, its information is unavailable, and it doesn't make sense (see Figure 8-8).




Figure 8-8. Because the event no longer exists, the event view makes no sense

Remove the Event from the Calendar After Deletion

You want to avoid the confusion caused by having non-existent events on the calendar after a user deletes them, so you need to add functionality to remove events from the calendar once this occurs.

To do this, you'll add a new function to the `fx` object literal called `removeevent`. This function will use the active class applied to events when they're brought up in the modal window to fade them out and remove them from the DOM. You can add this function to `fx` using the following bold code:

```
fx = {
  "initModal" : function() {...},
  "boxin" : function(data, modal) {...},
  "boxout" : function(event) {...},
  "addevent" : function(data, formData){...},
  // Removes an event from the markup after deletion
}
```

```

"removeevent" : function()
{
    // Removes any event with the class "active"
    $(".active")
        .fadeOut("slow", function(){
            $(this).remove();
        });
},

"deserialize" : function(str){...},
"urldecode" : function(str) {...}
};

```

Modifying the Form Submission Handler to Remove Deleted Events

To remove events after they are deleted, add a new variable called `remove` to the form submission event handler. This will store a boolean value that tells the script whether to remove an event. By default, this value will be set to `false`, which means the event should not be removed.

The only condition under which an event should be removed is if the Yes, Delete It button is clicked from the confirmation dialog. Add a check for this text in the Submit button and set `remove` to `true` if a match is made.

Inside the success handler, set up a conditional that checks whether `remove` is true and fires `fx.removeevent()` if it is.

Finally, to prevent empty elements from being added to the calendar, modify the conditional that fires `fx.addevent()` to ensure that `remove` is `false` before executing.

You can make these changes by adding the code shown in bold:

```

// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize(),

    // Stores the value of the submit button
    submitVal = $(this).val(),

    // Determines if the event should be removed
    remove = false;

    // If this is the deletion form, appends an action
    if ( $(this).attr("name")=="confirm_delete" )
    {
        // Adds necessary info to the query string
        formData += "&action=confirm_delete"
            + "&confirm_delete="+submitVal;

        // If the event is really being deleted, sets

```

```

        // a flag to remove it from the markup
        if ( submitVal=="Yes, Delete It" )
        {
            remove = true;
        }
    }

    // Sends the data to the processing file
    $.ajax({
        type: "POST",
        url: processFile,
        data: formData,
        success: function(data) {
            // If this is a deleted event, removes
            // it from the markup
            if ( remove===true )
            {
                fx.removeevent();
            }

            // Fades out the modal window
            fx.boxout();

            // If this is a new event, adds it to
            // the calendar
            if ( ($("#name=event_id").val().length==0
                && remove===false )
            {
                fx.addevent(data, formData);
            }
        },
        error: function(msg) {
            alert(msg);
        }
    });
});

```

Save these changes, then reload <http://localhost/> and pull up the Test Event description. Delete the event; after you click the Yes, Delete It button, the modal box and event title will fade out, effectively eliminating the event from the calendar and eliminating any potential confusion for your users (see Figure 8-9).




Figure 8-9. After deleting "Test Event", the event title is removed from the calendar

Summary

In this chapter, you implemented controls that allow your users to quickly create, edit, and delete events without being required to refresh the page. This makes the application feel much more streamlined and user-friendly.

In the next chapter, you'll learn how to use regular expressions to ensure that the data entered in the editing forms is valid, ensuring that your app won't allow data that could potentially break it to be entered into the database.

PART 4



Advancing jQuery and PHP

At this point, you've got a functional calendar application. However, there are some things that you could add to improve the user experience, such as form validation. This part of the book will also cover advanced techniques such as validating user input with regular expressions and building custom jQuery plugins.



Performing Form Validation with Regular Expressions

It's your responsibility as a developer to ensure that your users' data is useful to your app, so you need to ensure that critical information is validated before storing it in your database.

In the case of the calendar application, the date format is critical: if the format isn't correct, the app will fail in several places. To verify that only valid dates are allowed into the database, you'll use **regular expressions** (regexes), which are powerful pattern-matching tools that allow developers much more control over data than a strict string comparison search.

Before you can get started with adding validation to your application, you need to get comfortable using regular expressions. In the first section of this chapter, you'll learn how to use the basic syntax of regexes. Then you'll put regexes to work doing server-side and client-side validation.

Getting Comfortable with Regular Expressions

Regular expressions are often perceived as intimidating, difficult tools. In fact, regexes have such a bad reputation among programmers that discussions about them are often peppered with this quote:

Some people, when confronted with a problem, think, "I know, I'll use regular expressions." Now they have two problems.

—Jamie Zawinski

This sentiment is not entirely unfounded because regular expressions come with a complex syntax and little margin for error. However, after overcoming the initial learning curve, regexes are an incredibly powerful tool with myriad applications in day-to-day programming.

Understanding Basic Regular Expression Syntax

In this book, you'll learn Perl-Compatible Regular Expression (PCRE) syntax. This syntax is compatible with PHP and JavaScript, as well as most other programming languages.

■ **Note** You can read more about PCRE at http://en.wikipedia.org/wiki/Perl-Compatible_Regular_Expressions.

Setting up a Test File

To learn how to use regexes, you'll need a file to use for testing. In the `public` folder, create a new file called `regex.php` and place the following code inside it:

```
<!DOCTYPE html
  PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<head>
  <meta http-equiv="Content-Type"
        content="text/html; charset=utf-8" />
  <title>Regular Expression Demo</title>
  <style type="text/css">
    em {
      background-color: #FF0;
      border-top: 1px solid #000;
      border-bottom: 1px solid #000;
    }
  </style>
</head>

<body>
<?php

/*
 * Store the sample set of text to use for the examples of regex
 */
$string = <<<TEST_DATA

<h2>Regular Expression Testing</h2>
<p>
  In this document, there is a lot of text that can be matched
  using regex. The benefit of using a regular expression is much
  more flexible &mdash; albeit complex &mdash; syntax for text
  pattern matching.
</p>
<p>
  After you get the hang of regular expressions, also called
  regexes, they will become a powerful tool for pattern matching.
</p>
<hr />
TEST_DATA;
```

```

/*
 * Start by simply outputting the data
 */
echo $string;

?>

</body>

</html>

```

Save this file, then load `http://localhost/regex.php` in your browser to view the sample script (see Figure 9-1).




Figure 9-1. The sample file for testing regular expressions

Replacing Text with Regexes

To test regular expressions, you'll wrap matched patterns with `` tags, which are styled in the test document to have top and bottom borders, as well as a yellow background.

Accomplishing this with regexes is similar using `str_replace()` in PHP with the `preg_replace()` function. A pattern to match is passed, followed by a string (or pattern) to replace the matched pattern with. Finally, the string within which the search is to be performed is passed:

```
preg_replace($pattern, $replacement, $string);
```

■ **Note** The `p` in `preg_replace()` signifies the use of PCRE. PHP also has `ereg_replace()`, which uses the slightly different POSIX regular expression syntax; however, the `ereg` family of functions has been deprecated as of PHP 5.3.0.

The only difference between `str_replace()` and `preg_replace()` on a basic level is that the element passed to `preg_replace()` for the pattern must use *delimiters*, which let the function know which part of the regex is the pattern and which part consists of *modifiers*, or flags that affect how the pattern matches. You'll learn more about modifiers a little later in this section.

The delimiters for regex patterns in `preg_replace()` can be any non-alphanumeric, non-backslash, and non-whitespace characters placed at the beginning and end of the pattern. Most commonly, forward slashes (/) or hash signs (#) are used. For instance, if you want to search for the letters *cat* in a string, the pattern would be `/cat/` (or `#cat#`, `%cat%`, `@cat@`, and so on).

Choosing Regexes vs. Regular String Replacement

To explore the differences between `str_replace()` and `preg_replace()`, try using both functions to wrap any occurrence of the word *regular* with `` tags. Make the following modifications to `regex.php`:

```
<!DOCTYPE html
  PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<head>
  <meta http-equiv="Content-Type"
        content="text/html; charset=utf-8" />
  <title>Regular Expression Demo</title>
  <style type="text/css">
    em {
      background-color: #FF0;
      border-top: 1px solid #000;
      border-bottom: 1px solid #000;
    }
  </style>
</head>

<body>
<?php

/*
 * Store the sample set of text to use for the examples of regex
 */
$string = <<<TEST_DATA

<h2>Regular Expression Testing</h2>
<p>
  In this document, there is a lot of text that can be matched
  using regex. The benefit of using a regular expression is much
  more flexible &mdash; albeit complex &mdash; syntax for text
  pattern matching.
</p>
<p>
  After you get the hang of regular expressions, also called
```

```

    regexes, they will become a powerful tool for pattern matching.
</p>
<hr />
TEST_DATA;

/*
 * Use str_replace() to highlight any occurrence of the word
 * "regular"
 */
echo str_replace("regular", "<em>regular</em>", $string);

/*
 * Use preg_replace() to highlight any occurrence of the word
 * "regular"
 */
echo preg_replace("/regular/", "<em>regular</em>", $string);


?>

</body>

</html>

```

Executing this script in your browser outputs the test information twice, with identical results (see Figure 9-2).



Regular Expression Testing

In this document, there is a lot of text that can be matched using regex. The benefit of using a **regular** expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of **regular** expressions, also called regexes, they will become a powerful tool for pattern matching.

Regular Expression Testing

In this document, there is a lot of text that can be matched using regex. The benefit of using a **regular** expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of **regular** expressions, also called regexes, they will become a powerful tool for pattern matching.

Figure 9-2. The word regular highlighted with both regexes and regular string replacement

Drilling Down on the Basics of Pattern Modifiers

You may have noticed that the word *regular* in the title is not highlighted. This is because the previous example is case sensitive.

To solve this problem with simple string replacement, you can opt to use the `str_ireplace()` function, which is nearly identical to `str_replace()`, except that it is case insensitive.

With regular expressions, you will still use `preg_replace()`, but you'll need a modifier to signify case insensitivity. A modifier is a letter that follows the pattern delimiter, providing additional information to the regex about how it should handle patterns. For case insensitivity, the modifier `i` should be applied.

Modify `regex.php` to use case-insensitive replacement functions by making the modifications shown in bold:

```
<!DOCTYPE html
  PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<head>
  <meta http-equiv="Content-Type"
        content="text/html; charset=utf-8" />
  <title>Regular Expression Demo</title>
  <style type="text/css">
    em {
      background-color: #FF0;
      border-top: 1px solid #000;
      border-bottom: 1px solid #000;
    }
  </style>
</head>

<body>
<?php

/*
 * Store the sample set of text to use for the examples of regex
 */
$string = <<<TEST_DATA

<h2>Regular Expression Testing</h2>
<p>
  In this document, there is a lot of text that can be matched
  using regex. The benefit of using a regular expression is much
  more flexible &mdash; albeit complex &mdash; syntax for text
  pattern matching.
</p>
<p>
  After you get the hang of regular expressions, also called
  regexes, they will become a powerful tool for pattern matching.
</p>
<hr />
```

```

TEST_DATA;

/*
 * Use str_replace() to highlight any occurrence of the word
 * "regular"
 */
echo str_replace("regular", "<em>regular</em>", $string);

/*
 * Use preg_replace() to highlight any occurrence of the word
 * "regular"
 */
echo preg_replace("/regular/i", "<em>regular</em>", $string);


?>

</body>

</html>

```

Now loading the file in your browser will highlight all occurrences of the word *regular*, regardless of case (see Figure 9-3).



regular Expression Testing

In this document, there is a lot of text that can be matched using regex. The benefit of using a **regular** expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of **regular** expressions, also called regexes, they will become a powerful tool for pattern matching.

regular Expression Testing

In this document, there is a lot of text that can be matched using regex. The benefit of using a **regular** expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of **regular** expressions, also called regexes, they will become a powerful tool for pattern matching.

Figure 9-3. A case-insensitive search of the sample data

As you can see, this approach has a drawback: the capitalized *regular* in the title is changed to lowercase when it is replaced. In the next section, you'll learn how to avoid this issue by using groups in regexes.

Getting Fancy with Backreferences

The power of regexes starts to appear when you apply one of their most useful features: grouping and backreferences. A group is any part of a pattern that is enclosed in parentheses. A group can be used in the replacement string (or later in the pattern) with a *backreference*, a numbered reference to a named group.

This all sounds confusing, but in practice it's quite simple. Each set of parentheses from left to right in a regex is stored with a numeric backreference, which can be accessed using a backslash and the number of the backreference (`\1`) or by using a dollar sign and the number of the backreference (`$1`).

The benefit of this is that it gives regexes the ability to *use the matched value in the replacement*, instead of a predetermined value as in `str_replace()` and its ilk.

To keep the replacement contents in your previous example in the proper case, you need to use two occurrences of `str_replace()`; however, you can achieve the same effect by using a backreference in `preg_replace()` with just one function call.

Make the following modifications to `regex.php` to see the power of backreferences in regexes:

```
<!DOCTYPE html
  PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<head>
  <meta http-equiv="Content-Type"
        content="text/html; charset=utf-8" />
  <title>Regular Expression Demo</title>
  <style type="text/css">
    em {
      background-color: #FF0;
      border-top: 1px solid #000;
      border-bottom: 1px solid #000;
    }
  </style>
</head>

<body>
<?php

/*
 * Store the sample set of text to use for the examples of regex
 */
$string = <<<TEST_DATA

<h2>Regular Expression Testing</h2>
<p>
  In this document, there is a lot of text that can be matched
  using regex. The benefit of using a regular expression is much
  more flexible &mdash; albeit complex &mdash; syntax for text
  pattern matching.
</p>
<p>
```

After you get the hang of regular expressions, also called regexes, they will become a powerful tool for pattern matching.

```

</p>
<hr />
TEST_DATA;

/*
 * Use str_replace() to highlight any occurrence of the word
 * "regular"
 */
$check1 = str_replace("regular", "<em>regular</em>", $string);

/*
 * Use str_replace() again to highlight any capitalized occurrence
 * of the word "Regular"
 */
echo str_replace("Regular", "<em>Regular</em>", $check1);


/*
 * Use preg_replace() to highlight any occurrence of the word
 * "regular", case-insensitive
 */
echo preg_replace("/(regular)/i", "<em>$1</em>", $string);

?>

</body>
</html>

```

As the preceding code illustrates, it's already becoming cumbersome to use `str_replace()` for any kind of complex string matching. After saving the preceding changes and reloading your browser, however, you can achieve the desired outcome using both regexes and standard string replacement (see Figure 9-4).



Regular Expression Testing

In this document, there is a lot of text that can be matched using regex. The benefit of using a **regular** expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of **regular** expressions, also called regexes, they will become a powerful tool for pattern matching.

Regular Expression Testing

In this document, there is a lot of text that can be matched using regex. The benefit of using a **regular** expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of **regular** expressions, also called regexes, they will become a powerful tool for pattern matching.

Figure 9-4. A more complex replacement

■ **Note** The remaining examples in this section will use only regexes.

Matching Character Classes

In some cases, it's desirable to match more than just a word. For instance, sometimes you want to verify that only a certain range of characters was used (i.e., to make sure only numbers were supplied for a phone number or that no special characters were used in a username field).

Regexes allow you to specify a character class, which is a set of characters enclosed in square brackets. For instance, to match any character between the letter *a* and the letter *c*, you would use `[a-c]` in your pattern.

You can modify `regex.php` to highlight any character from A-C. Additionally, you can move the pattern into a variable and output it at the bottom of the sample data; this helps you see what pattern is being used when the script is loaded. Add the code shown in bold to accomplish this:

```
<!DOCTYPE html
  PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<head>
  <meta http-equiv="Content-Type"
        content="text/html; charset=utf-8" />
  <title>Regular Expression Demo</title>
```

```

<style type="text/css">
  em {
    background-color: #FF0;
    border-top: 1px solid #000;
    border-bottom: 1px solid #000;
  }
</style>
</head>

<body>
<?php

/*
 * Store the sample set of text to use for the examples of regex
 */
$string = <<<TEST_DATA

<h2>Regular Expression Testing</h2>
<p>
  In this document, there is a lot of text that can be matched
  using regex. The benefit of using a regular expression is much
  more flexible &mdash; albeit complex &mdash; syntax for text
  pattern matching.
</p>
<p>
  After you get the hang of regular expressions, also called
  regexes, they will become a powerful tool for pattern matching.
</p>
<hr />
TEST_DATA;

/*
 * Use regex to highlight any occurrence of the letters a-c
 */
$pattern = "/([a-c])/i";
echo preg_replace($pattern, "<em>$1</em>", $string);

/*
 * Output the pattern you just used
 */
echo "\n<p>Pattern used: <strong>$pattern</strong></p>";

?>


</body>

</html>

```

After reloading the page, you'll see the characters highlighted (see Figure 9-5). You can achieve identical results using `[abc]`, `[bac]`, or any other combination of the characters because the class will match any one character from the class. Also, because you're using the case-insensitive modifier (`i`), you

don't need to include both uppercase and lowercase versions of the letters. Without the modifier, you would need to use `[A-Ca-c]` to match either case of the three letters.



Regular Expression Testing

In this document, there is a lot of text that can be matched using regex. The benefit of using a regular expression is much more flexible — albeit complex — syntax for text pattern matching.


After you get the hang of regular expressions, also called regexes, they will become a powerful tool for pattern matching.

Pattern used: `/[a-c]/i`

Figure 9-5. Any character from A-C is highlighted

Matching Any Character Except...

To match any character except those in a class, prefix the character class with a caret (^). To highlight any characters *except* A-C, you would use the pattern `/[^a-c]/i` (see Figure 9-6).



`<h2>Regular Expression Testing</h2> <p> In this document, there is a lot of text that can be matched using regex. The benefit of using a regular expression is much more flexible — albeit complex — syntax for text pattern matching. </p> <p> After you get the hang of regular expressions, also called regexes, they will become a powerful tool for pattern matching. </p> <hr />`

Pattern used: `/[^a-c]/i`

Figure 9-6. Highlighting all characters, except letters A-C

■ **Note** It's important to mention that the preceding patterns enclose the character class *within parentheses*. Character classes do not store backreferences, so parentheses still must be used to reference the matched text later.

Using Character Class Shorthand

Certain character classes have a shorthand character. For example, there is a shorthand class for every word, digit, or space character:

- *Word character class shorthand* (\w): Matches patterns like [A-Za-z0-9_]
- *Digit character class shorthand* (\d): Matches patterns like [0-9]
- *Whitespace character class shorthand* (\s): Matches patterns like [\t\r\n]

Using these three shorthand classes can improve the readability of your regexes, which is extremely convenient when you're dealing with more complex patterns.

You can exclude a particular type of character by capitalizing the shorthand character:

- *Non-word character class shorthand* (\W): Matches patterns like [^A-Za-z0-9_]
- *Non-digit character class shorthand* (\D): Matches patterns like [^0-9]
- *Non-whitespace character class shorthand* (\S): Matches patterns like [^\t\r\n]

■ **Note** \t, \r, and \n are special characters that represent tabs and newlines; a space is represented by a regular space character ().

Finding Word Boundaries

Another special symbol to be aware of is the word boundary symbol (\b). By placing this before and/or after a pattern, you can ensure that the pattern isn't contained *within* another word. For instance, if you want to match the word *stat*, but not *thermostat*, *statistic*, or *ecstatic*, you would use this pattern: `/\bstat\b/`.

Using Repetition Operators

When you use character classes, only one character out of the set is matched, unless the pattern specifies a different number of characters. Regular expressions give you several ways to specify a number of characters to match:

- The star operator (*) matches zero or more occurrences of a character.
- The plus operator (+) matches one or more occurrences of a character.
- The special repetition operator ({min,max}) allows you to specify a range of character matches.

Matching zero or more characters is useful when using a string that may or may not have a certain piece of a pattern in it. For example, if you want to match all occurrences of either *John* or *John Doe*, you can use this pattern to match both instances: `/John(Doe)*/`.

Matching one or more characters is good for verifying that at least one character was entered. For instance, if you want to verify that a user enters at least one character into a form input and that the character is a valid word character, you can use this pattern to validate the input: `/\w+/.`

Finally, matching a specific range of characters is especially useful when matching numeric ranges. For instance, you can use this pattern to ensure a value is between 0 and 99: `/\b\d{1,2}\b/.`

In your example file, you use this regex pattern to find any words consisting of exactly four letters: `/(\b\w{4}\b)/` (see Figure 9-7).




Figure 9-7. Matching only words that consist of exactly four letters

Detecting the Beginning or End of a String

Additionally, you can force the pattern to match from the beginning or end of the string (or both). If the pattern starts with a caret (^), the regex will only match if the pattern starts with a matching character. If it ends with a dollar sign (\$), the regex will match only if the string ends with the preceding matching character.

You can combine these different symbols to make sure an entire string matches a pattern. This is useful when validating input because you can verify that the user only submitted valid information. For instance, you can use this regex pattern to verify that a username contains only the letters A-Z, the numbers 0-9, and the underscore character: `/^\w+$/`.

Using Alternation

In some cases, it's desirable to use either one pattern or another. This is called **alternation**, and it's accomplished using a pipe character (|). This approach allows you to define two or more possibilities for a match. For instance, you can use this pattern to match either three-, six-, or seven-letter words in `regex.php: /\b(\w{3}|\w{6,7})\b/` (see Figure 9-8).




Figure 9-8. Using alternation to match only three-, six-, and seven-letter words

Using Optional Items

In some cases, it becomes necessary to allow certain items to be optional. For instance, to match both single and plural forms of a word like *expression*, you need to make the *s* optional.

To do this, place a question mark (?) after the optional item. If the optional part of the pattern is longer than one character, it needs to be captured in a group (you'll use this technique in the next section).

For now, use this pattern to highlight all occurrences of the word *expression* or *expressions*: `/(expressions?)/i` (see Figure 9-9).





Figure 9-9. Matching a pattern with an optional *s* at the end

Putting It All Together

Now that you've got a general understanding of regular expressions, it's time to use your new knowledge to write a regex pattern that will match any occurrence of the phrases *regular expression* or *regex*, including the plural forms.

To start, look for the phrase *regex*: `/(regex)/i` (see Figure 9-10).



Regular Expression Testing

In this document, there is a lot of text that can be matched using `regex`. The benefit of using a regular expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of regular expressions, also called `regexes`, they will become a powerful tool for pattern matching.

Pattern used: `/(regex)/i`

Figure 9-10. Matching the word *regex*

Next, add the ability for the phrase to be plural by inserting an optional *es* at the end: `/(regex(es)?)/i` (see Figure 9-11).



Regular Expression Testing

In this document, there is a lot of text that can be matched using `regex`. The benefit of using a regular expression is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of regular expressions, also called `regexes`, they will become a powerful tool for pattern matching.

Pattern used: `/(regex(es)?)/i`

Figure 9-11. Adding the optional match for the plural form of *regex*

Next, you will add to the pattern so that it also matches the word *regular* with a space after it; you will also make the match optional: `/(regular\s)?ex(es)?/i` (see Figure 9-12).



Regular Expression Testing


In this document, there is a lot of text that can be matched using `regex`. The benefit of using a `regular expression` is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of `regular expressions`, also called `regexes`, they will become a powerful tool for pattern matching.

Pattern used: `/(reg(ular\s)?ex(es)?)/i`

Figure 9-12. Adding an optional check for the word `regular`

Now expand the pattern to match the word `expression` as an alternative to `es`:
`/(reg(ular\s)?ex(expression|es)?)/i` (see Figure 9-13).



Regular Expression Testing

In this document, there is a lot of text that can be matched using `regex`. The benefit of using a `regular expression` is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of `regular expressions`, also called `regexes`, they will become a powerful tool for pattern matching.

Pattern used: `/(reg(ular\s)?ex(expression|es)?)/i`

Figure 9-13. Adding alternation to match `expression`

Finally, add an optional `s` to the end of the match for `expression`:
`/(reg(ular\s)?ex(pressions?|es)?)/i` (see Figure 9-14).



Regular Expression Testing

In this document, there is a lot of text that can be matched using `regex`. The benefit of using a `regular expression` is much more flexible — albeit complex — syntax for text pattern matching.

After you get the hang of `regular expressions`, also called `regexes`, they will become a powerful tool for pattern matching.

Pattern used: `/(regular\s)?ex(pressions?les)?/i`

Figure 9-14. The completed regular expression

■ **Tip** The examples in this chapter go over the most common features of regular expressions, but they don't cover everything that regexes have to offer. Jan Goyvaerts has put together a fantastic resource for learning all of the ins-and-outs of regexes, as well as some tools for testing them, at <http://www.regular-expressions.info/>.

Adding Server-Side Date Validation

Now that you have a basic understanding of regexes, you're ready to start validating user input. For this app, you need to ensure that the date format is correct, so that the app doesn't crash by attempting to parse a date that it can't understand.

You'll begin by adding server-side validation. This is more of a fallback because later you'll add validation with jQuery. However, you should *never* rely solely on JavaScript to validate user input because the user can easily turn off JavaScript support and therefore completely disable your JavaScript validation efforts.

Defining the Regex Pattern to Validate Dates

The first step toward implementing date validation is to define a regex pattern to match the desired format. The format the calendar app uses is `YYYY-MM-DD HH:MM:SS`.

Setting up Test Data

You need to modify `regex.php` with a valid date format and a few invalid formats, so you can test your pattern. Start by matching zero or more numeric characters with your regex pattern. Do this by making the following changes shown in bold:

```

<!DOCTYPE html
  PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<head>
  <meta http-equiv="Content-Type"
    content="text/html; charset=utf-8" />
  <title>Regular Expression Demo</title>
  <style type="text/css">
    em {
      background-color: #FF0;
      border-top: 1px solid #000;
      border-bottom: 1px solid #000;
    }
  </style>
</head>

<body>
<?php

/*
 * Set up several test date strings to ensure validation is working
 */
$date[] = '2010-01-14 12:00:00';
$date[] = 'Saturday, May 14th at 7pm';
$date[] = '02/03/10 10:00pm';
$date[] = '2010-01-14 102:00:00';

/*
 * Date validation pattern
 */
$pattern = "/(\d*)/";

foreach ( $date as $d )
{
  echo "<p>", preg_replace($pattern, "<em>$1</em>", $d), "</p>";
}

/*
 * Output the pattern you just used
 */
echo "\n<p>Pattern used: <strong>$pattern</strong></p>";

?>

</body>

</html>

```

After saving the preceding code, reload `http://localhost/regex.php` in your browser to see all numeric characters highlighted (see Figure 9-15).




Figure 9-15. Matching any numeric character

Matching the Date Format

To match the date format, start by matching exactly four digits at the beginning of the string to validate the year: `/^(\d{4})/` (see Figure 9-16).




Figure 9-16. Validating the year section of the date string

Next, you need to validate the month by matching the hyphen and two more digits: `/^(\d{4})(-\d{2})/` (see Figure 9-17).




Figure 9-17. Expanding the validate month section of the date string

Notice that the month and date sections are identical: a hyphen followed by two digits. This means you can simply repeat the month-matching pattern to validate the day using a repetition operator after the group: `/(^(\d{4})(-\d{2}){2})/` (see Figure 9-18).




Figure 9-18. Adding the day part of the date string to the pattern

Now match a single space and the hour section: `/(^(\d{4})(-\d{2}){2} (\d{2}))/` (see Figure 9-19).

■ **Note** Make sure that you include the space character. The shorthand class `(\s)` shouldn't be used because new lines and tabs should not match in this instance.




Figure 9-19. Validating the hour section of the date string

To validate the minutes, you match a colon and exactly two digits: `/(^\\d{4})(-\\d{2}){2} (\\d{2})(:\\d{2})/` (see Figure 9-20).




Figure 9-20. Validating the minutes section of the date string

Finally, repeat the pattern for the minutes to match the seconds, and then use the dollar sign modifier to match the end of the string: `/(^\\d{4})(-\\d{2}){2} (\\d{2})(:\\d{2}){2})$/` (see Figure 9-21).




Figure 9-21. Validating the seconds section of the date string and completing the pattern

Armed with this regex pattern, you can now validate the date input in your application.

Adding a Validation Method to the Calendar Class

To validate the date string, you will add a new private method to the `Calendar` class called `_validDate()`.

This method will accept the date string to be validated, then compare it to the validation pattern using `preg_match()`, which returns the number of matches found in the given string. Because this particular pattern will only match if the entire string conforms to the pattern, a valid date will return `1`, while an invalid date will return `0`.

If the date is valid, the method will return `TRUE`; otherwise, it will return `FALSE`.

Add this method to the `Calendar` class by inserting the following bold code into `class.calendar.inc.php`:

```
<?php

class Calendar extends DB_Connect
{
    private $_useDate;

    private $_m;

    private $_y;

    private $_daysInMonth;

    private $_startDay;

    public function __construct($dbo=NULL, $useDate=NULL) {...}

    public function buildCalendar() {...}

    public function displayEvent($id) {...}

    public function displayForm() {...}

    public function processForm() {...}

    public function confirmDelete($id) {...}

    /**
     * Validates a date string
     *
     * @param string $date the date string to validate
     * @return bool TRUE on success, FALSE on failure
     */
    private function _validDate($date)
    {
        /**
         * Define a regex pattern to check the date format

```

```

        */
        $pattern = '/^(\\d{4}(-\\d{2}){2} (\\d{2}))(:\\d{2}){2})$/';
        /*
        * If a match is found, return TRUE. FALSE otherwise.
        */
        return preg_match($pattern, $date)==1 ? TRUE : FALSE;
    }

    private function _loadEventData($id=NULL) {...}
    private function _createEventObj() {...}
    private function _loadEventById($id) {...}
    private function _adminGeneralOptions() {...}
    private function _adminEntryOptions($id) {...}
}
?>

```

Returning an Error if the Dates Don't Validate

Your next step is to modify the `processForm()` method so it calls the `_validDate()` method on both the start and end times for new entries. If the validation fails, simply return an error message.

Add the following bold code to `processForm()` to implement the validation:

```

<?php
class Calendar extends DB_Connect
{
    private $_useDate;
    private $_m;
    private $_y;
    private $_daysInMonth;
    private $_startDay;
    public function __construct($dbo=NULL, $useDate=NULL) {...}
    public function buildCalendar() {...}
    public function displayEvent($id) {...}
}

```

```

public function displayForm() {...}

/**
 * Validates the form and saves/edits the event
 *
 * @return mixed TRUE on success, an error message on failure
 */
public function processForm()
{
    /**
     * Exit if the action isn't set properly
     */
    if ( $_POST['action'] != 'event_edit' )
    {
        return "The method processForm was accessed incorrectly";
    }

    /**
     * Escape data from the form
     */
    $title = htmlentities($_POST['event_title'], ENT_QUOTES);
    $desc = htmlentities($_POST['event_description'], ENT_QUOTES);
    $start = htmlentities($_POST['event_start'], ENT_QUOTES);
    $end = htmlentities($_POST['event_end'], ENT_QUOTES);

    /**
     * If the start or end dates aren't in a valid format, exit
     * the script with an error
     */
    if ( !$this->_validDate($start)
        || !$this->_validDate($end) )
    {
        return "Invalid date format! Use YYYY-MM-DD HH:MM:SS";
    }

    /**
     * If no event ID passed, create a new event
     */
    if ( empty($_POST['event_id']) )
    {
        $sql = "INSERT INTO `events`
                (`event_title`, `event_desc`, `event_start`,
                 `event_end`)
                VALUES
                (:title, :description, :start, :end)";
    }

    /**
     * Update the event if it's being edited
     */
    else

```

```

{
    /*
     * Cast the event ID as an integer for security
     */
    $id = (int) $ POST['event_id'];
    $sql = "UPDATE `events`
           SET
             `event_title`=:title,
             `event_desc`=:description,
             `event_start`=:start,
             `event_end`=:end
           WHERE `event_id`=$id";
}

/*
 * Execute the create or edit query after binding the data
 */
try
{
    $stmt = $this->db->prepare($sql);
    $stmt->bindParam(":title", $title, PDO::PARAM_STR);
    $stmt->bindParam(":description", $desc, PDO::PARAM_STR);
    $stmt->bindParam(":start", $start, PDO::PARAM_STR);
    $stmt->bindParam(":end", $end, PDO::PARAM_STR);
    $stmt->execute();
    $stmt->closeCursor();

    /*
     * Returns the ID of the event
     */
    return $this->db->lastInsertId();
}
catch ( Exception $e )
{
    return $e->getMessage();
}
}

public function confirmDelete($id) {...}
private function _validDate($date) {...}
private function _loadEventData($id=NULL) {...}
private function _createEventObj() {...}
private function _loadEventById($id) {...}
private function _adminGeneralOptions() {...}
private function _adminEntryOptions($id) {...}

```

```
}
?>
```

You can test the validation by entering a bad entry into the form at <http://localhost/admin.php> (see Figure 9-22).




Figure 9-22. An entry with bad date values that should fail validation

■ **Note** You use <http://localhost/admin.php> because the only reason your server-side validation will be invoked is if the user has JavaScript disabled. In that case, the modal windows would not function, and the user would be brought to this form. In situations where JavaScript is enabled, the server-side acts as a double-check and an additional security measure against mischievous users.

After this form is submitted, the app will simply output the error message and die (see Figure 9-23). The calendar application is designed for users with JavaScript enabled; you use this approach to prevent the app from displaying errors.



Figure 9-23. The error message displayed when invalid dates are supplied

Adding Client-Side Date Validation

For most users, JavaScript will be enabled. It's far more convenient as a user to get instant feedback on the form, so you will add new jQuery functionality to validate date strings on the client side.

Creating a New JavaScript File to Validate the Date String

Because you're going to continue to work with this script in the next chapter, you should put it in a separate file in the `js` folder called `valid-date.js`. This file will contain a function that is functionally equivalent to the `_validDate()` method in the `Calendar` class.

It will accept a date to validate, check it against the date-matching regex pattern you wrote previously using `match()`, and then return `true` if a match is found or `false` if `match()` returns `null`.

You build this function by inserting the following code into `valid-date.js`:

```
// Checks for a valid date string (YYYY-MM-DD HH:MM:SS)
function validDate(date)
{
    // Define the regex pattern to validate the format
    var pattern = /^[^(\d{4})(-\d{2}){2} (\d{2})(:\d{2}){2})$/;

    // Returns true if the date matches, false if it doesn't
    return date.match(pattern)!=null;
}
```

■ **Note** The regex pattern is not enclosed in quotes. If you used quotes, the pattern would be stored as a string and interpreted accordingly—this would result in the script looking for an exact character match, rather than interpreting the regex pattern properly.

Including the New File in the Footer

To use the `validDate()` function, you'll need to include the new JavaScript file *before* `init.js`, so that the function is available to be called. Do this by opening `footer.inc.php` in the `common` folder and inserting the following bold code:

```

<script type="text/javascript"
    src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
    google.load("jquery", "1");
</script>
<script type="text/javascript"
    src="assets/js/valid-date.js"></script>
<script type="text/javascript"
    src="assets/js/init.js"></script>
</body>
</html>

```

Preventing the Form Submission if Validation Fails

Now that `validDate()` is available in `init.js`, you need to add date validation before the form can be submitted. Store the start and end dates in variables (`start` and `end`, respectively), then check them using `validDate()` before allowing the form to be submitted.

Next, modify the `click` handler to the Submit button on the form that edits or creates events, and then trigger an alert with a helpful error message if either date input has an invalid value. You need to prevent the form from being submitted as well, so the user doesn't have to repopulate the other form fields.

You accomplish this by inserting the following bold code into `init.js`:

```

// Makes sure the document is ready before executing scripts
jQuery(function($){

var processFile = "assets/inc/ajax.inc.php",
    fx = {...}

$("li a").live("click", function(event){...});

$(".admin-options form,.admin")
    .live("click", function(event){...});

// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize(),

```

```

// Stores the value of the submit button
submitVal = $(this).val(),

// Determines if the event should be removed
remove = false,

// Saves the start date input string
start = $(this).siblings("[name=event_start]").val(),

// Saves the end date input string
end = $(this).siblings("[name=event_end]").val();

// If this is the deletion form, appends an action
if ( $(this).attr("name")== "confirm_delete" )
{
    // Adds necessary info to the query string
    formData += "&action=confirm_delete"
        + "&confirm_delete="+submitVal;

    // If the event is really being deleted, sets
    // a flag to remove it from the markup
    if ( submitVal=="Yes, Delete It" )
    {
        remove = true;
    }
}

// If creating/editing an event, checks for valid dates
if ( $(this).siblings("[name=action]").val()=="event_edit" )
{
    if ( !validDate(start) || !validDate(end) )
    {
        alert("Valid dates only! (YYYY-MM-DD HH:MM:SS)");
        return false;
    }
}

// Sends the data to the processing file
$.ajax({
    type: "POST",
    url: processFile,
    data: formData,
    success: function(data) {
        // If this is a deleted event, removes
        // it from the markup
        if ( remove===true )
        {
            fx.removeevent();
        }
    }
}

```

```

        // Fades out the modal window
        fx.boxout();

        // If this is a new event, adds it to
        // the calendar
        if ( $("#[name=event_id]").val().length==0
            && remove===false )
        {
            fx.addevent(data, formData);
        }
    },
    error: function(msg) {
        alert(msg);
    }
});

});

$(".edit-form a:contains(cancel)")
    .live("click", function(event){...});

});

```

Now save these changes, load <http://localhost/> in your browser, and then create a new event with bad parameters using the modal window form (see Figure 9-24).




Figure 9-24. An entry that will fail to validate

If you click the Submit button at this point, the validation will fail, and the app will show an alert box with the error message about the date format (see Figure 9-25).




Figure 9-25. The error message in an alert box after failing validation

After clicking the OK button in the alert box, the user will be able to edit her entry without having to repopulate any fields.

Summary

In this chapter, you tackled using regular expressions for form validation. The concepts you learned can be applied to validating any type of data, and they will greatly aid you in making sure the information supplied in forms is usable by your applications.

In the next chapter, you'll learn how to extend the jQuery object, both by directly extending the jQuery core and by developing a custom plugin for jQuery.



Extending jQuery

jQuery's easy-to-use syntax led developers to begin writing scripts to achieve custom effects and other tasks. To make these scripts configurable and reusable, these developers constructed these scripts as *plugins*, or scripts that extend jQuery by adding new methods to the library. In this chapter, you'll learn how to add your own plugins to jQuery.

Adding Functions to jQuery

In some cases, it may be desirable to add a function directly to the `jQuery` object, which means you would be able to call it like so:

```
$.yourFunction();
```

Adding functions to jQuery can help you keep your scripts organized and ensure that your function calls follow a consistent format. However, it's important to note that adding a function to jQuery *does not* allow you to chain it with a set of selected DOM elements; for this, you must use a method, which you'll learn how to do in this chapter.

Adding Your Date Validation Function to jQuery

In your first extending jQuery example, you will add the date validation function you wrote in the last chapter to the `jQuery` object. Specifically, you'll leverage `valid-date.js`.

Allowing Custom Aliases in jQuery Plugins

One thing you should consider is allowing custom aliases in your jQuery plugins. While this isn't strictly necessary, it is *strongly* encouraged because it can help you keep your plugin from breaking if the `$` shortcut is given up by `jQuery.noConflict()`. Better still, this feature is so simple to implement that it's actually a little silly not to include it.

When building a new plugin, you should put the plugin code within a function that is executed immediately when the script is loaded. At its outset, the script should look like this:

```
(function(){
  // plugin code here...
})();
```

The second set of parentheses causes the preceding code to be executed immediately as a function, which is where the custom alias comes in. If you pass the `jQuery` object to the second set of parentheses and the `$` shortcut to the internal function, then the code will work properly with the `$` shortcut, even if it's given back to the global namespace using `jQuery.noConflict()`:

```
(function($){
  // plugin code here...
})(jQuery);
```

You could use any valid JavaScript variable name in place of the `$`, and the script would still execute properly with this method:

```
(function(custom){
  // Adds a background color to any paragraph
  // element using a custom alias
  custom("p").css("background-color", "yellow");
})(jQuery);
```

Attaching the Function to the jQuery Object

To attach the function to `jQuery`, you can add the following code to `valid-date.js`:

```
(function($){
  // Extends the jQuery object to validate date strings
  $.validDate = function()
  {
    // code here
  };
})(jQuery);
```

Using this format, you now call the `validDate()` function like this:

```
$.validDate();
```

Allowing Configurable Options

Just as in the original `validDate()` function, a date string will be passed into the function. However, to make this function more configurable, you can pass in an object containing configuration options (if necessary) to modify the regex pattern used to match the date string:

```
(function($){
  // Extends the jQuery object to validate date strings
```

```

    $.validDate = function(date, options)
    {
        // code here
    };
})(jQuery);

```

The `options` object will only have one property: the pattern to be used for validation. Because you want the `options` object to be optional, you define a default value for the pattern in the function by inserting the following bold code:

```

(function($){
    // Extends the jQuery object to validate date strings
    $.validDate = function(date, options)
    {
        // Sets up default values for the method
        var defaults = {
            "pattern" : /^\\d{4}-\\d{2}-\\d{2}\\s\\d{2}:\\d{2}:\\d{2}$/
        };
    };
})(jQuery);

```

Extending Default Options with User-Supplied Options

You can extend the default object using the `$.extend()` function, which will create a new object by combining the default options with the user-supplied options. If there are three options available and the user passes an object with only two of them defined, using `$.extend()` will only replace the two properties redefined by the user.

Insert the code shown in bold to extend the default object:

```

(function($){
    // Extends the jQuery object to validate date strings
    $.validDate = function(date, options)
    {
        // Sets up default values for the method
        var defaults = {
            "pattern" : /^\\d{4}-\\d{2}-\\d{2}\\s\\d{2}:\\d{2}:\\d{2}$/
        },
        // Extends the defaults with user-supplied options
        opts = $.extend(defaults, options);
    };
})(jQuery);

```

Performing Validation and Returning a Value

This step is nearly identical to one in the original function, except you access the pattern here through the `opts` object:

```
(function($){
    // Extends the jQuery object to validate date strings
    $.validDate = function(date, options)
    {
        // Sets up default values for the method
        var defaults = {
            "pattern" : /^\\d{4}-\\d{2}-\\d{2}\\s\\d{2}:\\d{2}:\\d{2}$/
        },

        // Extends the defaults with user-supplied options
        opts = $.extend(defaults, options);

        // Returns true if a match is found, false otherwise
        return date.match(opts.pattern)!=null;
    };
})(jQuery);
```

Conforming to jQuery Plugin File Naming Conventions

To officially call a plugin a plugin, you must use the jQuery naming conventions for your plugin files. The accepted format is `jquery.[name of plugin].js`—to meet this guideline, change the name of `valid-date.js` to `jquery.validDate.js`.

Modifying the Include Script

Now that the file name has changed, you need to update `footer.inc.php` to include it. Make the changes shown in bold to load the correct file:

```
<script type="text/javascript"
    src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
    google.load("jquery", "1");
</script>
<script type="text/javascript"
    src="assets/js/jquery.validDate.js"></script>
<script type="text/javascript"
    src="assets/js/init.js"></script>
</body>
</html>
```

Modifying the Initialization Script

Finally, adjust `init.js` to call the new jQuery function you've just added by making the adjustments shown in bold:

```
jQuery(function($){
var processFile = "assets/inc/ajax.inc.php",
    fx = {...}

$("li a").live("click", function(event){...});

$(".admin-options form,.admin")
    .live("click", function(event){...});

// Edits events without reloading
$(".edit-form input[type=submit]").live("click", function(event){

    // Prevents the default form action from executing
    event.preventDefault();

    // Serializes the form data for use with $.ajax()
    var formData = $(this).parents("form").serialize(),

    // Stores the value of the submit button
    submitVal = $(this).val(),

    // Determines if the event should be removed
    remove = false,

    // Saves the start date input string
    start = $(this).siblings("[name=event_start]").val(),

    // Saves the end date input string
    end = $(this).siblings("[name=event_end]").val();

    // If this is the deletion form, appends an action
    if ( $(this).attr("name")== "confirm_delete" )
    {
        // Adds necessary info to the query string
        formData += "&action=confirm_delete"
            + "&confirm_delete="+submitVal;

        // If the event is really being deleted, sets
        // a flag to remove it from the markup
        if ( submitVal=="Yes, Delete It" )
        {
            remove = true;
        }
    }
}
```

```

// If creating/editing an event, checks for valid dates
if ( $(this).siblings("[name=action]").val()=="event_edit" )
{
    if ( !$().validDate(start) || !$().validDate(end) )
    {
        alert("Valid dates only! (YYYY-MM-DD HH:MM:SS)");
        return false;
    }
}

// Sends the data to the processing file
$.ajax({
    type: "POST",
    url: processFile,
    data: formData,
    success: function(data) {
        // If this is a deleted event, removes
        // it from the markup
        if ( remove===true )
        {
            fx.removeevent();
        }

        // Fades out the modal window
        fx.boxout();

        // If this is a new event, adds it to
        // the calendar
        if ( $("[name=event_id]").val().length==0
            && remove===false )
        {
            fx.addevent(data, formData);
        }
    },
    error: function(msg) {
        alert(msg);
    }
});

});

$(".edit-form a:contains(cancel)")
    .live("click", function(event){...});

});

```

After saving the preceding code, you can reload <http://localhost/> and try to submit a new event with bad date values. The result is identical to the result obtained when using the original `validDate()` function.

Adding Methods to jQuery

To add a chainable method to the jQuery object, you have to attach it to the `fn` object of jQuery. This allows you to call the method on a set of selected elements:

```
$(".class").yourPlugin();
```

■ **Note** The `fn` object of jQuery is actually just an alias for the jQuery object's `prototype` object. Modifying the prototype of an object will affect all future instances of that object, rather than just the current instance. For more information on this, check out the brief and simple explanation of the prototype object in JavaScript at <http://www.javascriptkit.com/javatutors/proto.shtml>.

Building Your Plugin

The plugin you'll build in this section will rely on a simple method to enlarge the event titles when a user hovers over them, and then return them to their original size when the user moves his mouse off the title.

This plugin will be called `dateZoom`, and it will allow the user to configure the size, speed, and easing equation used for the animation.

Creating a Properly Named Plugin File

Your first order of business when creating this plugin is to give it a name. Create a new file in the `js` folder called `jquery.dateZoom.js` and insert the custom alias function:

```
(function($){
    // plugin code here
})(jQuery);
```

Inside this function, attach the new method to the `fn` object by inserting the following bold code:

```
(function($){

    // A plugin that enlarges the text of an element when moused
    // over, then returns it to its original size on mouse out
    $.fn.dateZoom = function(options)
    {
        // code here
    };

})(jQuery);
```

Providing Publicly Accessible Default Options

In your `validDate()` plugin, the function's default options are stored in a private object. This can be undesirable, especially in instances where a user might apply the plugin method to multiple sets of elements and then want to modify the defaults for all instances.

To make default options publicly accessible, you can store them in the `dateZoom` namespace. For your `dateZoom` plugin, create a publicly accessible `defaults` object that contains four custom properties:

- **fontsize**: The size to which the font will expand. Set this to **110%** by default.
- **easing**: The easing function to use for the animation. Set this to **swing** by default.
- **duration**: The number of milliseconds the animation should last. Set this to **600** by default.
- **callback**: A function that fires upon completion of the animation. Set this to **null** by default.

Now add the default options to the `dateZoom` plugin by inserting the following bold code:

```
(function($){
    // A plugin that enlarges the text of an element when moused
    // over, then returns it to its original size on mouse out
    $.fn.dateZoom = function(options)
    {
        // code here
    };

    // Defines default values for the plugin
    $.fn.dateZoom.defaults = {
        "fontsize" : "110%",
        "easing" : "swing",
        "duration" : "600",
        "callback" : null
    };
})(jQuery);
```

At this point, a user can change the defaults for all calls to the `dateZoom` plugin using syntax something like this:

```
$.fn.dateZoom.defaults.fontsize = "120%";
```

To override default options, a user can pass an object with new values for one or more of the default options, as in the `validDate` plugin. You can use `$.extend()` to create a new object that contains values for the current invocation of the plugin when it is created.

The following bold code adds this functionality to the `dateZoom` plugin:

```
(function($){
    // A plugin that enlarges the text of an element when moused
```

```

// over, then returns it to its original size on mouse out
$.fn.dateZoom = function(options)
{
    // Only overwrites values that were explicitly passed by
    // the user in options
    var opts = $.extend($.fn.dateZoom.defaults, options);

    // more code here
};

// Defines default values for the plugin
$.fn.dateZoom.defaults = {
    "fontsize" : "110%",
    "easing" : "swing",
    "duration" : "600",
    "callback" : null
};
})(jQuery);

```

Maintaining Chainability

To keep plugin methods chainable, the method must return the modified jQuery object. Fortunately, this is easy to accomplish with jQuery: all you need to do is run the `.each()` method on the `this` object to iterate over each selected element, and then return the `this` object.

In the `dateZoom` plugin, you can make your method chainable by inserting the code shown in bold:

```

(function($){

    // A plugin that enlarges the text of an element when moused
    // over, then returns it to its original size on mouse out
    $.fn.dateZoom = function(options)
    {
        // Only overwrites values that were explicitly passed by
        // the user in options
        var opts = $.extend($.fn.dateZoom.defaults, options);

        // Loops through each matched element and returns the
        modified jQuery object to maintain chainability
        return this.each(function(){
            // more code here
        });
    };

    // Defines default values for the plugin
    $.fn.dateZoom.defaults = {
        "fontsize" : "110%",
        "easing" : "swing",
        "duration" : "600",
        "callback" : null
    };
})(jQuery);

```

```

    });
})(jQuery);

```

Creating a Publicly Accessible Helper Method

To keep your plugin code clean and organized, you will place the actual animation of the elements in a helper method called `zoom`.

This method, like the `defaults` object, will be publicly accessible under the `dateZoom` namespace. Making this method public means that a user can potentially redefine the method before calling the plugin or even call the method outside of the plugin, if he so desires.

You create the `zoom` method by inserting the following bold code into the `dateZoom` plugin:

```

(function($){

    // A plugin that enlarges the text of an element when moused
    // over, then returns it to its original size on mouse out
    $.fn.dateZoom = function(options)
    {
        // Only overwrites values that were explicitly passed by
        // the user in options
        var opts = $.extend($.fn.dateZoom.defaults, options);

        // Loops through each matched element and returns the
        // modified jQuery object to maintain chainability
        return this.each(function(){
            // more code here
        });
    };

    // Defines default values for the plugin
    $.fn.dateZoom.defaults = {
        "fontsize" : "110%",
        "easing" : "swing",
        "duration" : "600",
        "callback" : null
    };

    // Defines a utility function that is available outside of the
    // plugin if a user is so inclined to use it
    $.fn.dateZoom.zoom = function(element, size, opts)
    {
        // zoom the elements
    };
})(jQuery);

```

This method accepts the element to animate, the size to which it should be animated, and an object containing options.

■ **Note** You're keeping the size separate from the rest of the options because the element's original font size will be used for returning the element to its original state and that value is not available in the options object.

Inside this method, you will use the `.animate()`, `.dequeue()`, and `.clearQueue()` methods to animate the object and prevent animation queue buildup; add the code shown in bold to accomplish this:

```
(function($){
    // A plugin that enlarges the text of an element when moused
    // over, then returns it to its original size on mouse out
    $.fn.dateZoom = function(options)
    {
        // Only overwrites values that were explicitly passed by
        // the user in options
        var opts = $.extend($.fn.dateZoom.defaults, options);

        // Loops through each matched element and returns the
        // modified jQuery object to maintain chainability
        return this.each(function(){
            // more code here
        });
    };

    // Defines default values for the plugin
    $.fn.dateZoom.defaults = {
        "font-size" : "110%",
        "easing" : "swing",
        "duration" : "600",
        "callback" : null
    };

    // Defines a utility function that is available outside of the
    // plugin if a user is so inclined to use it
    $.fn.dateZoom.zoom = function(element, size, opts)
    {
        $(element).animate({
            "font-size" : size
        },{
            "duration" : opts.duration,
            "easing" : opts.easing,
            "complete" : opts.callback
        })
        .dequeue() // Prevents jumpy animation
        .clearQueue(); // Ensures only one animation occurs
    };
})(jQuery);
```

■ **Note** The `.dequeue()` method takes the current animation out of the animation queue, preventing the animation from jumping to the end when the queue is cleared with `.clearQueue()`. Allowing the queue to build up can cause the animated element to look jumpy or to perform the animation many times in rapid succession, which is definitely an undesirable effect.

Modifying Each Matched Element

Because the `.each()` method accepts a callback, you can easily modify each matched element in the jQuery object being processed. For the `dateZoom` plugin, you'll add `hover` event handlers to each selected element.

When a user hovers her mouse over an element to which `dateZoom` has been applied, the `zoom` method will run. This method relies on the `fontSize` property of the `defaults` object to enlarge the text appropriately. When the user stops hovering, the original text size will be passed to `zoom`, and the element's text will return to its original size.

To store the original size, use the `.css()` method and place the original font size in a private variable.

You use the `.hover()` method to implement this functionality by inserting the following bold code into the `dateZoom` plugin:

```
(function($){
    // A plugin that enlarges the text of an element when moused
    // over, then returns it to its original size on mouse out
    $.fn.dateZoom = function(options)
    {
        // Only overwrites values that were explicitly passed by
        // the user in options
        var opts = $.extend($.fn.dateZoom.defaults, options);

        // Loops through each matched element and returns the
        // modified jQuery object to maintain chainability
        return this.each(function(){
            // Stores the original font size of the element
            var originalsize = $(this).css("font-size");

            // Binds functions to the hover event. The first is
            // triggered when the user hovers over the element, and
            // the second when the user stops hovering
            $(this).hover(function(){
                $.fn.dateZoom.zoom(this, opts.fontSize, opts);
            },
            function(){
                $.fn.dateZoom.zoom(this, originalsize, opts);
            });
        });
    };
});
```

```

// Defines default values for the plugin
$.fn.dateZoom.defaults = {
    "fontsize" : "110%",
    "easing" : "swing",
    "duration" : "600",
    "callback" : null
};

// Defines a utility function that is available outside of the
// plugin if a user is so inclined to use it
$.fn.dateZoom.zoom = function(element, size, opts)
{
    $(element).animate({
        "font-size" : size
    },{
        "duration" : opts.duration,
        "easing" : opts.easing,
        "complete" : opts.callback
    })
    .dequeue() // Prevents jumpy animation
    .clearQueue(); // Ensures only one animation occurs
};

})(jQuery);

```

Implementing Your Plugin

At this point, your plugin is ready to implement. All that remains is to include the file and select a set of elements to run it on.

Including the Plugin File

To include the plugin file, you need to modify `footer.inc.php` and add a new script tag. As with the `validDate` plugin, the `dateZoom` plugin needs to be included *before* `init.js`, so that the method is available to be called:

```

<script type="text/javascript"
    src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
    google.load("jquery", "1");
</script>
<script type="text/javascript"
    src="assets/js/jquery.validDate.js"></script>
<script type="text/javascript"
    src="assets/js/jquery.dateZoom.js"></script>
<script type="text/javascript"
    src="assets/js/init.js"></script>

```

```
</body>
</html>
```

Initializing the Plugin on a Set of Elements

The plugin is now included in the application, so you can call the `.dateZoom()` method on a set of elements. The next set of changes requires that you modify `init.js`, so open that file now.

Begin by changing the default `fontSize` value to `13px`, and then add the `.dateZoom()` method to the chain of methods on the set of elements selected with the `"li a"` string. As already indicated, you implement these changes by adding modifying `init.js`, as shown in the bold code that follows:

```
jQuery(function($){
var processFile = "assets/inc/ajax.inc.php",
    fx = {...}

// Set a default font-size value for dateZoom
$.fn.dateZoom.defaults.fontSize = "13px";

// Pulls up events in a modal window and attaches a zoom effect
$("li a")
    .dateZoom()
    .live("click", function(event){

        // Stops the link from loading view.php
        event.preventDefault();

        // Adds an "active" class to the link
        $(this).addClass("active");

        // Gets the query string from the link href
        var data = $(this)
            .attr("href")
            .replace(/.+?\?(.*)$/, "$1"),

        // Checks if the modal window exists and
        // selects it, or creates a new one
        modal = fx.checkmodal();

        // Creates a button to close the window
        $("

```

```

    // Loads the event data from the DB
    $.ajax({
        type: "POST",
        url: processFile,
        data: "action=event_view&"+data,
        success: function(data){
            // Displays event data
            fx.boxin(data, modal);
        },
        error: function(msg) {
            alert(msg);
        }
    });

});

$(".admin-options form,.admin")
    .live("click", function(event){...});

// Edits events without reloading
$(".edit-form input[type=submit]")
    .live("click", function(event){...});

$(".edit-form a:contains(cancel)")
    .live("click", function(event){...});

});

```

Save these changes, reload <http://localhost/> in your browser, and then hover over an event title to see the `dateZoom` plugin in action (see Figure 10-1).




Figure 10-1. The event title enlarges when hovered over

Summary

You should now feel comfortable building custom plugins in jQuery, both as chainable methods and as functions. This chapter is fairly short, but that brevity stands as a testament to the ease with which you can extend the jQuery library with your own custom scripts.

Congratulations! You've now learned how to use PHP and jQuery together to build custom applications with a desktop app-like feel. Now you're ready to bring all your great ideas to life on the Web!

Index

■ Special Characters

- #id selector, 19
- \$() function, 9–10
- \$ shortcut, 345
- \$_daysInMonth property, 129
- \$_m property, 129, 134
- \$_POST superglobal, 167, 170
- \$_saltLength property, 202
- \$_SESSION superglobal, 170
- \$_startDay property, 129
- \$_useDate property, 129, 134
- \$_y property, 129, 134
- \$actions array, 221
- \$admin variable, 187–188
- \$.ajax() method, 78–79, 247–248, 250–251, 257–258, 264, 271
- \$.ajaxSetup() method, 80–81
- \$C array, 131–132
- \$count static property, 108
- \$css_files array, 175, 239
- \$css_files variable, 158, 188, 195
- \$db property, 126
- \$description property, Event Class, 140
- \$end property, Event Class, 140
- \$.extend() function, 347, 352
- \$.get() method, 82–83
- \$.getJSON() method, 83
- \$.getScript() method, 83
- \$.id property, Event Class, 140
- \$.id variable, 195
- \$.markup variable, 195
- \$.page_title variable, 158, 195
- \$.post() method, 82–83
- \$.start property, Event Class, 140
- \$.title property, Event Class, 140
- \$.user variable, 205
- __autoload() function, 117
- __CLASS__ magic constant, 94
- __construct() magic method, 93
- __destruct() magic method, 94
- __toString() method, 96–97
- _adminEntryOptions() method, 185, 187, 191, 223
- _adminEventOptions() method, 226
- _adminGeneralOptions() method, 181, 183, 218, 223–224
- _createEventObj() method, 142, 151, 160
- _getSaltedHash() method, 207, 210
- _loadEventById() method, 160, 162
- _loadEventData() method, 136, 139, 142, 160–161
- _validDate() method, 333–334, 338

■ A

active class, 240, 255, 304
 Add a New Event button, 264, 267, 269–270, 273
 .add() method, 34
 .addClass() method, 59, 240
 Admin button, 185
 Admin class, 209–210, 213, 220
 admin.css stylesheet, 172–173, 175, 183, 188
 -adminGeneralOptions() method, 218
 admin.php file, 121, 171, 175, 181, 190
 .after() method, 45
 AJAX (Asynchronous JavaScript and XML)
 methods of jQuery for
 \$.ajax(), 78–79
 \$.ajaxSetup(), 80–81
 \$.get(), 82–83
 \$.getJSON(), 83
 \$.getScript(), 83
 \$.post(), 82–83
 .load(), 83
 retrieve and display data in modal window
 with
 file to handle AJAX requests, 248–250
 loading event data, 250–252
 overview, 247
 ajax.css file, 238, 253
 ajax.inc.php file, 248, 265, 271–272, 293, 302
 alternation, regular expressions, 324
 ampersands, 275
 .andSelf() method, 35
 animation, methods of jQuery for
 .animate() method, 67–70
 .delay() method, 70
 .fadeIn() method, 66–67
 .fadeOut() method, 66–67
 .fadeTo() method, 66–67

.hide() method, 65–66
 .show() method, 65–66
 .slideDown() method, 67
 .slideToggle() method, 67
 .slideUp() method, 67
 .stop() method, 70
 .append() method, 40–44, 251
 .appendTo() method, 44–45
 Applications folder, 7
 arrays, of event objects, 139
 assets folder, 121
 Asynchronous JavaScript and XML. *See* AJAX
 .attr() method, 53–54, 242, 280, 291
 attribute filters, in jQuery for DOM elements,
 19–20

■ B

backreferences, regular expressions, 318–319
 basic filters, in jQuery for DOM elements, 16–17
 basic selectors, in jQuery for DOM elements
 by class name, 12
 combining selectors, 13
 by ID, 12–13
 by tag type, 11
 using multiple selectors, 13
 .before() method, 45
 .bind() method, 74–75
 body tag, 9, 14, 158, 236, 244
 Browse tab, 213
 buildCalendar() method, 143, 145, 147, 151,
 158, 183, 279
 :button filter, 22

C

Calendar app

- JavaScript initialization file for, 237
- overview, 236
- stylesheet for elements created by jQuery, 238–239

Calendar class, 119, 131, 134, 162, 171, 179, 185, 190, 192, 226

calendar editing with AJAX and jQuery

- adding events without refreshing
 - appending event to calendar, 283–285
 - current month events only, 282
 - deserializing form data, 274–278
 - getting new event ID, 286–289
 - modifying Calendar class with ID, 279
 - overview, 273
 - timezone inconsistencies, 281
 - using Date object, 279–282
- confirming deletion in modal window
 - displaying confirmation dialog, 298–300
 - event handler for deletion, 301–307
 - remove event from calendar after, 304–307
- editing events in modal window
 - determining form action, 291
 - new events only added to calendar, 296–298
 - overview, 290
 - remove from modal window, 294–295
 - storing event ID, 292–293
- event creation form
 - adding AJAX call to load, 264
 - Cancel button behavior, 268–269
 - modifying AJAX processing file to load form, 266–267
 - overview, 263
- saving new events in database

- modifying AJAX processing file to handle submissions, 272–273
- overview, 269
- serializing form data, 270
- submitting serialized form data to processing file, 271

Calendar object, 195, 265

callback property, defaults object, 352

callProtected() method, 107

Cancel button, behavior in event creation form, 268–269

Cancel link, 269

Cascading Style Sheets. *See* CSS, jQuery methods for

cdata variable, 280

chainability, maintaining in plugins, 353

chainable, methods of jQuery are, 25

character classes, regular expressions

- any character except, 322

- overview, 320–321

- shorthand for, 323

:checkbox filter, 22

checked form elements, form filters in jQuery for DOM elements, 23

checked state, 23

checkmodal, 244

child elements, hierarchy selectors in jQuery for DOM elements, 14

child filters, in jQuery for DOM elements

- even or odd parameters or parameters by index or equation, 20

- first or last child elements, 20–21

.children() method, 29

class folder, 121, 127, 140, 202

class keyword, 88

class name, basic selectors in jQuery for DOM elements, 12

.class selector, 19

class.admin.inc.php file, 202

class.calendar.inc.php file, 127, 333
 class.db_connect.inc.php file, 125–126
 .clearQueue() method, 355–356
 click event, 240, 245, 263, 290
 click handler, 257, 297, 339
 client-side date validation, 338–343
 Close button, 252–254, 262, 294
 .closest() method, 30
 config folder, 121, 131
 configurable options, allowing, 346–347
 confirm_delete attribute, 301
 Confirmation button, 192
 confirmation, creating method to require, 192
 confirmation form, 195
 confirmDelete() method, 192, 195–196
 confirmdelete.php file, 121, 191, 195–196, 229
 Console panel, Firebug dialog box, 11
 Console tab, Firebug dialog box, 11
 constructors, events calendar

- checking database connection, 130–132
- creating index file, 133
- creating initialization file, 132–133
- overview, 129
- setting properties, 134–136

 :contains() method, 17–18
 content div, 158, 164
 content filters, in jQuery for DOM elements

- elements that are empty, 18
- elements that are parents, 18
- elements that contain certain element, 18
- elements that contain certain text, 17

 .contents() method, 35
 Content-Type meta tag, 158
 core folder, 121, 132
 Create a New Event button, 270, 273
 credentials, file to store, 131–132

CSRF (cross-site request forgeries), 169
 CSS (Cascading Style Sheets), jQuery methods for

- .addClass() method, 59
- .attr() method, 53–54
- .css() method, 55
- .data() method, 58–59
- .hasClass() method, 60
- .height() method, 61
- .html() method, 56–57
- .innerHeight() method, 62
- .innerWidth() method, 62
- .outerHeight() method, 62
- .outerWidth() method, 62
- .removeAttr() method, 54
- .removeClass() method, 59
- .text() method, 56–57
- .toggleClass() method, 59–60
- .val() method, 57–58
- .width() method, 61

 css folder, 121, 155, 172, 238
 .css() method, 55, 356
 custom aliases, allowing in jQuery plugins, 345–346

■ D

.data() method, 58–59
 data variable, 242, 245, 284
 database

- checking connection to
 - file to store credentials, 131–132
 - overview, 130
- for events calendar
 - connecting to with class, 125–126
 - creating, 124–125
 - structure for, 119

- saving new calendar events in
 - adding button to create new events, 181–184
 - adding file to call processing method, 179–181
 - overview, 176–178
- saving new events in
 - modifying AJAX processing file to handle submissions, 271, 273
 - overview, 269
 - serializing form data, 270–271
 - submitting serialized form data to processing file, 271
 - table setup for password protection, 199
- Date object, 279–282
- date validation, function for, 345–348
- date variable, 280
- .dateZoom() method, 358
- dateZoom namespace, 351, 354
- dateZoom plugin, 351–354, 356–357, 359
- DB_Connect class, 127, 130
- DB_Connect constructor, 131
- DB_Connect object, 125
- db-cred.inc.php file, 131
- decode, URL-encoded characters in form values, 276–277
- decodeURIComponent() method, 276
- default action, preventing, 241
- .delay() method, 70
- Delete button, 190, 192, 197
- Delete It button, 305–306
- Delete This Event button, 291, 298, 300
- deleting calendar events
 - file to display confirmation form, 195–198
 - generating delete button, 191
 - method to require confirmation, 192
 - overview, 190
- .dequeue() method, 355–356
- descendant elements, hierarchy selectors in jQuery for DOM elements, 13–14
- deserializing, form data
 - decode URL-encoded characters in form values, 276–278
 - overview, 274–275
- .detach() method, 52–53
- development environment, modifications to for events calendar
 - for local development, 122–123
 - overview, 122
 - for remote development, 124
- .die() method, 75–76
- :disabled filter, 23
- disabled form elements, form filters in jQuery for DOM elements, 23
- displayEvent() method, 162, 164, 187
- displayForm() method, 167, 171, 266
- DOCTYPE declaration, 158
- Document Object Model (DOM) elements
 - creating, 38–39
 - methods for traversing
 - .add() method, 34
 - .andSelf() method, 35
 - .children() method, 29
 - .closest() method, 30
 - .contents() method, 35
 - .end() method, 36
 - .eq() method, 26–27
 - .filter() method, 27
 - .find() method, 30
 - .first() method, 27
 - .has() method, 28
 - .is() method, 28
 - .last() method, 27
 - .next() method, 30–31
 - .nextAll() method, 31
 - .nextUntil() method, 31–32

- .not() method, 27
- .parent() method, 33
- .parents() method, 33
- .parentsUntil() method, 34
- .prev() method, 32
- .prevAll() method, 32
- .prevUntil() method, 32
- .siblings() method, 32
- .slice() method, 28–29
- methods to insert new elements into
 - .after() method, 45
 - .append() method, 40–44
 - .appendTo() method, 44–45
 - .before() method, 45
 - .detach() method, 52–53
 - .insertAfter() method, 45–46
 - .insertBefore() method, 45–46
 - .prepend() method, 40–44
 - .prependTo() method, 44–45
 - .remove() method, 52–53
 - .unwrap() method, 48
 - .wrap() method, 46–47
 - .wrapAll() method, 49–50
 - .wrapInner() method, 51
- selecting in jQuery
 - attribute filters, 19–20
 - basic filters, 15–17
 - basic selectors, 11–13
 - child filters, 20–21
 - content filters, 17–18
 - form filters, 21–23
 - hierarchy selectors, 13–15
 - overview, 10
 - visibility filters, 19
- DocumentRoot directive, 122
- DOM elements. *See* Document Object Model (DOM) elements

- don't repeat yourself (DRY), 87
- do...while loop, 108
- DRY (don't repeat yourself), 87
- duration property, defaults object, 352

■ E

- .each() method, 63–64, 353, 356
- easing property, 352
- Edit button, 185, 189–190
- Edit This Event button, 291, 295
- edit-form class, 264, 268–269
- effects, methods of jQuery for
 - .animate() method, 67–70
 - .delay() method, 70
 - .fadeIn() method, 66–67
 - .fadeOut() method, 66–67
 - .fadeTo() method, 66–67
 - .hide() method, 65–66
 - .show() method, 65–66
 - .slideDown() method, 67
 - .slideToggle() method, 67
 - .slideUp() method, 67
 - .stop() method, 70
- tags, 313–314
- empty elements, content filters in jQuery for
 - DOM elements, 18
- :empty filter, 18
- :enabled filter, 23
- enabled form elements, form filters in jQuery
 - for DOM elements, 23
- .end() method, 36, 294
- end of string, regular expressions, 324
- end variable, 339
- entry object, 275
- entry variable, 278
- entry.event_start value, 280

- :eq() method, 17, 20, 26–27
- equals sign, 275
- ereg_replace() function, 313
- .error() method, 71
- :even filter, 16, 20
- even or odd elements, 16
- Event class, 140
- event creation form
 - adding AJAX call to load, 264
 - Cancel button behavior, 268–269
 - modifying AJAX processing file to load form, 265, 267
 - overview, 263
- event handling, methods of jQuery for, 71–77
 - .bind() method, 74–75
 - browser events, 71–72
 - .die() method, 75–76
 - .error() method, 71
 - handling document loading events, 72–73
 - handling event attachment, 73–77
 - .live() method, 75–76
 - .one() method, 76
 - .ready() method, 72–73
 - .scroll() method, 72
 - shortcut event methods, 77
 - .toggle() method, 76–77
 - .trigger() method, 77
 - .unbind() method, 75
 - .unload() method, 73
- event ID
 - getting new, 286–289
 - storing, 292–293
- Event object, 160, 291
- event_desc property, 119
- event_edit setting, 264
- event_end property, 119
- event_id property, 119
- event_start property, 119
- event_title property, 119
- event.preventDefault() method, 269
- events array, 151
- events calendar
 - class
 - adding properties, 127–129
 - connecting to database with, 125–126
 - creating wrapper, 127
 - map of, 119
 - constructor
 - checking database connection, 130–132
 - creating index file, 133
 - creating initialization file, 132–133
 - overview, 129
 - setting properties, 134–136
 - database
 - connecting to with class, 125–126
 - creating, 124–125
 - structure for, 119
 - development environment modifications
 - for local development, 122–123
 - for remote development, 124
 - displaying in HTML
 - adding files to index, 158–159
 - building calendar, 146–150
 - displaying events in calendar, 151–154
 - formatting calendar, 154–157
 - full event display file, 164–166
 - header and footer for, 158
 - index file modifications, 145–159
 - method to format single event data, 160–162
 - method to generate markup, 162
 - overview, 143–144
 - folder structure for, 120–121
 - loading events data

- array of event objects, 139
- Event class, 140
- method to store event objects in array, 142–143
- overview, 136–138
- extending jQuery, adding functions to
 - allowing configurable options, 346–347
 - allowing custom aliases in jQuery plugins, 345–346
 - attaching function to jQuery object, 346
 - date validation function, 345–348
 - include script modifications, 348
 - initialization script modifications, 348–350
 - overview, 345
 - plugin creation, 351–356
 - plugin file naming conventions, 348
 - plugin implementation, 357–360
 - user-supplied options, 347
 - validation and returning value, 347
- extends keyword, 99

■ F

- fade in, adding effect to modal window, 257
- fade out, adding effect to modal window, 255–256
- .fadeIn() method, 66–67, 257
- .fadeOut() method, 66–67, 255
- .fadeTo() method, 66–67
- :file filter, 22
- fill class, 146
- .filter() method, 27
- filters, for selecting DOM elements in jQuery
 - attribute, 19–20
 - basic, 15–17
 - child, 20–21
 - content, 17–18
 - form, 21–23
 - visibility, 19
- .find() method, 30
- Firebug, 5–6, 11, 236–237
- :first filter, 16
- .first() method, 27
- first or last elements
 - basic filters in jQuery for DOM elements, 16
 - child filters in jQuery for DOM elements, 21
- :first-child filter, 20
- folder structure, for events calendar, 120–121
- fontsize property, 352, 356, 358
- foo class, 11–13, 15, 19–20
- footer, displaying events calendar in HTML, 158
- footer.inc.php file, 158, 237, 339, 348, 357
- form action, determining, 291
- form data
 - deserializing
 - decode URL-encoded characters in form values, 276–278
 - overview, 274–275
 - serializing, 270–271
 - submitting serialized to processing file, 271
- form filters, in jQuery for DOM elements
 - checked or selected form elements, 23
 - enabled or disabled form elements, 23
 - by form element type, 22
- form validation
 - client-side date validation
 - including file in footer, 338–339
 - preventing form submission if fails, 339–342
 - regex pattern to validate dates, 338
 - with regular expressions
 - alternation, 324
 - backreferences, 318–319
 - basic syntax, 311–315

- beginning of string, 324
- character classes, 320–323
- end of string, 324
- examples, 326–327
- optional items, 325
- pattern modifiers, 316–317
- vs. regular string replacement, 314–315
- repetition operators, 323–324
- replacing text with, 313–314
- word boundaries, 323
- server-side date validation
 - adding method to Calendar class, 333
 - regex pattern to validate dates, 328–333
 - returning error if does not validate, 334–337
- form variable, 264
- forms. *See also* form validation
 - to create or edit calendar events
 - adding stylesheet for administrative features, 172–175
 - adding token to, 169–170
 - creating file to display, 171–172
 - overview, 167–168
 - edit controls to full calendar event view
 - admin stylesheet to full event view, 188–190
 - full event display to show admin controls, 187
 - overview, 185–186
 - login, for password protection, 200–201
 - submission handling
 - to log out, 221–222
 - to login, 213–218
- forward slashes, 242
- functions, adding to jQuery
 - allowing configurable options, 346–347
 - allowing custom aliases in jQuery plugins, 345–346

- attaching function to jQuery object, 346
- date validation function, 345–348
- include script modifications, 348
- initialization script modifications, 348–350
- plugin file naming conventions, 348
- user-supplied options, 347
- validation and returning value, 347
- fx object literal, 243, 255, 257, 274, 304
- fx.addevent() method, 278, 280, 284, 297, 305
- fx.boxin() method, 259, 264
- fx.boxout() method, 257, 261, 268, 271
- fx.deserialize, 275–278
- fx.initModal() method, 245, 261, 264, 294
- fx.removeevent() method, 305
- fx.urldecode, 277–278

■ G

- .getDay() method, 282
- getProperty() method, 98, 104–105, 107
- .getTimezoneOffset() method, 281
- global namespace, 346

■ H

- H2 element, 143, 279–280
- :has() filter, 18, 28
- .hasClass() method, 60
- hashing passwords, 207
- head section, 158
- header, displaying events calendar in HTML, 158
- header() function, 196
- header key, 250
- header.inc.php file, 158
- .height() method, 61
- :hidden filter, 19

.hide() method, 65–66, 261

hierarchy selectors, in jQuery for DOM elements

- child elements, 14
- descendant elements, 13–14
- next elements, 14–15
- sibling elements, 15

hover event handlers, 356

.hover() method, 356

href attribute, 240–241, 253, 283

href value, 242

htdocs folder, 8

HTML (HyperText Markup Language), displaying events calendar in

- adding files to index, 158–159
- building calendar, 146–150
- displaying events in calendar, 151–154
- formatting calendar, 154–157
- full event display file, 164–166
- header and footer for, 158
- index file modifications, 145–159
- method to format single event data, 160–162
- method to generate markup, 162
- overview, 143–144

.html() method, 56–57

html tag, 158

htmlentities() method, 203

httpd.conf file, 122–123

HyperText Markup Language. *See* HTML

■ I

ID, basic selectors in jQuery for DOM elements, 12–13

id variable, 293

if...elseif block, 179

:image filter, 22

inc folder, 121, 248

include script, adding functions to jQuery, 348

index file

- creating for events calendar constructor, 133
- modifications to, displaying events calendar in HTML, 145–159

index.html page, 8, 21–22

index.php file, 121, 123, 133, 145, 183, 195, 215, 239

inheritance, of classes

- overwriting inherited properties and methods, 100–101
- preserving original method functionality while overwriting methods, 102–103

initialization file, creating for events calendar constructor, 132–133

initialization script, adding functions to jQuery, 348–350

init.inc.php file, 132

init.js file, 237, 243, 253, 263–264, 269–270, 339, 348, 357

.innerHeight() method, 62

.innerWidth() method, 62

:input filter, 22

INSERT statement, 176

.insertAfter() method, 45–46

.insertBefore() method, 45–46

.is() method, 28

■ J

JavaScript

- initialization file for Calendar app, 237
- vs. jQuery, 3–4
- understanding libraries, 3–4

jQuery

- attribute filters in, 19–20
- basic filters in, 16–17

- basic selectors in
 - by class name, 12
 - combining selectors, 13
 - by ID, 12–13
 - by tag type, 11
 - using multiple selectors, 13
 - benefits of using, 4
 - child filters in, 20–21
 - content filters in
 - elements that are empty, 18
 - elements that are parents, 18
 - elements that contain certain element, 18
 - elements that contain certain text, 17
 - form filters in
 - checked or selected form elements, 23
 - enabled or disabled form elements, 23
 - by form element type, 22
 - hierarchy selectors in
 - child elements, 14
 - descendant elements, 13–14
 - next elements, 14–15
 - sibling elements, 15
 - history of, 4
 - including in web pages, 7–8
 - vs. JavaScript, 3–4
 - jQuery function (\$), 9
 - overview, 3
 - selecting DOM elements
 - attribute filters, 19–20
 - basic filters, 15–17
 - basic selectors, 11–13
 - child filters, 20–21
 - content filters, 17–18
 - form filters, 21–23
 - hierarchy selectors, 13–15
 - overview, 10
 - visibility filters, 19
 - setting up test file, 8–9
 - testing environment
 - installing Firebug, 5
 - installing Firefox, 5
 - overview, 4
 - visibility filters in, 19
 - jquery.dateZoom.js file, 351
 - jQuery.noConflict() method, 10, 345–346
 - jquery.validate.js file, 348
 - js folder, 121, 338, 351
- **K**
- key variable, 275
- **L**
- :last filter, 16
 - .last() method, 27
 - last or first elements
 - basic filters in jQuery for DOM elements, 16
 - child filters in jQuery for DOM elements, 20–21
 - :last-child filter, 20–21
 - lastInsertId() method, 287
 - length property, 244
 - LIMIT 1 clause, 161
 - .live() method, 75–76, 240, 268–269
 - .load() method, 83
 - Log In button, 218
 - Log Out button, 222–223
 - logging out, password protection setup
 - button for, 218–219
 - form submission handling, 221–222
 - method to process, 220
 - overview, 218

login credentials class
 defining, 202
 form submission handling, 213–218
 method to check, 203–213
 method to create salted hashes, 207–209
 overview, 202
 test method for salted hashes, 210–212
 user to test administrative access, 212–213

login form, for password protection, 200–201

login.php page, 200

■ M

maintenance, easier with OOP approach, 117–118

match() method, 338

methods

- adding to jQuery
 - overview, 351
 - plugin creation, 351–356
 - plugin implementation, 357–360
- defining class
 - constructors, 93–96
 - converting to string, 96–98
 - overview, 90–92
- visibility of
 - private, 107–108
 - public, 103–106
 - static, 108–110

methods of jQuery

- AJAX controls
 - \$.ajax() method, 78–79
 - \$.ajaxSetup() method, 80–81
 - \$.get() method, 82–83
 - \$.getJSON() method, 83
 - \$.getScript() method, 83
 - \$.post() method, 82–83

- .load() method, 83

animation and effects

- .animate() method, 67–70
- .delay() method, 70
- .fadeIn() method, 66–67
- .fadeOut() method, 66–67
- .fadeTo() method, 66–67
- .hide() method, 65–66
- .show() method, 65–66
- .slideDown() method, 67
- .slideToggle() method, 67
- .slideUp() method, 67
- .stop() method, 70

are chainable, 25

creating DOM elements, 38–39

CSS and attributes

- .addClass() method, 59
- .attr() method, 53–54
- .css() method, 55
- .data() method, 58–59
- .hasClass() method, 60
- .height() method, 61
- .html() method, 56–57
- .innerHeight() method, 62
- .innerWidth() method, 62
- .outerHeight() method, 62
- .outerWidth() method, 62
- .removeAttr() method, 54
- .removeClass() method, 59
- .text() method, 56–57
- .toggleClass() method, 59–60
- .val() method, 57–58
- .width() method, 61

event handling

- .bind() method, 74–75
- browser events, 71–72

- .die() method, 75–76
- .error() method, 71
- handling document loading events, 72–73
- handling event attachment, 73–78
- .live() method, 75–76
- .one() method, 76
- .ready() method, 72–73
- .scroll() method, 72
- shortcut event methods, 77
- .toggle() method, 76–77
- .trigger() method, 77
- .unbind() method, 75
- .unload() method, 73
- inserting new elements into DOM
 - .after() method, 45
 - .append() method, 40–44
 - .appendTo() method, 44–45
 - .before() method, 45
 - .detach() method, 52–53
 - .insertAfter() method, 45–46
 - .insertBefore() method, 45–46
 - overview, 39
 - .prepend() method, 40–44
 - .prependTo() method, 44–45
 - .remove() method, 52–53
 - .unwrap() method, 48
 - .wrap() method, 46–47
 - .wrapAll() method, 49–50
 - .wrapInner() method, 51
- overview, 25
- result sets, 62–64
- traversing DOM elements
 - .add() method, 34
 - .andSelf() method, 35
 - .children() method, 29
 - .closest() method, 30
 - .contents() method, 35
 - .end() method, 36
 - .eq() method, 26–27
 - .filter() method, 27
 - .find() method, 30
 - .first() method, 27
 - .has() method, 28
 - .is() method, 28
 - .last() method, 27
 - .next() method, 30–31
 - .nextAll() method, 31
 - .nextUntil() method, 31–32
 - .not() method, 27
 - .parent() method, 33
 - .parents() method, 33
 - .parentsUntil() method, 34
 - .prev() method, 32
 - .prevAll() method, 32
 - .prevUntil() method, 32
 - .siblings() method, 32
 - .slice() method, 28–29
- modal window
 - confirming deletion in
 - displaying confirmation dialog, 298–300
 - event handler for deletion, 301–307
 - overview, 298
 - remove event from calendar after, 304–307
 - editing events in
 - determining form action, 291
 - new events only added to calendar, 296–298
 - overview, 290
 - remove from modal window, 294–295
 - storing event ID, 292–293
- for event data
 - adding active class, 241

- adding effects to, 254–262
- binding function to click event, 240
- Close button, 253–254
- creating, 243–245
- extracting query string with regular expressions, 241–243
- overview, 240
- preventing default action, 240–241
- retrieve and display with AJAX, 247–252
- modal-overlay class, 257
- MyClass class, 89, 91, 93–94, 96, 99, 104, 107–108
- MyClass instance, 91
- MyClass object, 95
- MyOtherClass class, 105, 107

■ N

- name attribute, 301
- new keyword, 88
- next elements, hierarchy selectors in jQuery for DOM elements, 14–15
- .next() method, 30–31
- .nextAll() method, 31
- .nextUntil() method, 31–32
- nonpublic application files, for events calendar, 121
- :not() method, 16, 27
- :nth-child() method, 20

■ O

- object literals, 243, 246–247
- object-oriented programming (OOP)
 - classes
 - creating, 88–89
 - defining methods, 90–98
 - defining properties, 89–90

- differences from objects, 88
 - and objects, 87–112
 - using inheritance, 99–103
- DocBlocks, commenting with, 110–112
- methods, visibility of, 103–110
- objects
 - and classes, 87–112
 - differences from classes, 88
- vs. procedural code
 - better organization, 117
 - ease of implementation, 113–117
 - easier maintenance, 117–118
 - OOP approach, 115–116
 - overview, 112
 - procedural approach, 113–114
- properties, visibility of, 103–110
- objects
 - and classes, 87–112
 - differences from classes, 88
- :odd filter, 16, 20
- odd or even elements, basic filters in jQuery for DOM elements, 16
- .one() method, 76
- OOP. *See* object-oriented programming
- .outerHeight() method, 62
- .outerWidth() method, 62
- overlay, adding effect to modal window, 257

■ P

- <p> tag, 11
- pairs variable, 275
- parent elements, content filters in jQuery for DOM elements, 18
- :parent filter, 18
- parent keyword, 102
- .parent() method, 33

- .parents() method, 33
- .parentsUntil() method, 34
- :password filter, 22
- password protection
 - database table setup, 199
 - limiting display of components
 - admin options method, 224–225
 - disallowing access to event creation, 228–229
 - event options method, 226–228
 - only logged in users can delete events, 229
 - overview, 223
 - logging out
 - button for, 218–219
 - form submission handling, 221–222
 - method to process, 220
 - login credentials class
 - defining, 202
 - form submission handling, 213–218
 - method to check, 203–213
 - method to create salted hashes, 207–209
 - test method for salted hashes, 210–212
 - user to test administrative access, 212–213
 - login form, 200–201
- pattern modifiers, regular expressions, 316–317
- PCRE (Perl-Compatible Regular Expression), 311
- php-jquery_example database, 125, 199, 213
- phpMyAdmin, 124
- plugins
 - allowing custom aliases in, 345–346
 - creating
 - default options publicly accessible, 351–352
 - helper method publicly accessible, 354–355
 - maintaining chainability, 353
 - modifying each matched element, 356
 - properly named file, 351
 - file naming conventions for, 348
 - implementing
 - including file, 357
 - initializing on set of elements, 358–360
 - plus signs, 276
 - plusOne() static method, 108
 - POST method, 247, 251, 271
 - preg_match() method, 333
 - preg_replace() function, 313–314, 316, 318
 - .prepend() method, 40–44
 - .prependTo() method, 44–45
 - .prev() method, 32
 - .prevAll() method, 32
 - .preventDefault() method, 241
 - .prevUntil() method, 32
 - private visibility
 - keywords, 103, 107
 - of methods, 107–108
 - of properties, 107–108
 - procedural code, vs. object-oriented programming
 - better organization, 117
 - ease of implementation, 112–116
 - easier maintenance, 117–118
 - OOP approach, 115–116
 - overview, 112
 - procedural approach, 113–114
 - processForm() method, 176, 179, 287, 334
 - process.inc.php file, 179, 213, 221, 248, 250
 - processLogout() method, 220
 - progressive enhancements, with jQuery, 235–236
 - properties
 - defining class, 89–90

- setting in events calendar constructor, 134–136
- visibility of
 - private, 107–108
 - public, 103–106
 - static, 108–110
- protected visibility keyword, 103–104
- public
 - files for events calendar, 120–121
 - visibility of methods, 103–106
 - visibility of properties, 103–106
- public folder, 120–124, 133, 145, 171, 195
- public keyword, 89
- public visibility keyword, 103

■ Q

- question mark, 242

■ R

- :radio filter, 22
- rainbow tables, 207–208
- .ready() method, 72–73
- regex.php file, 312–314, 316, 318, 320, 324, 328, 330
- regular expressions
 - alternation, 324
 - backreferences, 318–319
 - basic syntax, 311–315
 - beginning of string, 324
 - character classes, 320–323
 - end of string, 324
 - examples, 326–327
 - extracting query string with, modal window for event data, 241–243
 - form validation with, 311–327

- optional items, 325
- pattern modifiers, 316–317
- vs. regular string replacement, 314–315
- repetition operators, 323–324
- replacing text with, 313–314
 - word boundaries, 323
- .remove() method, 52–53
- .removeAttr() method, 54
- .removeClass() method, 59
- removeevent, 304
- repetition operators, regular expressions, 323–324
- .replace() method, 241–242
- replacing text, with regular expressions, 313–314
- result sets, methods of jQuery for, 62–64

■ S

- salted hashes
 - method to create, 207–209
 - test method for, 210–212
- salted passwords, 207
- scope resolution operator (::), 102
- .scroll() method, 72
- SDKs (software development kits), 110
- SELECT query, 137
- selected form elements, form filters in jQuery for DOM elements, 23
- selected state, 23
- selectors, for selecting DOM elements in jQuery
 - basic, 11–13
 - hierarchy, 13–15
- .serialize() method, 269–270
- serializing, form data, 270
- server-side date validation
 - adding method to Calendar class, 333

- overview, 328
- regex pattern to validate dates, 328–333
- returning error if does not validate, 334–337
- service attacks, denial of, 208
- .setMinutes() method, 281
- Shiflett, Chris, 171
- shorthand class, 331
- .show() method, 65–66
- sibling elements, hierarchy selectors in jQuery for DOM elements, 15
- .siblings() method, 32
- sleep() function, 211
- .slice() method, 28–29
- .slideDown() method, 67
- .slideToggle() method, 67
- .slideUp() method, 67
- software development kits (SDKs), 110
- .split() method, 275
- SQL tab, phpMyAdmin, 124, 212
- start variable, 339
- static keyword, 103
- static visibility, of methods and properties, 108–110
- .stop() method, 70
- str_ireplace() function, 316
- str_replace() function, 313–314, 316, 318–319
- String() method, 282
- string replacement, vs. regular expressions, 314–315
- style.css file, 155
- stylesheet, for elements created by jQuery, 238–239
- Submit button, 284, 301, 305, 339
- :submit filter, 22
- submitVal variable, 301
- syntax, for regular expressions, 311–315
- sys folder, 120–121, 124, 127

T

- tag type, basic selectors in jQuery for DOM elements, 11
- target property, 291
- testing folder, 8, 88
- test.php file, 88–89, 210, 212–213
- testSaltedHash() method, 210, 212–213
- :text filter, 22
- .text() method, 56–57
- this keyword, 242, 301
- timezone inconsistencies, 281
- today class, 146
- .toggle() method, 76–77
- .toggleClass() method, 59–60
- tokens, adding to forms, 169–170
- .trigger() method, 77

U

- .unbind() method, 75
- .unload() method, 73
- unset() function, 95
- .unwrap() method, 48
- UPDATE statement, 176
- urldecode function, 276
- user interface enhancements with jQuery
 - Calendar app
 - JavaScript initialization file for, 237
 - overview, 236
 - stylesheet for elements created by jQuery, 238–239
 - modal window for event data
 - adding active class, 241
 - adding effects to, 254–262
 - binding function to click event, 240
 - Close button, 253–254
 - creating, 243–245

- extracting query string with regular expressions, 241–243
- overview, 240
- preventing default action, 240–241
- retrieve and display with AJAX, 247–252
- overview, 235
- progressive enhancements with, 235–236
- users table, 199, 205, 213
- user-supplied options, 347
- utility functions, 246

■ V

- .val() method, 57–58, 301
- val variable, 275
- validDate() method, 339, 346, 350, 352
- validDate plugin, 351, 357
- valid-date.js file, 338, 345–346, 348
- view.php file, 121, 164–165, 171, 185, 188, 241
- visibility
 - of methods
 - private, 107–108
 - public, 103–106
 - static, 108–110
 - of properties
 - private, 107–108
 - public, 103–106
 - static, 108–110
- :visible filter, 19
- visual effects, adding to modal window

- adding an overlay, 257
- fade in, 257
- fade out, 255–256
- overview, 254

■ W

- web pages, including jQuery in, 7–8
- web root folders, 120
- WHERE clause, 137
- WHERE...BETWEEN clause, 137
- .width() method, 61
- word boundaries, regular expressions, 323
- .wrap() method, 46–47
- .wrapAll() method, 49–50
- .wrapInner() method, 51

■ X

- XAMPP Control Panel, 7
- XAMPP folder, 7

■ Y

- Yes, Delete It button, 197

■ Z

- zoom method, 354, 356

